

FLORIVA PLUS- vitamin a palmitate, ascorbic acid, cholecalciferol, .alpha.-tocopherol succinate, d-, thiamine hydrochloride, riboflavin 5-phosphate sodium, niacinamide, pyridoxine hydrochloride, levomefolate glucosamine, cyanocobalamin, and sodium fluoride solution/ drops BonGeo Pharmaceuticals, Inc.

Floriva Plus Liquid Drops™

Supplement Facts		Servings Per Container: 50	
Dosage Size: 1 mL			
Amount per 1 mL Ingredient	Amount Per Serving	% Daily Value	
		1-12 months	1-4 years
Vitamin A (as retinyl palmitate)	345 mcg RAE	69%	115%
Vitamin C (as ascorbic acid)	32 mg	64%	213%
Vitamin D3 (as cholecalciferol)	10 mcg (400 IU)	100%	67%
Vitamin E (as d-alpha-tocopheryl succinate)	3.4 mg (5 IU)	68%	57%
Vitamin B1 (as thiamine HCl)	0.5 mg	167%	100%
Vitamin B2 (as riboflavin phosphate sodium)	0.6 mg	150%	120%
Niacin (as niacinamide)	2 mg	50%	33%
Vitamin B6 (as pyridoxine HCl)	0.4 mg	133%	80%
Folate (as 55 mcg Quatrefolic (6S-5 methyl tetrahydrofolic acid, (29.7 mcg Folic Acid) glucosamine salt)	49.5 mcg DFE	62%	33%
Vitamin B12 (as cyanocobalamin)	2 mcg	400%	222%
Fluoride (as sodium fluoride)	0.25 mg	*	*

* Daily Value not established.

Other Ingredients: Glycerin, purified water, propylene glycol, polysorbate 80, gum acacia, sucralose, maltodextrin, sodium hydroxide, potassium sorbate, sodium benzoate, natural flavors.

WARNING

KEEP THIS PRODUCT OUT OF THE REACH OF CHILDREN. IF OVERDOSAGE IS SUSPECTED, SEEK PROFESSIONAL ASSISTANCE OR CONTACT A POISON CONTROL CENTER IMMEDIATELY 1-800-222-1222.

Directions

Use as directed by a physician.

SHAKE WELL BEFORE USE.

How to Use

Fill dropper to appropriate line and dispense with a single squeeze of the dropper bulb. The full dose will be given. It is normal for a small amount to remain in the tip of the dropper.

Do not accept if bottle tamper seal is broken or missing.

Caution

Do not use this product if you are allergic to any of the ingredients. Take this product at least 2 hours before or after taking any products containing calcium (including milk, yogurt, other dairy products) or aluminum/magnesium hydroxide (e.g., certain antacids/laxatives) since these may decrease effectiveness. Prolonged daily ingestion of excessive fluoride may result in varying degrees of dental fluorosis.

OTHER INFORMATION

You may report serious side effects to 1-844-640-7607.

BonGeo Pharmaceuticals, Inc. requires this product to be dispensed only under the order of a physician or licensed medical practitioner.

© 2018

BonGeo Pharmaceuticals, Inc.

101 Eisenhower Parkway #300, Roseland, NJ

07068 FPL02 02/18

PRINCIPAL DISPLAY PANEL - 50 mL Container Label

0.25

mg*

FLUORIDE

MULTIVITAMIN

LIQUID DROPS

BonGeo™

PHARMACEUTICALS

NDC 52796-170-50

0.25 mg

FLUORIDE

per 1 mL

Floriva

Plus

Liquid

Drops™

0.25 mg

Fluoride Multivitamin Liquid Drops

Quatrefolic®

Patent Ref.: U.S. Patent No. 7,947,662;

Other patents pending

Natural Berry Flavor

Physician Prescribed

Dietary Supplement


1 FL. OZ (50 mL)

SUGAR, SACCHARIN
AND GLUTEN FREE

NO ARTIFICIAL COLORS OR FLAVORS

*contains 0.25 mg fluoride per 1 mL from 0.55 mg sodium fluoride

Quatrefolic Trademark and Patent property of Gnosis SpA.



	Amount Per Serving	% Daily Value	
		1-12 months	1-4 years
Vitamin A (as retinyl palmitate)	1150 IU	77%	46%
Vitamin C (as ascorbic acid)	32 mg	91%	80%
Vitamin D3 (as cholecalciferol)	400 IU	100%	100%
Vitamin E (as d-alpha-tocopheryl succinate)	5 IU	100%	50%
Vitamin B1 (as thiamine HCl)	0.5 mg	100%	71%
Vitamin B2 (as riboflavin phosphate sodium)	0.6 mg	100%	75%
Niacin (as niacinamide)	2 mg	25%	22%
Vitamin B6 (as pyridoxine HCl)	0.4 mg	100%	57%
Folate (as 55 mcg Quatrefolic®) (5S-5 methyltetrahydrofolic acid, glucosamine salt)	29.7 mcg	30%	15%
Vitamin B12 (as cyanocobalamin)	2 mcg	100%	67%
Fluoride (as sodium fluoride)	0.25 mg	†	†

†Daily Value not established

Other Ingredients: Glycerin, purified water, propylene glycol, polysorbate 80, gum acacia, sucralose, maltodextrin, sodium hydroxide, potassium sorbate, sodium benzoate, natural flavors.

WARNING: KEEP THIS PRODUCT OUT OF THE REACH OF CHILDREN. IF OVERDOSAGE IS SUSPECTED, SEEK PROFESSIONAL ASSISTANCE OR CONTACT A POISON CONTROL CENTER IMMEDIATELY 1-800-222-1222.

Directions: Use as directed by a physician.
SHAKE WELL BEFORE USE.

How to Use: Fill dropper to appropriate line and dispense with a single squeeze of the dropper bulb. The full dose will be given. It is normal for a small amount to remain in the tip of the dropper.

Do not accept if bottle tamper seal is broken or missing.

Caution: Do not use this product if you are allergic to any of the ingredients. Take this product at least 2 hours before or after taking any products containing calcium (including milk, yogurt, other dairy products) or aluminum/magnesium hydroxide (e.g., certain antacids/ laxatives) since these may decrease effectiveness. Prolonged daily ingestion of excessive fluoride may result in varying degrees of dental fluorosis.

OTHER INFORMATION: You may report serious side effects to 1-844-640-7607. BonGeo Pharmaceuticals, Inc. requires this product to be dispensed only under the order of a physician or licensed medical practitioner.

© 2018 BonGeo Pharmaceuticals, Inc.
101 Esbentower Parkway #300, Roseland, NJ 07068
FPL02 02/18



FLORIVA PLUS

vitamin a palmitate, ascorbic acid, cholecalciferol, .alpha.-tocopherol succinate, d-, thiamine hydrochloride, riboflavin 5-phosphate sodium, niacinamide, pyridoxine hydrochloride, levomefolate glucosamine, cyanocobalamin, and sodium fluoride solution/ drops

Product Information

Product Type	DIETARY SUPPLEMENT	Item Code (Source)	NHRIC:52796-170
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC) (VITAMIN A - UNII:81G40H8B0T)	VITAMIN A	1150 [iU] in 1 mL
ASCORBIC ACID (UNII: PQ6CK8PD0R) (ASCORBIC ACID - UNII:PQ6CK8PD0R)	ASCORBIC ACID	32 mg in 1 mL
CHOLECALCIFEROL (UNII: 1C6V77QF41) (CHOLECALCIFEROL - UNII:1C6V77QF41)	CHOLECALCIFEROL	400 [iU] in 1 mL
.ALPHA.-TOCOPHEROL SUCCINATE, D- (UNII: LU4B53JYVE) (.ALPHA.-TOCOPHEROL, D- - UNII:N9PR3490H9)	.ALPHA.-TOCOPHEROL SUCCINATE, D-	5 [iU] in 1 mL
THIAMINE HYDROCHLORIDE (UNII: M572600E5P) (THIAMINE ION - UNII:4ABT0J945J)	THIAMINE HYDROCHLORIDE	0.5 mg in 1 mL
RIBOFLAVIN 5'-PHOSPHATE SODIUM (UNII: 20RD1DZH99) (FLAVIN MONONUCLEOTIDE - UNII:7N464URE7E)	FLAVIN MONONUCLEOTIDE	0.6 mg in 1 mL

NIACINAMIDE (UNII: 25X51I8RD4) (NIACINAMIDE - UNII:25X51I8RD4)	NIACINAMIDE	2 mg in 1 mL
PYRIDOXINE HYDROCHLORIDE (UNII: 68Y4CF58BV) (PYRIDOXINE - UNII:KV2JZ1BI6Z)	PYRIDOXINE HYDROCHLORIDE	0.4 mg in 1 mL
LEVOMEFOLATE GLUCOSAMINE (UNII: Q65PL71Q1A) (LEVOMEFOLATE GLUCOSAMINE - UNII:Q65PL71Q1A)	LEVOMEFOLATE GLUCOSAMINE	29.7 ug in 1 mL
CYANOCOBALAMIN (UNII: P6YC3EG204) (CYANOCOBALAMIN - UNII:P6YC3EG204)	CYANOCOBALAMIN	2 ug in 1 mL
SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU408O)	FLUORIDE ION	0.25 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0K00R)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
ACACIA (UNII: 5C5403N26O)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NHRIC:52796-170-50	50 mL in 1 CONTAINER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
DIETARY SUPPLEMENT		03/16/2018	

Supplement Facts

Serving Size : _____ **Serving per Container :** _____

Amount Per Serving	% Daily Value
flavor	

Labeler - BonGeo Pharmaceuticals, Inc. (964822022)

Revised: 4/2018

BonGeo Pharmaceuticals, Inc.