

**ONLY FOR ALLERGY- chlorpheniramine maleate tablet**  
**O4 Global Trading Usa, Llc**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Only For- ALLERGY**

**DRUG FACTS**

**Active ingredient (in each tablet)**

Chlorpheniramine Maleate 4mg

**Purpose**

Antihistamine

**Uses:**

- temporarily relieves the following symptoms due to hay fever or other upper respiratory allergies:
- sneezing
- runny nose
- itchy, watery eyes
- itching of the nose or throat

**Warnings:**

**Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

**Do not take if**

you are taking sedatives or tranquilizers

**When using this product**

- excitability may occur, especially in children
- drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic beverages
- use caution when driving a motor vehicle or operating machinery

**Do not use to make a child sleepy**

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children**

**Overdose Warning:** In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions:**

- take with a full glass of water
- **Do not take more than directed**

|  |  |
|--|--|
| adults and children 12 years of age and over | 1 tablet every 4 to 6 hours, do not take more than 6 tablets in 24 hours                       |
| children 6 to under 12 years of age          | ½ tablet (break tablet in half) every 4 to 6 hours, not to exceed 3 whole tablets in 24 hours. |
| children under 6 years of age                | ask a doctor   |

**Other Information:**

- Store at room temperature between 20-25°C (68-77°F).
- protect from excessive heat and moisture

**Inactive Ingredients:**

D&C yellow#10, lactose anhydrous, magnesium stearate, microcrystalline cellulose, pregelatinized starch.

**QUESTIONS OR COMMENTS ?**

1-833-665-9444.

**NDC: 73006-113-41**

**ANTI-HISTAMINE**

**Distributed By:** O4 GLOBAL TRADING USA LLC., 2241 S Watson RD, Suite 121 Arlington, TX 76010.

www.onlyfor.com

**Packaged By:** Strive Pharmaceuticals Inc., East Brunswick, NJ 08816.

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF A BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGN OF TAMPERING**

**Tear along perforation push product through foil**

**Packaging**




NDC: 73006-113-41

Only For

# ALLERGY ANTIHISTAMINE

Chlorpheniramine Maleate 4mg / Antihistamine



4 TABLETS



LOT: K004A

EXP: 08/20

### DRUG FACTS

| Active ingredient (in each tablet) | Purpose       |
|------------------------------------|---------------|
| Chlorpheniramine Maleate 4 mg      | Antihistamine |

**Uses:**

- temporarily relieves the following symptoms due to hay fever or other upper respiratory allergies:
  - sneezing
  - runny nose
  - itchy, watery eyes
  - itching of the nose or throat

**Warnings:**

**Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

**Do not take if**

you are taking sedatives or tranquilizers

**When using this product**

- excitability may occur, especially in children
- drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic beverages
- use caution when driving a motor vehicle or operating machinery

**Do not use to make a child sleepy**

### DRUG FACTS(Continued)

**If pregnant or breast-feeding,**  
ask a health professional before use.

**Keep out of reach of children**  
**Overdose Warning:** In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions:**

- take with a full glass of water
- do not take more than directed

|  |  |
|--|--|
| adults and children 12 years of age and over | 1 tablet every 4 to 6 hours, do not take more than 6 tablets in 24 hours                       |
| children 6 to under 12 years of age          | ½ tablet (break tablet in half) every 4 to 6 hours, not to exceed 3 whole tablets in 24 hours. |
| children under 6 years of age                | Do not use unless under a doctor's supervision.  |

**Other Information:**

- Store at room temperature between 20-25°C (68-77°F).
- protect from excessive heat and moisture

**Inactive Ingredients:**  
D&C yellow#10, lactose anhydrous, magnesium stearate, microcrystalline cellulose, pregelatinized starch.

**QUESTIONS OR COMMENTS ?**  
1-833-665-9444.

**Distributed By:** O4 GLOBAL TRADING USA LLC., 2241 S Watson RD, Suite 121 Arlington, TX 76010.

www.onlyfor.com

**Packaged By:** Strive Pharmaceuticals Inc., East Brunswick, NJ 08816.

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF A BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGN OF TAMPERING**



www.onlyfor.com

CT2ALR4-REV.102018

## ONLY FOR ALLERGY

chlorpheniramine maleate tablet

### Product Information

|                         |                |                    |               |
|-------------------------|----------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:73006-113 |
| Route of Administration | ORAL           |                    |               |

**Active Ingredient/Active Moiety**

| Ingredient Name  | Basis of Strength        | Strength |
|--|--------------------------|----------|
| CHLORPHENIRAMINE MALEATE (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U) | CHLORPHENIRAMINE MALEATE | 4 mg     |

**Inactive Ingredients**

| Ingredient Name                                   | Strength |
|---|----------|
| D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)              |          |
| ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)              |          |
| MAGNESIUM PALMITO STEARATE (UNII: R4OXA9G5BV)     |          |
| MICROCRYSTALLINE CELLULOSE 101 (UNII: 7T9FYH5QMK) |          |
| STARCH, CORN (UNII: O8232NY3SJ)                   |          |

**Product Characteristics**

|          |        |              |          |
|----------|--------|--------------|----------|
| Color    | yellow | Score        | no score |
| Shape    | ROUND  | Size         | 8mm      |
| Flavor   |        | Imprint Code | S72      |
| Contains |        |              |          |

**Packaging**

| # | Item Code        | Package Description                                    | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:73006-113-41 | 1 in 1 CARTON  | 03/29/2019           |                    |
| 1 |                  | 4 in 1 BLISTER PACK; Type 0: Not a Combination Product |                      |                    |

**Marketing Information**

| Marketing Category  | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC monograph final | part341                                  | 03/29/2019           |                    |

**Labeler** - O4 Global Trading Usa, Llc (081226861)

Revised: 5/2019

O4 Global Trading Usa, Llc