

CORALITE ODOR FREE PAIN RELIEF- lidocaine patch
United Exchange Corporation

Coralite Odor Free Max Strength 4% Lidocaine Patch 1ct (90159)

Active ingredient Purpose

Lidocaine 4%.....Topical analgesic

Uses

- temporarily relieves minor pain

Warnings

For external use only

Do not use

- more than 1 patch on your body at a time
- at the same time as other topical analgesics
- on damaged skin, or puncture wounds
- for more than one week without consulting a doctor
- if you are allergic to any ingredients of this product

When using this product

- use only as directed. Read and follow all directions and warning on this label.
- do not allow contact with the eyes
- do not bandage tightly or apply local heat (such as heating pads) to the area of use
- avoid the patch getting wet for better adhesion
- dispose of used patch in manner that always keeps product away from children or pets. Used patches still contain enough lidocaine to cause serious or life-threatening problems.

Stop use and ask a doctor if

- skin reactions occur, such as pain, swelling, rash, redness, itching, irritation, or blistering where the product was applied
- symptoms persist for more than 7 days or clear up and occur again within a few days
- condition worsens

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. if swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- adults and children over 12 years:
- clean and dry affected area
- expose a portion of the patch by firmly grasping an edge or corner and gently pull apart until backing separates
- position and apply exposed portion of the patch to affected area
- once exposed portion of patch is positioned, carefully remove remaining backing to completely apply patch to affected area.

- use 1 patch at a time, not more than 3 to 4 times daily
- children 12 years or younger: ask a doctor

Other information

- store at room temperature 20-25°C (68-77°F)

Inactive ingredients alcohol, aluminum glycinate, glycerin, kaolin, methylparaben, polysorbate 80, propylparaben, purified water, sodium polyacrylate, tartaric acid, titanium dioxide

Questions or comments?

Call 1-888-645-8204 Monday-Friday 9AM-5PM (PST)

Distributed By: UNITED EXCHANGE CORPORATION

Cypress, CA 90630 USA | 1-888-645-8204

Made in China

CORALITE
LIDOCAINE 4%
MAXIMUM STRENGTH PAIN RELIEF PATCH

CHILD-RESISTANT PACKAGING Compare to the active ingredient in **ASPERCREME** Maximum Strength Lidocaine Patch*

TOPICAL ANESTHETIC lidocaine 4%

FAST ACTING pain relief of minor aches & pains

NUMBS away pain

APPLY for arthritis, bruises, strains & sprains

ODOR-FREE pain patch

1 PATCH 3.9 in x 5.5 in (10 cm x 14 cm)

Drug Facts
Active ingredient: Lidocaine 4%. Purpose: Topical anesthetic.
Use
temporarily relieves minor pain.
Warnings
For external use only.
Do not use
• more than 1 patch on your body at a time
• at the same time as other topical anesthetics
• on damaged skin, or puncture wounds
• for more than one week without consulting a doctor
• if you are allergic to any ingredients of this product.
When using this product
• use only as directed. Read and follow all directions and warnings on this label.
• do not allow contact with the eyes
• do not bandage tightly or apply local heat (such as heating pads) to the area of use
• avoid the patch getting wet for better adhesion
• dispose of used patch in manner that always keeps product away from children or pets. Used patches still contain enough lidocaine to cause serious or life-threatening problems.
Stop use and ask a doctor if
• skin reactions occur, such as pain, swelling, rash, redness, itching, irritation, or blistering where the product was applied
• symptoms persist for more than 7 days or clear up and occur again within a few days
• condition worsens

Drug Facts (continued)
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.
Directions
• adults and children over 12 years
• clean and dry affected area
• expose a portion of the patch by firmly grasping an edge or corner and gently pull apart until backing separates
• position and apply exposed portion of the patch to affected area
• once exposed portion of patch is positioned, carefully remove remaining backing to completely apply patch to affected area
• use 1 patch at a time, not more than 3 to 4 times daily
• children 12 years or younger: ask a doctor
Other information
store at room temperature 20-25°C (68-77°F)
Inactive ingredients
alcohol, aluminum glycinate, glycerin, kaolin, methylparaben, polysorbate 80, propylparaben, purified water, sodium polyacrylate (2,500,000 MW), tartaric acid, titanium dioxide
Questions or comments?
Call 1-888-645-8204 Monday-Friday 9AM-5PM (PST)
*This product is not manufactured or distributed by Chatten, Inc., a Sanofi Company, distributor of Aspercreme® Maximum Strength Lidocaine Patch. Distributed by: UNITED EXCHANGE CORP. Cypress, CA 90630 USA | 1-888-645-8204 | Made in China

90159-ZDP-PH-RS | PR-TP-ZDP103-R4

CORALITE ODOR FREE PAIN RELIEF

lidocaine patch

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:65923-149

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	40 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C00X)	
DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K)	
ALCOHOL (UNII: 3K9958V90M)	
KAOLIN (UNII: 24H4NWX5CO)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TARTARIC ACID (UNII: W4888I119H)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JNI2J)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:65923-149-01	1 in 1 POUCH	10/29/2018	
1		1 g in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	10/29/2018	

Labeler - United Exchange Corporation (840130579)

Revised: 12/2023

United Exchange Corporation