

**ADULT TUSSIN COUGH AND CHEST CONGESTION DM SUGAR FREE-  
dextromethorphan hbr, guaifenesin liquid  
Fred's Inc**

-----  
**Drug Facts**

**Active ingredients (in each 10 mL)**

Dextromethorphan HBr 20 mg

Guaifenesin 200 mg

**Purposes**

Cough suppressant

Expectorant

**Uses**

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

**Warnings**

**Do not use**

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

**Stop use and ask a doctor if**

cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-

1222) right away.

### **Directions**

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- mL = milliliter
- this adult product is not intended for use in children under 12 years of age
- adult and children 12 years and over: 10 mL every 4 hours
- children under 12 years: do not use

### **Other information**

- store between 20-25°C (68-77°F). Do not refrigerate.

### **Inactive ingredients**

acesulfame potassium, citric acid, flavors, glycerin, methylparaben, polyethylene glycol, povidone, propylene glycol, purified water, saccharin sodium, sodium benzoate

### **Questions or comments?**

Call **1-877-753-3935 Monday-Friday 9AM-5PM EST**

### **Principal Display Panel**

Compare To The Active Ingredients in: Robitussin® Peak Cold Sugar-Free Cough+Chest Congestion DM\*

ADULT

Tussin

SUGAR-FREE

### **COUGH + CHEST CONGESTION DM**

DEXTROMETHORPHAN HBr 20 mg (Cough Suppressant)

GUAIFENESIN 200 mg (Expectorant)

RELIEVES:

- COUGH
- MUCUS

SPECIALLY FORMULATED FOR DIABETICS

NON-DROWSY

ALCOHOL- FREE

FOR AGES 12 & OVER

Dosage Cup Included

FL OZ (mL)

\*This product is not manufactured or distributed by Pfizer Consumer Healthcare, distributors of Robitussin® Peak Cold Sugar-Free Cough + Chest Congestion DM.

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.**

DISTRIBUTED BY: fred's, Inc.

4300 NEW GETWELL RD,

MEMPHIS, TN 38118

www.fredsinc.com

## Package Label

<p><b>Drug Facts (continued)</b></p> <p><b>Inactive ingredients</b> acesulfame potassium, citric acid, flavor, glycerin, methylparaben, polyethylene glycol, povidone, propylene glycol, purified water, saccharin sodium, sodium benzoate</p> <p><b>Questions or comments?</b> Call 1-877-753-3935 Monday-Friday 9AM-5PM EST</p> <p><small>*This product is not manufactured or distributed by Pfizer Consumer Healthcare, distributor of Robitussin® Peak Cold Sugar-Free Cough+ Chest Congestion DM.</small></p>	<p>NDC 55315-817-04</p> <p><b>fred's Pharmacy</b></p> <p>Compare To The Active Ingredients In Robitussin® Peak Cold Sugar-Free Cough+ Chest Congestion DM*</p> <p><b>ADULT</b></p> <h1>Tussin</h1> <p><b>SUGAR-FREE</b></p> <h2>COUGH + CHEST CONGESTION DM</h2> <p>DEXTROMETHORPHAN HBr 20mg (Cough Suppressant) GUAIFENESIN 200mg (Expectorant)</p> <p><b>RELIEVES:</b></p> <ul style="list-style-type: none"><li>• COUGH</li><li>• MUCUS</li></ul> <p>SPECIALLY FORMULATED FOR DIABETICS</p> <p><b>NON-DROWSY ALCOHOL-FREE</b></p> <p>Dosing Cup Included <b>4 FL OZ (118 mL)</b></p> <p>FOR AGES 12 &amp; OVER</p>	<p>NDC 55315-817-04</p> <p><b>fred's Pharmacy</b></p> <p>Compare To The Active Ingredients In Robitussin® Peak Cold Sugar-Free Cough+ Chest Congestion DM*</p> <p><b>ADULT</b></p> <h1>Tussin</h1> <p><b>SUGAR-FREE</b></p> <h2>COUGH + CHEST CONGESTION DM</h2> <p>DEXTROMETHORPHAN HBr 20mg (Cough Suppressant) GUAIFENESIN 200mg (Expectorant)</p> <p><b>RELIEVES:</b></p> <ul style="list-style-type: none"><li>• COUGH</li><li>• MUCUS</li></ul> <p>SPECIALLY FORMULATED FOR DIABETICS</p> <p><b>NON-DROWSY ALCOHOL-FREE</b></p> <p>Dosing Cup Included <b>4 FL OZ (118 mL)</b></p> <p>FOR AGES 12 &amp; OVER</p>	<p><b>Drug Facts</b></p> <table border="1"><thead><tr><th>Active ingredients (in each 10 mL)</th><th>Purposes</th></tr></thead><tbody><tr><td>Dextromethorphan HBr 20 mg.....</td><td>Cough suppressant</td></tr><tr><td>Guaifenesin 200 mg.....</td><td>Expectorant</td></tr></tbody></table> <p><b>Uses</b></p> <ul style="list-style-type: none"><li>■ temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold</li><li>■ helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes</li></ul> <p><b>Warnings</b></p> <p><b>Do not use</b> if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.</p> <p><b>Ask a doctor before use if you have</b></p> <ul style="list-style-type: none"><li>■ cough that occurs with too much phlegm (mucus)</li><li>■ cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema</li></ul> <p><b>Stop use and ask a doctor</b> if cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.</p> <p><b>If pregnant or breast-feeding</b>, ask a health professional before use.</p> <p><b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.</p> <p><b>Directions</b></p> <ul style="list-style-type: none"><li>■ do not take more than 6 doses in any 24-hour period</li><li>■ measure only with dosing cup provided. Do not use any other dosing device.</li><li>■ keep dosing cup with product</li><li>■ mL = milliliter</li><li>■ this adult product is not intended for use in children under 12 years of age</li><li>■ adults and children 12 years and over: 10 mL every 4 hours</li><li>■ children under 12 years: do not use</li></ul> <p><b>Other information</b></p> <ul style="list-style-type: none"><li>■ store between 20-25°C (68-77°F). Do not refrigerate.</li></ul>	Active ingredients (in each 10 mL)	Purposes	Dextromethorphan HBr 20 mg.....	Cough suppressant	Guaifenesin 200 mg.....	Expectorant
Active ingredients (in each 10 mL)	Purposes								
Dextromethorphan HBr 20 mg.....	Cough suppressant								
Guaifenesin 200 mg.....	Expectorant								

**PARENTS:**  
Learn about teen medicine abuse  
www.StopMedicineAbuse.org

**100% satisfaction guaranteed**  
Questions or comments:  
1-855-331-FRED (3733)

DISTRIBUTED BY: fred's, Inc.  
4300 NEW GETWELL RD,  
MEMPHIS, TN 38118  
www.fredsinc.com



PLD-J324C FC005262

Lot No.:

Exp. Date:

**FRED'S PHARMACY Tussin Sugar-Free Cough + Chest Congestion DM**

**ADULT TUSSIN COUGH AND CHEST CONGESTION DM SUGAR FREE**

dextromethorphan hbr, guaifenesin liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55315-817
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 10 mL
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg in 10 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>ACESULFAME POTASSIUM</b> (UNII: 23OV73Q5G9)	
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ05DW1A)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55315-817-04	1 in 1 BOX	06/30/2018	06/30/2024
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	06/30/2018	06/30/2024

