

OXYGEN - oxygen gas
OXYGEN - oxygen gas
Atlanta Medical Gas LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

OXYGEN COMPRESSED LABEL

MEDICAL GAS OXYGEN-2 OXYGEN COMPRESSED USP UN 1072 PRODUCED BY AIR LIQUEFACTION PROCESS

DANGER: HIGH PRESSURE OXIDIZING GAS. VIGOROUSLY ACCELERATES COMBUSTION. STORE AND USE WITH ADEQUATE VENTILATION KEEP OIL AND GREASE AWAY. OPEN VALVE SLOWLY. USE ONLY WITH EQUIPMENT CLEANED FOR OXYGEN SERVICE AND RATED FOR CYLINDER PRESSURE. CLOSE VALVE AFTER EACH USE AND WHEN EMPTY. ALWAYS REPLACE CYLINDER CAP WHEN NOT IN USE. REFER TO ATLANTA MEDICAL GAS MATERIAL SAFETY DATA SHEET.

HEALTH HAZARDS: INHALATION FOR PROLONGED EXPOSURE MAY RESULT IN PNEUMONIA. ELEVATED CONCENTRATIONS PRESENT A RISK OF INFLAMMATION OR ORGANIC MATTER IN BODY. FIRST AID: IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING GIVE ARTIFICIAL RESPIRATION, PREFERABLY MOUTH TO MOUTH. CALL A PHYSICIAN IMMEDIATELY AND ADVISE HIM OF EXPOSURE TO OXYGEN.

FOR EMERGENCY USE ONLY WHEN ADMINISTERED BY PROPERLY TRAINED PERSONNEL FOR OXYGEN DEFICIENCY AND RESUSCITATION. FOR ALL OTHER MEDICAL APPLICATIONS Rx ONLY. CAS#7782-44-7 L/333

CONTENTS

CYLINDER TYPE	LITERS
T	8688
H	7981
M	3198
E	680
DD	640
D	413
C	248
BB	170
B	170
AA	113
AAA	34



OXYGEN REFRIGERATED LIQUID

MEDICAL GAS OXYGEN-2 OXYGEN REFRIGERATED LIQUID USP UN1073 PRODUCED BY AIR LIQUEFACTION PROCESS

WARNING: FOR EMERGENCY USE ONLY WHEN ADMINISTERED BY PROPERLY TRAINED PERSONNEL FOR OXYGEN DEFICIENCY AND RESUSCITATION. FOR ALL OTHER MEDICAL APPLICATIONS Rx ONLY. UNINTERRUPTED USE OF HIGH CONCENTRATIONS OF OXYGEN OVER A LONG DURATION, WITHOUT MONITORING ITS EFFECT ON OXYGEN CONTENT OF ARTERIAL BLOOD MAY BE HARMFUL. USE ONLY WITH PRESSURE REDUCING EQUIPMENT AND APPARATUS DESIGNED FOR OXYGEN. DO NOT ATTEMPT TO USE ON PATIENTS WHO HAVE STOPPED BREATHING, UNLESS USED IN CONJUNCTION WITH RESUSCITATIVE EQUIPMENT.

WARNING: EXTREME COLD OXIDIZING LIQUID AND GAS UNDER PRESSURE. OXYGEN VIGOROUSLY ACCELERATES COMBUSTION. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE. OPEN VALVE SLOWLY AND CLOSE AFTER EACH USE. KEEP AWAY FROM HEAT, FLAME, OR SPARKS. KEEP OIL, GREASE, AND OTHER COMBUSTIBLES AWAY. USE ONLY WITH EQUIPMENT CLEANED FOR OXYGEN SERVICE. DO NOT STRIKE ARC OR LASER BEAM

ON CYLINDER. DO NOT GET LIQUID IN EYES, ON SKIN OR CLOTHING. CONTAINER TEMPERATURE SHOULD NOT EXCEED 52 C (125 F) FOR LIQUID WITHDRAWAL, USE FACE SHIELD AND GLOVES. USE SUITABLE HAND TRUCK FOR CONTAINER MOVEMENT. DO NOT WALK ON OR ROLL EQUIPMENT OVER SPILLS. TRANSPORT, STORE AND USE ADEQUATE VENTILATION. ALWAYS SECURE CYLINDER IN UPRIGHT POSITION. USE THIS PRODUCT IN ACCORDANCE WITH ITS SPECIFIC MATERIAL SAFETY DATA SHEET (MSDS), AVAILABLE AT ATLANTA MEDICAL GAS LLC. DO NOT REMOVE THIS PRODUCT LABEL. L/334 CAS# 7782-44-7

CONTENTS

CYLINDER TYPE LITERS

160L	123048
180L	137056
200L	142858
230L	167819

AMG
Atlanta
Medical
Gas

MEDICAL GAS

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical application, **DO NOT USE.**

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

WARNING: EXTREME COLD. CONDENSING LIQUID AND GAS UNDER PRESSURE. OXYGEN VIGOROUSLY ACCELERATES COMBUSTION. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE.

Open valve slowly and close after each use. Keep away from heat, flame or sparks. Keep oil, grease and other combustibles away. Use only with equipment cleared for oxygen service. Do not strike arc or laser beam on cylinder. Do not get liquid in eyes, on skin or clothing. Container temperature should not exceed 52°C (125°F). For liquid withdrawal, use face shield and gloves. Use suitable hand truck for container movement. Do not walk on or roll equipment over spills. Transport, store and use adequate ventilation. Always secure cylinder in upright position. Use this product in accordance with its specific Material Safety Data Sheet (MSDS), available at Atlanta Medical Gas, LLC.

CONTENTS:

Cylinder Type	Liters
160L	123048
180L	137056
200L	142858
230L	167819

Oxygen
2

Cas#7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL L/334

**OXYGEN,
REFRIGERATED
LIQUID
USP UN1073**

Produced By Air Liquefaction Process

252 Swanson Dr.
Lawrenceville, GA
30043
770/338-8995

oxygen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:42165-0001
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	99 L in 100 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:42165-0001-0	34 L in 1 CAN		
2	NDC:42165-0001-1	113 L in 1 CYLINDER		
3	NDC:42165-0001-2	179 L in 1 CYLINDER		
4	NDC:42165-0001-3	248 L in 1 CYLINDER		
5	NDC:42165-0001-4	413 L in 1 CYLINDER		
6	NDC:42165-0001-5	640 L in 1 CYLINDER		
7	NDC:42165-0001-6	680 L in 1 CYLINDER		
8	NDC:42165-0001-7	3198 L in 1 CYLINDER		
9	NDC:42165-0001-8	7981 L in 1 CYLINDER		
10	NDC:42165-0001-9	8688 L in 1 CYLINDER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		01/01/2007	

OXYGEN

oxygen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:42165-0002
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	99 L in 100 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:42165-0002-1	123048 L in 1 DEWAR		
2	NDC:42165-0002-2	137056 L in 1 DEWAR		
3	NDC:42165-0002-3	142658 L in 1 DEWAR		
4	NDC:42165-0002-4	167819 L in 1 DEWAR		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		01/01/2007	

Labeler - Atlanta Medical Gas LLC (002151259)

Registrant - Atlanta Medical Gas LLC (002151259)

Establishment

Name	Address	ID/FEI	Business Operations
Atlanta Medical Gas LLC		002151259	manufacture

Revised: 1/2010

Atlanta Medical Gas LLC