

**NO FOUNDATION FOUNDATION FAIR - zinc oxide and titanium dioxide cream**  
**Allure Labs, Inc**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**DRUG FACTS**

**ACTIVE INGREDIENTS:**

Zinc Oxide - 12.2%

Titanium Dioxide 3.2%

Purpose: Sunscreen

□

**Uses:**

Helps prevent sunburn if used as directed with other sun protection measures decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For External Use Only

Do not use on broken and damaged skin

When using this product keep out of eyes. Rinse with water to remove

Stop use and ask doctor if rash occur

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

**Directions:**

- Dr. Perricone recommends applying evenly in gentle circular motions on top of treatment and/or moisturizer. Compatible with all Perricone MD products.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Re apply at least every 2 hours.
- Not for use on children.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early aging. To decrease this risk regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including;
  1. Limit time in the sun, especially between 10am to 2pm
  2. Wear long sleeved shirts, pants, hats, and sun glasses

Protect the product from excessive heat and direct sun.

Aluminum Hydroxide, Ascorbic Acid, Ascorbyl Palmitate, Butylene Glycol, C12-C15 Alkyl Benzoate, C13-14 Isoparaffin, Caprylic/Capric Triglyceride, Caprylyl Glycol, Ceramide 2, Cetyl Alcohol, Citric Acid, Cyclohexasiloxane, Cyclopentasiloxane, Dimethicone, Dimethyl MEA, Dipotassium Glycyrrhizate, Disodium EDTA, Ethylhexyl Palmitate, Ethylhexyl Palmitate, Ethylhexylglycerin, Fragrance/Parfum, Glycerin, Glyceryl Stearate, Glycolic Acid, Hexylene Glycol, Iron Oxides, Laureth-7, Lecithin, Limonene, Linalool, Mica, Palmitoyl Oligopeptide, PEG-10 Rapseed Sterol, PEG-100 Stearate, P:EG-8, Phenoxyethanol, Phoenix Dactylifera (Date) Fruit Extract, Polyarylamide, Polyglyceryl-3 Polydimethylsiloxyethyl Dimethicone, Silica, Silica Dimethyl Silylate, Sodium

Hyaluronate, Sodium Lactate, Sorbitan Stearate, Stearic Acid, Tetrahexyldecyl Ascorbate, Thiotic Acid, Titanium Dioxide, Tocopheryl, Tocopheryl Linolate/Oleate, Tribehenin, Triethoxycaprylsilane, Triethoxysilyethyl Polydimethylsiloxyethyl Hexyl Dimethicone, Water/Aqua, Xanthan Gum

Distributed By: NV Perricone LLC, Meriden CT 06450, Made in USA

NV Perricone MD Cosmeceuticals LTD, London. W1T 3LN UK

www.perriconemd.com

1 888 823 7837



**Perricone MD**  
COSMECEUTICALS



**No Foundation  
Foundation Fair**

*Provides natural translucent coverage  
and protects with non-chemical SPF 30.*

Broad Spectrum SPF 30 sunscreen.

e 30 mL / 1 fl oz

**Decades of Research**

Perricone MD products are unique in that they are patented, researched and formulated by Nicholas Perricone, M.D., board certified dermatologist and anti-aging expert. They deliver powerful efficacious benefits with visible results.

Dist By: NV Perricone LLC, Meriden CT 06450, Made in USA.  
NV Perricone MD Cosmeceuticals LTD, London, W1T 3LN UK

perriconemd.com  
1 888 823 7837



**Drug Facts**

Active ingredient	Purpose
Zinc Oxide 12.2%	Sunscreen
Titanium Dioxide 3.2%	Sunscreen

**Uses**

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

- For external use only. Do not use on damaged or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Dr. Perricone recommends applying evenly in gentle circular motions on top of treatment and/or moisturizer. Compatible with all Perricone MD products.
- Apply liberally 15 minutes before sun exposure.
- Use a water resistant sunscreen if swimming or sweating.
- Reapply at least every 2 hours.
- Not for use on children.
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m.–2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses.

**Inactive ingredients**

Aluminum Hydroxide, Ascorbic Acid, Ascorbyl Palmitate, Butylene Glycol, C12-15 Alkyl Benzoate, C12-14 Isoparaffin, Caprylic/Capric Triglyceride, Caprylyl Glycol, Ceraflax-2, Cetyl Alcohol, Citric Acid, Cyclopentasiloxane, Cyclopentasiloxane, Dimethicone, Dimethyl MEA, Dipotassium Glycyrrhizate, Disodium EDTA, Ethylhexyl Palmitate, Ethylhexylglycerin, Fragrance/Parfum, Glycerin, Hexyl Stearate, Hydroxy Acid, Hexylene Glycol, Iron Oxides, Laureth-7, Lecithin, Linoleic Acid, Mica, Panthoic Glycolide, Peg-10 Rapeseed Steryl, PEG-100 Stearate, PEG-8, Phenylethanol, Phenoxyethanol, Polybutene-3, Polydimethylsiloxyethyl Dimethicone, Silica, Silica Dimethyl Silylate, Sodium Hyaluronate, Sodium Lactate, Sorbitan Stearate, Stearic Acid, Tetrahydroxyethyl Ascorbate, Thiotic Acid, Titanium Dioxide, Tocopherol, Tocopheryl Linolate/Oleate, Tribehenin, Triethoxycaprylsilane, Triethoxysilyethyl Polydimethylsiloxyethyl Hexyl Dimethicone, Water/Aqua, Xanthan Gum

**Other information**

- Protect the product from excessive heat and direct sun.
- Lot number and expiration date – see bottom of the carton.

**Questions**

1-888-823-7837

**Product Benefits**

This unique, multi-purpose formula allows the natural health of your skin to shine through, while providing non-chemical SPF 30 broad spectrum protection. Helps correct skin undertones and delivers translucent coverage, while boosting skin's moisture level throughout the day.

It absorbs quickly and is infused with high potency ingredients that provide anti-aging benefits and help firm skin's appearance. It's also formulated with specially treated pigments, blended with light diffusing mica to instantly soften the look of lines, wrinkles and pores. Skin will look smooth and naturally radiant.

US Patent Numbers  
5,554,647



6 51473 51320 9

650475

4



BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)
C13-14 ISOPARAFFIN (UNII: E4F12ROE70)
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
CERAMIDE 2 (UNII: C04977SRJ5)
CETYL ALCOHOL (UNII: 936JST6JCN)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
CYCLOMETHICONE 6 (UNII: XHK3U310BA)
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)
DIMETHICONE (UNII: 92RU3N3Y1O)
DEANOL (UNII: 2N6K9DRA24)
GLYCYRRHIZINATE DIPO TASSIUM (UNII: CA2Y0FE3FX)
EDETATE DISODIUM (UNII: 7FLD91C86K)
ETHYLHEXYL PALMITATE (UNII: 2865993309)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
GLYCERIN (UNII: PDC6A3C0OX)
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)
GLYCOLIC ACID (UNII: 0WT12SX38S)
HEXYLENE GLYCOL (UNII: KEH0A3F75J)
FERRIC OXIDE RED (UNII: 1K09F3G675)
LAURETH-7 (UNII: Z95S6G8201)
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)
MICA (UNII: V8A1AW0880)
PALMITOYL OLIGOPEPTIDE (UNII: HO4ZT5S86C)
PEG-10 RAPESEED STEROL (UNII: 258O76T85M)
PEG-100 STEARATE (UNII: YD01N1999R)
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
DATE (UNII: H3O7QI5HY7)
POLYACRYLAMIDE (10000 MW) (UNII: E2KR9C9V2I)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
SODIUM LACTATE (UNII: TU7HW0W0QT)
SORBITAN MONOSTEARATE (UNII: NVZ4I0H58X)
STEARIC ACID (UNII: 4ELV7Z65AP)
TETRAHEXYLDECYL ASCORBATE (UNII: 9LVB3F07AZ)
.ALPHA.-LIPOIC ACID (UNII: 73Y7P0K73Y)
TOCOPHEROL (UNII: R0ZB2556P8)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
TRIBEHENIN (UNII: 8OC9U7TQZ0)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
WATER (UNII: 059QF0KO0R)
XANTHAN GUM (UNII: TTV12P4NEE)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62742-4060-2	1 in 1 CARTON		
1	NDC:62742-4060-1	30 mL in 1 BOTTLE, PUMP		

2	NDC:62742-4060-4	1 in 1 CARTON		
2	NDC:62742-4060-3	59 mL in 1 BOTTLE, PUMP		
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
OTC monograph final	part352	12/16/2013		

**Labeler** - Allure Labs, Inc (926831603)

Revised: 12/2013

Allure Labs, Inc