#### VASELINE INTENSIVE RESCUE CLINICAL THERAPY FRAGRANCE FREEdimethicone lotion

Conopco Inc. d/b/a Unilever

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### Vaseline Intensive Rescue Clinical Therapy Fragrance Free Lotion

#### Active ingredient

Dimethicone (1%)

#### **Purpose**

skin protectant

#### Uses

• temporarily protects and helps relieve chapped or cracked skin• helps protect from the drying effects of wind and cold weather

#### **Warnings**

For External Use Only

**When using this product** do not get into eyes.

**Stop use and ask a doctor if ●** condition worsens • symptoms last more than 7 days or clear up and occur again within a few days.

**Do not use on** • deep or puncture wounds • animal bites • serious burns

**Keep out of reach of children.** If swallowed get medical help or contact a Poison Control Center right away.

#### **Directions**

apply as needed

#### **Inactive ingredients**

Water, Glycerin, Isopropyl Palmitate, Distearyldimonium Chloride, Cetyl Alcohol, Mineral Oil, Steareth-21, Borago Officinalis Seed Oil, Glycine Soja (Soybean) Sterol, Petrolatum, Tocopheryl Acetate, Stearic Acid, Lecithin, Tapioca Starch, Stearyl Stearate, Sodium Chloride, Linoleic Acid, Linolenic Acid, Ethylene Brassylate, Methylparaben, Propylparaben, DMDM Hydantoin, Titanium Dioxide.

#### QUESTIONS & COMMENTS? Call 1-800-457-7084

PDP 6.8 fl. oz.



Vaseline® keeping skin amazing™ Learn more about your skin at vaseline.com

### **Drug Facts**

Active ingredient Dimethicone (1%). Purpose skin protectant

**Uses** • temporarily protects and helps relieve chapped or cracked skin • helps protect from the drying effects of wind and cold weather

Warnings For external use only

When using this product do not get into eyes.

#### Stop use and ask a doctor if

 condition worsens \*symptoms last more than 7 days or clear up and occur again within a few days

Do not use on

deep or puncture wounds
 serious burns

animal bites

Keep out of reach of children. If swallowed get medical help or contact a Poison Control Center

Fight away ----

Directions apply as needed

#### Inactive ingredients

Water, Glycerin, Isopropyl Palmitate,
Distearyldimonium Chloride, Cetyl Alcohol, Mineral
Oil, Steareth-21, Borago Officinalis Seed Oil, Glycine
Soja (Soybean) Sterol, Petrolatum, Tocopheryl Acetate,
Stearic Acid, Lecithin, Tapioca Starch, Stearyl Stearate,
Sodium Chloride, Linoleic Acid, Linolenic Acid,
Ethylene Brassylate, Methylparaben, Propylparaben,
DMDM Hydantoin, Titanium Dioxide.





© UNILEVER
TRUMBULL, CT 06611
VASELINE & INTENSIVE RESCUE ARE
UNILEVER TRADEMARKS.
QUESTIONS & COMMENTS?
CALL 1-800-457-7084







intensive rescue

# clinical therapy

#### FRAGRANCE FREE

accelerates the healing of persistently dry skin with an effective non-greasy formula

softens rough skin relieves itchy dry skin improves skin texture & tone.

PRESCRIPTION STRENGTH HYPOALLERGENIC SKIN PROTECTANT

6.8 fl. oz. (200 ml)



#### Vaseline. intensive rescue<sup>®</sup> clinical therapy<sup>®</sup>

skin protectant body lotion

#### Who will benefit from Vaseline® Clinical Therapy lotion?

Clinical Therapy is an everyday body lotion designed to help not only fight the symptoms of dry skin but can also prevent the onset of dry skin flare-ups. This non-greasy lotion is formulated to relieve itchy dry skin and is light on your skin so you can use it daily.

Is Vaseline® Clinical Therapy safe to use on sensitive skin or children?

Clinical Therapy has been clinically proven to be safe for sensitive skin and is appropriate for use on children.\*\*

How is Vaseline® Clinical Therapy different from other Vaseline® Lotions?

Clinical Therapy is specifically formulated to act like a moisture magnet. It attracts moisture to skin, helping to instantly relieve dry skin.

How should Vaseline® Clinical Therapy lotion be applied?

Apply everyday, all over the body to help keep your skin at its healthy best. It is most effective if used twice daily – in the morning after you shower and in the evening before bed.

\*for children less than 2 years of age, consult a doctor.

#### VASELINE INTENSIVE RESCUE CLINICAL THERAPY FRAGRANCE FREE

dimethicone lotion

# Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:64942-1038 Route of Administration TOPICAL

# Active Ingredient/Active Moiety Ingredient Name Basis of Strength DIMETHICO NE (UNII: 92RU3N3Y10) (DIMETHICONE - UNII:92RU3N3Y10) DIMETHICONE 1 g in 100 mL

| Inactive Ingredients        |          |
|-----------------------------|----------|
| Ingredient Name             | Strength |
| WATER (UNII: 059QF0KO0R)    |          |
| GLYCERIN (UNII: PDC6A3C0OX) |          |

| ISOPROPYL PALMITATE (UNII: 8 CRQ2TH6 3M)         |  |
|--|--|
| DISTEARYLDIMO NIUM CHLO RIDE (UNII: OM9 573ZX3X) |  |
| CETYL ALCOHOL (UNII: 936JST6JCN)                 |  |
| MINERAL OIL (UNII: T5L8T28FGP)                   |  |
| <b>STEARETH-21</b> (UNII: 53J3F32P58)            |  |
| BORAGO OFFICINALIS SEED (UNII: 2GXJ790US0)       |  |
| PETROLATUM (UNII: 4T6H12BN9U)                    |  |
| .ALPHATO COPHEROL ACETATE (UNII: 9E8X80D2L0)     |  |
| STEARIC ACID (UNII: 4ELV7Z65AP)                  |  |
| LECITHIN, SO YBEAN (UNII: 1DI56 QDM62)           |  |
| STARCH, TAPIO CA (UNII: 24SC3U704I)              |  |
| STEARYL STEARATE (UNII: 5WX2EGD0DK)              |  |
| SODIUM CHLORIDE (UNII: 451W47IQ8X)               |  |
| LINOLEIC ACID (UNII: 9KJL21T0QJ)                 |  |
| LINO LENIC ACID (UNII: 0 RB V727H71)             |  |
| DMDM HYDANTOIN (UNII: BYR0546TOW)                |  |
| METHYLPARABEN (UNII: A218 C7H19 T)               |  |
| PROPYLPARABEN (UNII: Z8IX2SC1OH)                 |  |
| TITANIUM DIO XIDE (UNII: 15FIX9 V2JP)            |  |

| P | Packaging        |                             |                             |                    |  |  |
|---|------------------|-----------------------------|-----------------------------|--------------------|--|--|
| # | Item Code        | Package Description         | <b>Marketing Start Date</b> | Marketing End Date |  |  |
| 1 | NDC:64942-1038-2 | 1 in 1 CARTON               |                             |                    |  |  |
| 1 | NDC:64942-1038-1 | 200 mL in 1 BOTTLE, PLASTIC |                             |                    |  |  |
| 2 | NDC:64942-1038-3 | 50 mL in 1 BOTTLE, PLASTIC  |                             |                    |  |  |

| Marketing Information |  |                      |                    |  |  |  |
|-----------------------|--|----------------------|--------------------|--|--|--|
| Marketing Category    | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |  |  |  |
| OTC monograph final   | part347                                  | 06/23/2008           |                    |  |  |  |
|                       |  |                      |                    |  |  |  |

## Labeler - Conopco Inc. d/b/a Unilever (001375088)

Revised: 11/2012 Conopco Inc. d/b/a Unilever