

**NITROGEN- nitrogen gas**  
**Baker's Gas & Welding Supplies Inc.**

-----  
**Nitrogen**

NITROGEN, COMPRESSED NF UN1066 NON-FLAMMABLE GAS 2

Rx only. WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken. WARNING: CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Use a back flow preventive device in the piping. Use only with equipment rated for cylinder pressure. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 degrees C (125 degrees F). Read and follow the Safety Data Sheet (SDS) before use. FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention.

CAS: 7727-37-9 DO NOT REMOVE THIS PRODUCT LABEL.

BAKER'S GAS & WELDING SUPPLIES 1300 HOWARD ST. LINCOLN PARK, MI 48146



(313) 383-5690

REFRIGERATED LIQUID NITROGEN, REFRIGERATED LIQUID NF UN1977  
NON-FLAMMABLE GAS 2

Rx ONLY

WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken.

WARNING: CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION.

Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. Use a back flow preventive device in the piping. DO NOT change or force fit connections. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention. CAS: 7727-37-9 DO NOT REMOVE THIS PRODUCT LABEL.

BAKER'S GAS & WELDING SUPPLIES 1300 HOWARD ST. LINCOLN PARK, MI 48146



(313) 383-5690

# NITROGEN

nitrogen gas

Product Information			
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:54451-005
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
NITROGEN (UNII: N762921K75) (NITROGEN - UNII:N762921K75)	NITROGEN	990 mL in 1 L

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:54451-005-01	420 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2000	
2	NDC:54451-005-02	690 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2000	
3	NDC:54451-005-03	3160 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2000	
4	NDC:54451-005-04	3470 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2000	
5	NDC:54451-005-05	5270 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2000	
6	NDC:54451-005-06	6270 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2000	
7	NDC:54451-005-07	6900 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2000	
8	NDC:54451-005-08	7060 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2000	
9	NDC:54451-005-09	7760 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2000	
10	NDC:54451-005-10	8510 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2000	
11	NDC:54451-	9340 L in 1 CYLINDER; Type 0: Not a Combination	01/01/2000	

11	005-11	Product	01/01/2000	
12	NDC:54451-005-12	90 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2000	
13	NDC:54451-005-13	141 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2000	
14	NDC:54451-005-14	198 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2000	
15	NDC:54451-005-15	234 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2000	
16	NDC:54451-005-16	547 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2000	
17	NDC:54451-005-17	1738 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/2000	
18	NDC:54451-005-18	160 L in 1 CAN; Type 0: Not a Combination Product	01/01/2000	
19	NDC:54451-005-19	265 L in 1 CAN; Type 0: Not a Combination Product	01/01/2000	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205766	01/01/2000	

**Labeler** - Baker's Gas & Welding Supplies Inc. (048093082)

**Registrant** - Baker's Gas & Welding Supplies Inc. (048093082)

## Establishment

Name	Address	ID/FEI	Business Operations
Baker's Gas & Welding Supplies Inc.		048093082	manufacture(54451-005)

Revised: 10/2023

Baker's Gas & Welding Supplies Inc.