

TRACE MINERAL CORD- aluminum, antimony, barium, beryllium, bismuth, boron, bromine, calcium, carbon, cerium, cesium, chloride, chromium, cobalt, copper, dysprosium, erbium, europium, fluoride, gadolinium, gallium, germanium, gold, hafnium, holmium, indium, iodine, iridium, iron, lanthanum, lithium, lutetium, magnesium, manganese, molybdenum, neodymium, nickel, niobium, osmium, palladium, phosphorus, platinum, potassium, praseodymium, rhenium, rhodium, rubidium, ruthenium, samarium, scandium, selenium, silicon, silver liquid Energique, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Drug Facts:

ACTIVE INGREDIENTS:

(in each drop): 24.98% of Trace Mineral Concentrate* 12X, 30X, 12C; 0.10% of Trace Mineral Concentrate* 4X, Aluminum, Antimony, Barium, Beryllium, Bismuth, Boron, Bromine, Calcium, Carbon, Cerium, Cesium, Chloride, Chromium, Cobalt, Copper, Dysprosium, Erbium, Europium, Fluoride, Gadolinium, Gallium, Germanium, Gold, Hafnium, Holmium, Indium, Iodine, Iridium, Iron, Lanthanum, Lithium, Lutetium, Magnesium, Manganese, Molybdenum, Neodymium, Nickel, Niobium, Osmium, Palladium, Phosphorus, Platinum, Potassium, Praseodymium, Rhenium, Rhodium, Rubidium, Ruthenium, Samarium, Scandium, Selenium, Silicon, Silver, Sodium, Strontium, Sulfur, Tantalum, Tellurium, Terbium, Thallium, Thorium, Thulium, Tin, Titanium, Tungsten, Vanadium, Ytterbium, Yttrium, Zinc, Zirconium 4X, 12X, 30X, 12C, 30C.

INDICATIONS:

May temporarily relieve symptoms related to mineral imbalance in the body including fatigue, dehydration, nervousness, and cramping pains.**

**Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

WARNINGS:

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Do not use if tamper evident seal is broken or missing. Store in a cool, dry place.

KEEP OUT OF REACH OF CHILDREN:

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

DIRECTIONS:

Adults and children 5 to 10 drops orally, 1 time daily or as otherwise directed by a health care professional. If symptoms persist for more than 7 days, consult your health care professional. Consult a physician for use in children under 12 years of age.

INDICATIONS:

May temporarily relieve symptoms related to mineral imbalance in the body including fatigue, dehydration, nervousness, and cramping pains.**

**Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

INACTIVE INGREDIENTS:

Demineralized water, 20% Ethanol.

QUESTIONS:

Dist. by Energique, Inc.,

201 Apple Blvd

Woodbine, IA 51579 **800.869.8078**

PACKAGE LABEL DISPLAY:

ENERGIQUE

SINCE 1987

HOMEOPATHIC REMEDY

TRACE

MINERAL

CORD

1.69 fl. oz. (50 ml)

WARNINGS: If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. Do not use if tamper evident seal is broken or missing. Store in a cool, dry place.

INDICATIONS: May temporarily relieve symptoms related to mineral imbalance in the body including fatigue, dehydration, nervousness, and cramping pains.**

**Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

LOT: XXXXXX MFD: MM/YY

Dist. by Energique, Inc.
201 Apple Blvd.
Woodbine, IA 51579 **800.869.8078**



HOMEOPATHIC REMEDY

**TRACE
MINERAL
CORD**

1.69 fl. oz. (50 ml) 20% Ethanol

Active Ingredients (in each drop):
24.98% of Trace Mineral Concentrate*
12X, 30X, 12C, 30C; 0.10% of Trace
Mineral Concentrate* 4X.

*For a complete list of Trace Mineral Concentrate contact Energique, Inc.

Inactive Ingredients:
Demineralized water, 20% Ethanol.

DIRECTIONS: Adults and children 5 to 10 drops orally, 1 time daily or as otherwise directed by a health care professional. If symptoms persist, for more than 7 days, consult your health care professional. Consult a physician for use in children under 12 years of age.



TRACE MINERAL CORD

aluminum, antimony, barium, beryllium, bismuth, boron, bromine, calcium, carbon, cerium, cesium, chloride, chromium, cobalt, copper, dysprosium, erbium, europium, fluoride, gadolinium, gallium, germanium, gold, hafnium, holmium, indium, iodine, iridium, iron, lanthanum, lithium, lutetium, magnesium, manganese, molybdenum, neodymium, nickel, niobium, osmium, palladium, phosphorus, platinum, potassium, praseodymium, rhenium, rhodium, rubidium, ruthenium, samarium, scandium, selenium, silicon, silver liquid

Product Information**Product Type**

HUMAN OTC DRUG

Item Code (Source)

NDC:449 11-0263

Route of Administration

ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACTIVATED CHARCOAL (UNII: 2P3VWU3H10) (ACTIVATED CHARCOAL - UNII:2P3VWU3H10)	ACTIVATED CHARCOAL	4 [hp_X] in 1 mL
IRON (UNII: E1UOL152H7) (IRON - UNII:E1UOL152H7)	IRON	4 [hp_X] in 1 mL
SULFUR (UNII: 70FD1KFU70) (SULFUR - UNII:70FD1KFU70)	SULFUR	4 [hp_X] in 1 mL
MAGNESIUM (UNII: I38ZP9992A) (MAGNESIUM - UNII:I38ZP9992A)	MAGNESIUM	4 [hp_X] in 1 mL
ALUMINUM (UNII: CPD4NFA903) (ALUMINUM - UNII:CPD4NFA903)	ALUMINUM	4 [hp_X] in 1 mL
CALCIUM (UNII: SY7Q814VUP) (CALCIUM - UNII:SY7Q814VUP)	CALCIUM	4 [hp_X] in 1 mL
SILICON (UNII: Z4152N8IUJ) (SILICON - UNII:Z4152N8IUJ)	SILICON	4 [hp_X] in 1 mL
PHOSPHORUS (UNII: 27YLU75U4W) (PHOSPHORUS - UNII:27YLU75U4W)	PHOSPHORUS	4 [hp_X] in 1 mL
CHLORIDE ION (UNII: Q32ZN48698) (CHLORIDE ION - UNII:Q32ZN48698)	CHLORIDE ION	4 [hp_X] in 1 mL
MANGANESE (UNII: 42Z2K6ZL8P) (MANGANESE - UNII:42Z2K6ZL8P)	MANGANESE	4 [hp_X] in 1 mL
ZINC (UNII: J41CSQ7QDS) (ZINC - UNII:J41CSQ7QDS)	ZINC	4 [hp_X] in 1 mL
POTASSIUM (UNII: RWP5GA015D) (POTASSIUM - UNII:RWP5GA015D)	POTASSIUM	4 [hp_X] in 1 mL
LANTHANUM (UNII: 6BK30563S) (LANTHANUM - UNII:6BK30563S)	LANTHANUM	4 [hp_X] in 1 mL
NICKEL (UNII: 7OV03QG267) (NICKEL - UNII:7OV03QG267)	NICKEL	4 [hp_X] in 1 mL
SELENIUM (UNII: H6241UJ22B) (SELENIUM - UNII:H6241UJ22B)	SELENIUM	4 [hp_X] in 1 mL
BERYLLIUM (UNII: OW5102UV6N) (BERYLLIUM - UNII:OW5102UV6N)	BERYLLIUM	4 [hp_X] in 1 mL
VANADIUM (UNII: 00J9J9XKDE) (VANADIUM - UNII:00J9J9XKDE)	VANADIUM	4 [hp_X] in 1 mL
BORON (UNII: N9E3X5056Q) (BORON - UNII:N9E3X5056Q)	BORON	4 [hp_X] in 1 mL
YTTRIUM (UNII: 58784XQC3Y) (YTTRIUM - UNII:58784XQC3Y)	YTTRIUM	4 [hp_X] in 1 mL
STRONTIUM (UNII: YZS2RPE8LE) (STRONTIUM - UNII:YZS2RPE8LE)	STRONTIUM	4 [hp_X] in 1 mL
GADOLINIUM (UNII: AU0V1LM3JT) (GADOLINIUM - UNII:AU0V1LM3JT)	GADOLINIUM	4 [hp_X] in 1 mL
COBALT (UNII: 3G0H8C9362) (COBALT - UNII:3G0H8C9362)	COBALT	4 [hp_X] in 1 mL
FLUORIDE ION (UNII: Q80VPU408O) (FLUORIDE ION - UNII:Q80VPU408O)	FLUORIDE ION	4 [hp_X] in 1 mL
NEODYMIUM (UNII: 2I87U3734A) (NEODYMIUM - UNII:2I87U3734A)	NEODYMIUM	4 [hp_X] in 1 mL
CYBOMIUM (UNII: 0P0008Q2IB) (CYBOMIUM - UNII:0P0008Q2IB)	CYBOMIUM	4 [hp_X]

CHROMIUM (UNII: 9R0008Q33B) (CHROMIUM - UNII:9R0008Q33B)	CHROMIUM	in 1 mL
TELLURIUM (UNII: NQA0O090ZJ) (TELLURIUM - UNII:NQA0O090ZJ)	TELLURIUM	4 [hp_X] in 1 mL
BROMINE (UNII: SBV4XY874G) (BROMINE - UNII:SBV4XY874G)	BROMINE	4 [hp_X] in 1 mL
COPPER (UNII: 789U1901C5) (COPPER - UNII:789U1901C5)	COPPER	4 [hp_X] in 1 mL
LITHIUM (UNII: 9FN79X2M3F) (LITHIUM CATION - UNII:8H8Z5UER66)	LITHIUM	4 [hp_X] in 1 mL
ANTIMONY (UNII: 9IT35J3UV3) (ANTIMONY - UNII:9IT35J3UV3)	ANTIMONY	4 [hp_X] in 1 mL
TITANIUM (UNII: D1JT611TNE) (TITANIUM - UNII:D1JT611TNE)	TITANIUM	4 [hp_X] in 1 mL
ZIRCONIUM (UNII: C6V6S92N3C) (ZIRCONIUM - UNII:C6V6S92N3C)	ZIRCONIUM	4 [hp_X] in 1 mL
RUBIDIUM (UNII: MLT4718TJW) (RUBIDIUM - UNII:MLT4718TJW)	RUBIDIUM	4 [hp_X] in 1 mL
SODIUM (UNII: 9NEZ333N27) (SODIUM - UNII:9NEZ333N27)	SODIUM	4 [hp_X] in 1 mL
THULIUM (UNII: 8RKC5ATI4P) (THULIUM - UNII:8RKC5ATI4P)	THULIUM	4 [hp_X] in 1 mL
MOLYBDENUM (UNII: 81AH48963U) (MOLYBDENUM - UNII:81AH48963U)	MOLYBDENUM	4 [hp_X] in 1 mL
SAMARIUM (UNII: 42OD65L39F) (SAMARIUM - UNII:42OD65L39F)	SAMARIUM	4 [hp_X] in 1 mL
YTTERBIUM (UNII: MNQ4O4WSI1) (YTTERBIUM - UNII:MNQ4O4WSI1)	YTTERBIUM	4 [hp_X] in 1 mL
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	4 [hp_X] in 1 mL
CERIUM (UNII: 30K4522N6T) (CERIUM - UNII:30K4522N6T)	CERIUM	4 [hp_X] in 1 mL
DYSPROSIUM (UNII: 1D4N45714Q) (DYSPROSIUM - UNII:1D4N45714Q)	DYSPROSIUM	4 [hp_X] in 1 mL
PRASEODYMIUM (UNII: NKN7EZA750) (PRASEODYMIUM - UNII:NKN7EZA750)	PRASEODYMIUM	4 [hp_X] in 1 mL
SCANDIUM (UNII: YUJ4U1EW7R) (SCANDIUM - UNII:YUJ4U1EW7R)	SCANDIUM	4 [hp_X] in 1 mL
ERBIUM (UNII: 77B218D3YE) (ERBIUM - UNII:77B218D3YE)	ERBIUM	4 [hp_X] in 1 mL
LUTETIUM (UNII: 5H0DOZ21UJ) (LUTETIUM - UNII:5H0DOZ21UJ)	LUTETIUM	4 [hp_X] in 1 mL
GALLIUM (UNII: CH46OC8YV4) (GALLIUM - UNII:CH46OC8YV4)	GALLIUM	4 [hp_X] in 1 mL
THORIUM (UNII: 60YU5MIG9W) (THORIUM - UNII:60YU5MIG9W)	THORIUM	4 [hp_X] in 1 mL
TUNGSTEN (UNII: V9306CXO6G) (TUNGSTEN - UNII:V9306CXO6G)	TUNGSTEN	4 [hp_X] in 1 mL
BARIUM (UNII: 24GP945V5T) (BARIUM - UNII:24GP945V5T)	BARIUM	4 [hp_X] in 1 mL
TIN (UNII: 387GMG9FH5) (TIN - UNII:387GMG9FH5)	TIN	4 [hp_X] in 1 mL
BISMUTH (UNII: U015TT5I8H) (BISMUTH - UNII:U015TT5I8H)	BISMUTH	4 [hp_X] in 1 mL
HOLMIUM (UNII: W1XX32SQN1) (HOLMIUM - UNII:W1XX32SQN1)	HOLMIUM	4 [hp_X] in 1 mL
TANTALUM (UNII: 6424HBN274) (TANTALUM - UNII:6424HBN274)	TANTALUM	4 [hp_X] in 1 mL
TERBIUM (UNII: 06SSF7P179) (TERBIUM - UNII:06SSF7P179)	TERBIUM	4 [hp_X] in 1 mL

GERMANIUM (UNII: 00072J7XWS) (GERMANIUM - UNII:00072J7XWS)	GERMANIUM	4 [hp_X] in 1 mL
INDIUM (UNII: 045A6V3VFX) (INDIUM - UNII:045A6V3VFX)	INDIUM	4 [hp_X] in 1 mL
THALLIUM (UNII: AD84R52XLF) (THALLIUM - UNII:AD84R52XLF)	THALLIUM	4 [hp_X] in 1 mL
CESIUM (UNII: 1KS V9 V4Y4I) (CESIUM - UNII:1KS V9 V4Y4I)	CESIUM	4 [hp_X] in 1 mL
RUTHENIUM (UNII: 7UI0TKC3U5) (RUTHENIUM - UNII:7UI0TKC3U5)	RUTHENIUM	4 [hp_X] in 1 mL
SILVER (UNII: 3M4G523W1G) (SILVER - UNII:3M4G523W1G)	SILVER	4 [hp_X] in 1 mL
EUROPIUM (UNII: 444W947O8O) (EUROPIUM - UNII:444W947O8O)	EUROPIUM	4 [hp_X] in 1 mL
NIOBIUM (UNII: 05175J654G) (NIOBIUM - UNII:05175J654G)	NIOBIUM	4 [hp_X] in 1 mL
HAFNIUM (UNII: X71938L1DO) (HAFNIUM - UNII:X71938L1DO)	HAFNIUM	4 [hp_X] in 1 mL
RHENIUM (UNII: 7YHU292INY) (RHENIUM - UNII:7YHU292INY)	RHENIUM	4 [hp_X] in 1 mL
GOLD (UNII: 79Y1949PYO) (GOLD - UNII:79Y1949PYO)	GOLD	4 [hp_X] in 1 mL
IRIDIUM (UNII: 44448S9773) (IRIDIUM - UNII:44448S9773)	IRIDIUM	4 [hp_X] in 1 mL
OSMIUM (UNII: 2E7M255OPY) (OSMIUM - UNII:2E7M255OPY)	OSMIUM	4 [hp_X] in 1 mL
PALLADIUM (UNII: 5TWQ1V240M) (PALLADIUM - UNII:5TWQ1V240M)	PALLADIUM	4 [hp_X] in 1 mL
PLATINUM (UNII: 49DFR088MY) (PLATINUM - UNII:49DFR088MY)	PLATINUM	4 [hp_X] in 1 mL
RHODIUM (UNII: DMK383DSAC) (RHODIUM - UNII:DMK383DSAC)	RHODIUM	4 [hp_X] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:449 11-0263-1	50 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	09/24/2015	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		09/24/2015	

Labeler - Energique, Inc. (789886132)

Registrant - Apotheca Company (844330915)

Establishment

Name	Address	ID/FEI	Business Operations
Apotheca Company		844330915	manufacture(449 11-0263) , api manufacture(449 11-0263) , label(449 11-0263) , pack(449 11-0263)

Revised: 9/2020

Energique, Inc.