

SUNMARK FEXOFENADINE HYDROCHLORIDE- fexofenadine hcl tablet, film coated

Strategic Sourcing Services LLC

McKesson Fexofenadine Hydrochloride Tablets, 60 mg Drug Facts

Active ingredient (in each tablet)

Fexofenadine HCl 60 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use

if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have

kidney disease. Your doctor should determine if you need a different dose.

When using this product

- do not take more than directed
- do not take at the same time as aluminum or magnesium antacids
- do not take with fruit juices (see Directions)

Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

adults and children 12 years of age and over	take one 60 mg tablet with water every 12 hours; do not take more than 2 tablets in 24 hours
children under 12 years of age	do not use
adults 65 years of age and older	ask a doctor
consumers with kidney disease	ask a doctor

Other information

- do not use if printed blister unit is broken or torn
- store between 20°-25° C (68°-77° F)
- protect from excessive moisture
- this product meets the requirements of USP *Dissolution Test 3*

Inactive ingredients

colloidal silicon dioxide, croscarmellose sodium, hypromellose, iron oxide black, iron oxide red, iron oxide yellow, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, titanium dioxide

Questions or comments?

1-800-719-9260

Package/Label Principal Display Panel

COMPARE TO ALLEGRA® ALLERGY ACTIVE INGREDIENT

12 HR

fexofenadine hydrochloride Tablets, 60 mg/Antihistamine

NON-DROWSY

Indoor/outdoor allergy relief of sneezing; runny nose; itchy, watery eyes; itchy nose or throat

ALLERGY

Actual Size

GLUTEN FREE

12 TABLETS

sunmark®

fexofenadine hydrochloride

Tablets, 60 mg/Antihistamine

sunmark®

COMPARE TO ALLEGRA® ALLERGY
ACTIVE INGREDIENT*
NDC 70677-0079-1

12 HR

fexofenadine hydrochloride

Tablets, 60 mg/Antihistamine

NON-DROWSY

Indoor/outdoor allergy relief of
sneezing; runny nose; itchy,
watery eyes; itchy nose or throat



Actual Size

ALLERGY

12 TABLETS

GLUTEN FREE

7 4 2 5 5 3 S 1 C 3

CONVENIENT RECYCLING TAB

42553 S1 C3

Drug Facts

Active ingredient (in each tablet) Purpose
Fexofenadine HCl 60 mg..... Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have kidney disease. Your doctor should determine if you need a different dose.

When using this product

- do not take more than directed
- do not take at the same time as aluminum or magnesium antacids
- do not take with fruit juices (see Directions)

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Drug Facts (continued)

Directions

adults and children 12 years of age and over	take one 60 mg tablet with water every 12 hours; do not take more than 2 tablets in 24 hours
children under 12 years of age	do not use
adults 65 years of age and older	ask a doctor
consumers with kidney disease	ask a doctor

Other information

- do not use if printed blister unit is broken or torn
- store between 20°-25°C (68°-77°F)
- protect from excessive moisture
- this product meets the requirements of USP Dissolution Test 3

Inactive ingredients

colloidal silicon dioxide, croscarmellose sodium, hypromellose, iron oxide black, iron oxide red, iron oxide yellow, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, titanium dioxide

Questions or comments? 1-800-719-9260

*This product is not manufactured or distributed by Chatterm, Inc., a Sanofi Company, distributor of Allegra® Allergy.

MEKESON



SUNMARK FEXOFENADINE HYDROCHLORIDE

fexofenadine hcl tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70677-0079
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FEXOFENADINE HYDROCHLORIDE (UNII: 2S068B75ZU) (FEXOFENADINE - UNII:E6582LOH6V)	FEXOFENADINE HYDROCHLORIDE	60 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	ORANGE (Peach)	Score	no score
Shape	ROUND	Size	8mm
Flavor		Imprint Code	93;7252
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70677-0079-1	12 in 1 CARTON	08/21/2019	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076447	08/21/2019	

Labeler - Strategic Sourcing Services LLC (116956644)

Revised: 7/2021

Strategic Sourcing Services LLC