

EXTRA STRENGTH ACETAMINOPHEN- acetaminophen tablet
Geri-Care Pharmaceutical Corp

gc222

Active ingredient

Acetaminophen 500 mg

Purpose

Pain Reliever/Fever Reducer

Uses

- temporarily relieves minor aches and pains
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen.

Severe liver damage may occur if you take:

- more than 8 caplets (4,000 mg of acetaminophen) in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions.

Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if you have

liver disease.

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptom occur

- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed**
- adults and children 12 years and over: take 1-2 caplets every 4-6 hours, as needed. Do not take more than 6 caplets in 24 hours. Do not take for more than 10 days unless directed by a doctor.
- children under 12 years: do not use

Other Information

- **TAMPER EVIDENT: Do not use if imprinted seal under cap is missing or broken.**
- store at 20°C-25°C (68°F-77°F)




Inactive ingredients

corn starch, povidone, pregelatinized starch, sodium starch glycolate, stearic acid

Questions or comments?

1-800-540-3765

Package label

 <p>NDC 57896-222-01</p> <p>EXTRA STRENGTH ACETAMINOPHEN 500 mg</p> <p>PAIN RELIEVER/ FEVER REDUCER</p>  <p>Compare to active ingredient in Extra Strength TYLENOL® Caplets*</p> <p>100 Caplets</p>	<p>Drug Facts</p> <p>Active ingredient (in each caplet) Acetaminophen 500 mg.....Pain Reliever/Fever Reducer</p> <p>Uses</p> <ul style="list-style-type: none"> • temporarily relieves minor aches and pains • temporarily reduces fever <p>Warnings</p> <p>Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:</p> <ul style="list-style-type: none"> • more than 8 caplets (4,000 mg of acetaminophen) in 24 hours • with other drugs containing acetaminophen • 3 or more alcoholic drinks every day while using this product <p>Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include: • skin reddening • blisters • rash</p> <p>If a skin reaction occurs, stop use and seek medical help right away.</p> <p>Do not use • with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.</p> <p>Ask a doctor before use if you have liver disease.</p> <p>Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.</p> <p>Stop use and ask a doctor if • pain gets worse or lasts more than 10 days • fever gets worse or lasts more than 3 days • new symptoms occur • redness or swelling is present</p> <p>These could be signs of a serious condition.</p> <p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.</p>	<p>Directions • do not take more than directed</p> <ul style="list-style-type: none"> • adults and children 12 years and over: Take 1-2 caplets every 4-6 hours, as needed; not more than 6 caplets in 24 hours. Do not take for more than 10 days unless directed by a doctor. • children under 12 years: ask a doctor <p>Other information • TAMPER EVIDENT: Do not use if imprinted seal under cap is missing or broken.</p> <ul style="list-style-type: none"> • store at 20°C-25°C (68°F-77°F) <p>Inactive ingredients: corn starch, povidone, pregelatinized starch, sodium starch glycolate, stearic acid.</p> <p>Questions or comments? 1-800-540-3765</p>	<p>*This product is not manufactured or distributed by the owner of the registered trademark TYLENOL®.</p> <p>DIST. BY: GERI-CARE PHARMACEUTICALS CORP. 1650 63rd Street, Brooklyn, NY 11204</p> <p>REV 0621A1</p>  <p>3 57896 22101 0</p>
--	---	--	---

EXTRA STRENGTH ACETAMINOPHEN

acetaminophen tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:57896-222
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
POVIDONE (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	white (WHITE)	Score	no score
Shape	CAPSULE (Capsule)	Size	17mm
Flavor		Imprint Code	AZ 328
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57896-222-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	08/01/2018	
2	NDC:57896-222-10	1000 in 1 BOTTLE; Type 0: Not a Combination Product	08/01/2018	
3	NDC:57896-222-20	200 in 1 BOTTLE; Type 0: Not a Combination Product	08/01/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	08/01/2018	

Labeler - Geri-Care Pharmaceutical Corp (611196254)

Revised: 10/2023

Geri-Care Pharmaceutical Corp