AKIN COUGH FORMULA DM STRAWBERRY BANANA- dextromethorphan hydrobromide, guaifenesin liquid Southern Sales & Service, Inc.

Akin Cough Formula DM (Strawberry - Banana)

Drug Facts

Active ingredient (in each 5ml tsp.)

Dextromethorphan HBr USP 10 mg Guaifenesin USP 100 mg

Purpose

Cough suppressant

Expectorant

Uses

• temporarily quiets cough associated with the common cold or inhaled irritants • helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive.

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if you are taking a prescription drug that contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if

• you have a cough that lasts or a chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema • cough occurs with too much phlegm (mucus)

Stop use and ask a doctor if

• cough lasts for more than 7 days, comes back, or occurs with fever, rash, or headache that lasts. These could be signs of a serious condition.

If pregnant or beast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

Do not take more than 6 doses in any 24 hours period

Adults and children 12 years and 10 ml (2 teaspoonfuls every 4 hours or as directed by

over doctor)

Children under 12 years do not use

Other information

• store at room temperature • 15°-30°C (59°-86°F)

Do not use if seal under cap is torn, broken or missing. **TAMPER-EVIDENT:**

Inactive ingredients

Citric acid, FD&C red #40, glycerin, methylparaben, potassium sorbate, propylene glycol, propylparaben, purified water, sodium citrate, strawberry-banana flavor, sucralose.

Package Labeling:

Drug Facts

Active ingredient (in each 5ml tsp.)

Dextromethorphan HBr USP 10 mg.....Cough suppressant Guaifenesin USP 100 mg....Expectorant

Uses • temporarily quiets cough associated with the common cold or inhaled irritants • helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive.

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if you are taking a prescription drug that contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if • you have a cough that lasts or a chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema • cough occurs with too much phlegm (mucus)

Stop use and ask a doctor if • cough lasts for more than 7 days, comes back, or occurs with fever, rash, or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. **Keep out of the reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

Exp. Lot:

4 FL OZ (118 ml

Directions

Do not take more than 6 doses in any 24 hours period

Adults and children 12 vears and over

10 ml (2 teaspoonfuls every 4 hours or as directed by doctor)

Children under 12 years

do not use

Other information

 store at room temperature • 15°- 30°C (59°- 86°F) TAMPER-EVIDENT: Do not use if seal under cap is torn, broken or missing.

Inactive ingredients

Citric acid, FD&C red #40, glycerin, methylparaben, potassium sorbate, propylene glycol, propylparaben, purified water, sodium citrate, strawberry-banana flavor, sucralose.

DISTRIBUTED BY:

Southern Sales Services Inc. Pembroke Pines, FL 33332 Questions or Comments? Call 1800.213.9370

southernsalesgrp.com



AKIN COUGH FORMULA DM STRAWBERRY BANANA

dextromethorphan hydrobromide, quaifenesin liquid

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:69822-211

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
,	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 5 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL

Inactive Ingredients				
Ingredient Name	Strength			
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)				
FD&C RED NO. 40 (UNII: WZB9127XOA)				
GLYCERIN (UNII: PDC6A3C0OX)				
METHYLPARABEN (UNII: A218C7HI9T)				
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
PROPYLPARABEN (UNII: Z8IX2SC10H)				
WATER (UNII: 059QF0KO0R)				
SODIUM CITRATE (UNII: 1Q73Q2JULR)				
SUCRALOSE (UNII: 96K6UQ3ZD4)				

Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:69822-211- 04	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	02/01/2023		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M012	02/01/2023		

Labeler - Southern Sales & Service, Inc. (013114906)

Revised: 11/2023 Southern Sales & Service, Inc.