# ISOPROPYL ALCOHOL- isopropyl alcohol liquid Discount Drug Mart

-----

**Isopropyl Alcohol 91%** 

**Drug Facts** 

## **Active ingredient**

Isopropyl alcohol 91%

## **Purpose**

First Aid Antiseptic

## Uses

- first aid to help prevent the risk of infection in:
  - minor cuts
  - scrapes
  - burns

## Warnings

# For external use only

#### **Flammable**

• keep away from fire or flame, heat, spark, electrical. Flash point 72°F.

**Ask a doctor before use if you have**deep or puncture wounds, animal bites or serious burns

# When using this product

- do not get into eyes
- do not apply over large areas of the body
- do not use longer than 1 week unless directed by a doctor

Stop use and ask a doctor if condition persists or gets worse

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

## **Directions**

- clean the affected area
- apply 1 to 3 times daily

#### Other information

- does not contain, nor is intended as a substitute for grain or ethyl alcohol
- will produce serious gastric disturbances if taken internally

## **Inactive ingredient**

purified water

### PRINCIPAL DISPLAY PANEL

Discount

drug

mart

Food FAIR

91% by Volume

### ISOPROPYL ALCOHOL

First Aid Antiseptic

Square bottle uses less plastic than a similarly sized round bottle

Recyclable (If available in your area)

TAMPER EVIDENT CAP FOR YOUR PROTECTION.

IF RING-BAND IS DETACHED FROM CAP OR MISSING DO NOT USE.

Warning

Flammable

Keep away from heat, spark, electrical, fire or flame

Use only in a well-ventillated area; fumes may be harmful

SATISFACTION GUARANTEED.

IF DISSATISFIED. RETURN UNUSED PORTION AND PACKAGE TO

STORE WHERE PURCHASED. IF UNABLE TO RETURN TO STORE,


SEND REASON FOR DISSATISFACTION, NAME, ADDRESS AND EMPTY PACKAGE TO:

Distributed by: Discount Drug Mart

211 Commerce Drive, Medina, OH 44256

www.discount-drugmart.com

32 FL. OZ. (946 mL)





infection in: • minor cuts • scrapes • burns

### Warnings For external use only

#### Flammable

- keep away from fire or flame, heat, spark, electrical.
  Flash point 72°F.
- · do not use with electrocautery procedures.

Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns

When using this product • do not get into eyes • do not apply over large areas of the body • do not use longer than 1 week unless directed by a doctor

Stop use and ask a doctor if condition persists or gets worse

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** • clean the affected area • apply 1 to 3 times daily

Other information • does not contain, nor is intended as a substitute for grain or ethyl alcohol • will produce serious gastric disturbances if taken internally

Inactive ingredient purified water



1-07-D0044D16B

## ISOPROPYL ALCOHOL

isopropyl alcohol liquid

## **Product Information**

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53943-091
--------------	----------------	--------------------	---------------

Route of Administration TOPICAL

## **Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII: ND2M416302)	ISOPROPYL ALCOHOL	91 mL in 100 mL

## **Inactive Ingredients**

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:53943- 091-32	946 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/07/2017		
2	NDC:53943- 091-16	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/07/2017		

Marketing In	Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M003	11/07/2017		

# **Labeler -** Discount Drug Mart (047741335)

Revised: 10/2023 Discount Drug Mart