

AMOSAN ORAL WOUND CLEANSER SPEARMINT- sodium perborate monohydrate powder, for solution
Vintage Brands Limited

Amosan Oral Wound Cleanser Spearmint

Drug Facts

Active ingredient (in each envelope)

Sodium perborate monohydrate 1.2g

Purpose

Oral Debriding Agent/Oral Wound Cleanser

Uses

- aids in the removal of phlegm, mucus, or other secretions associated with occasional sore mouth
- for temporary use in cleansing minor wounds or minor gum inflammation resulting from minor dental procedures, dentures, orthodontic appliances, accidental injury, or other irritations of the mouth and gums
- for temporary use to cleanse canker sores
- assist in the removal of foreign material from minor wounds

Warnings

For external use only.

Do not use

- for more than 7 days unless directed by a dentist or doctor

Stop use and ask a doctor if

- sore mouth symptoms do not improve in 7 days
- irritation, pain, or redness persists or worsens
- swelling, rash, or fever develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 6 years of age and older: dissolve one envelope in 1 ounce (30 milliliters) of warm water
- use immediately

- swish solution around in the mouth over the effected area or gargle for least 1 minute and then spit it out
- do not swallow
- use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor
- children under 12 years of age should be supervised in the use of this product
- consult a dentist or doctor for use in children under 6 years of age

Other information

- do not store above 77°F (25°C)


Inactive ingredients

L-tartaric acid, sodium saccharin, peppermint flavor

Questions or Comments

Visit AmosanOralProducts.com or call 1-877-450-6436.

Package Labeling:



www.AmosanOralProducts.com | f /AmosanOralProducts

Amosan
Oral Wound Cleanser

Retain Carton

Retain Carton

Drug Facts

Active ingredient (in each envelope) **Purpose**
Sodium perborate monohydrate 1.2g Oral Debriding Agent/Oral Wound Cleanser

Uses
 ■ aids in the removal of phlegm, mucus, or other secretions associated with occasional sore mouth
 ■ for temporary use in cleansing minor wounds or minor gum inflammation resulting from minor dental procedures, dentures, orthodontic appliances, accidental injury, or other irritations of the mouth and gums
 ■ for temporary use to cleanse canker sores
 ■ assist in the removal of foreign material from minor wounds

Warnings
 For external use only.
 Do not use ■ for more than 7 days unless directed by a dentist or doctor
 Stop use and ask a doctor if ■ sore mouth symptoms do not improve in 7 days
 ■ irritation, pain, or redness persists or worsens ■ swelling, rash, or fever develops
 Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
 ■ adults and children 6 years of age and older: dissolve one envelope in 1 ounce (30 milliliters) of warm water
 ■ use immediately
 ■ swish solution around in the mouth over the affected area or gargle for at least 1 minute and then spit it out
 ■ do not swallow
 ■ use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor
 ■ children under 12 years of age should be supervised in the use of this product
 ■ consult a dentist or doctor for use in children under 6 years of age

Other information
 ■ do not store above 77°F (25°C)

Inactive ingredients L-tartaric acid, sodium saccharin, peppermint flavor

Questions or Comments Visit AmosanOralProducts.com or call 1-877-450-6436.

DO NOT USE IF CARTON IS OPEN OR IF SEAL ON STICK PACKS HAS BEEN PUNCTURED OR BROKEN.

The medicated oral rinse for minor mouth irritations.

Amosan
Oral Wound Cleanser

SOOTHING SPEARMINT



Use for:

- canker sores
- denture irritation
- orthodontic irritation
- oral injuries or after dental procedures

Sodium Perborate Monohydrate 1.2g/envelope

FOR MINOR MOUTH IRRITATIONS

12 envelopes powder

NET WT. 0.72 OZ (20.4G)



DISTRIBUTED BY:
VINTAGE BRANDS LIMITED
2300 YONGE STREET, SUITE 1600
TORONTO, ON M4P 1E4
CANADA
PRODUCT OF CANADA

TO REPORT A SERIOUS ADVERSE EVENT CONTACT
2885 SANFORD AVE. SW #39615
GRANDVILLE, MI 49418

www.amosanoralproducts.com | f /AmosanOralProducts

DO NOT SWALLOW. ALL CAUTIONS ON CARTON
Active Ingredient: Sodium Perborate Monohydrate 1.2 g

www.amosan.ca | f /AmosanOralProducts | VINTAGE BRANDS LTD.

Amosan
Oral Wound Cleanser

Use For:

- canker sores
- denture irritation
- orthodontic irritation
- oral injuries or after dental procedures

NET WT. 0.06 OZ (1.7 G)

FOR MINOR MOUTH IRRITATIONS

ADULTS AND CHILDREN 6 YEARS OF AGE AND OLDER: DISSOLVE ONE ENVELOPE IN 1 OUNCE (30 MILLILITERS) OF WARM WATER. USE IMMEDIATELY. SWISH SOLUTION AROUND IN THE MOUTH OVER THE AFFECTED AREA OR GARGLE FOR AT LEAST 1 MINUTE AND THEN SPIT IT OUT. DO NOT SWALLOW. USE UP TO 4 TIMES DAILY AFTER MEALS AND AT BEDTIME OR AS DIRECTED BY A DENTIST OR DOCTOR. THIS UNIT NOT LABELED FOR RETAIL SALE. THIS UNIT IS PACKAGED IN AN OUTER CONTAINER. PLEASE SEE OUTER CONTAINER FOR COMPLETE DRUG FACTS INFORMATION.

TO REPORT A SERIOUS ADVERSE EVENT CONTACT 2885 SANFORD AVE. SW #39615 GRANDVILLE, MI 49418

DO NOT USE IF CARTON IS OPEN OR IF SEAL ON ENVELOPE HAS BEEN PUNCTURED OR BROKEN.

DO NOT SWALLOW. ALL CAUTIONS ON CARTON
Active Ingredient: Sodium Perborate Monohydrate 1.2 g

www.amosan.ca |  /AmosanOralProducts | VINTAGE BRANDS LTD.

Amosan
Oral Wound Cleanser

Use For:

- canker sores
- denture irritation
- orthodontic irritation
- oral injuries or after dental procedures

NET WT. 0.06 OZ (1.7 G)

FOR MINOR MOUTH IRRITATIONS

ADULTS AND CHILDREN 6 YEARS OF AGE AND OLDER: DISSOLVE ONE ENVELOPE IN 1 OUNCE (30 MILLILITERS) OF WARM WATER. USE IMMEDIATELY. SWISH SOLUTION AROUND IN THE MOUTH OVER THE AFFECTED AREA OR GARGLE FOR AT LEAST 1 MINUTE AND THEN SPIT IT OUT. DO NOT SWALLOW. USE UP TO 4 TIMES DAILY AFTER MEALS AND AT BEDTIME OR AS DIRECTED BY A DENTIST OR DOCTOR. **THIS UNIT NOT LABELED FOR RETAIL SALE. THIS UNIT IS PACKAGED IN AN OUTER CONTAINER. PLEASE SEE OUTER CONTAINER FOR COMPLETE DRUG FACTS INFORMATION.**

TO REPORT A SERIOUS ADVERSE EVENT CONTACT 2885 SANFORD AVE. SW #39615 GRANDVILLE, MI 49418

DO NOT USE IF CARTON IS OPEN OR IF SEAL ON ENVELOPE HAS BEEN PUNCTURED OR BROKEN.

DO NOT SWALLOW. ALL CAUTIONS ON CARTON
Active Ingredient: Sodium Perborate Monohydrate 1.2 g

www.amosan.ca |  /AmosanOralProducts | VINTAGE BRANDS LTD.

Amosan
Oral Wound Cleanser

Use For:

- canker sores
- denture irritation
- orthodontic irritation
- oral injuries or after dental procedures

NET WT. 0.06 OZ (1.7 G)

FOR MINOR MOUTH IRRITATIONS

ADULTS AND CHILDREN 6 YEARS OF AGE AND OLDER: DISSOLVE ONE ENVELOPE IN 1 OUNCE (30 MILLILITERS) OF WARM WATER. USE IMMEDIATELY. SWISH SOLUTION AROUND IN THE MOUTH OVER THE AFFECTED AREA OR GARGLE FOR AT LEAST 1 MINUTE AND THEN SPIT IT OUT. DO NOT SWALLOW. USE UP TO 4 TIMES DAILY AFTER MEALS AND AT BEDTIME OR AS DIRECTED BY A DENTIST OR DOCTOR. **THIS UNIT NOT LABELED FOR RETAIL SALE. THIS UNIT IS PACKAGED IN AN OUTER CONTAINER. PLEASE SEE OUTER CONTAINER FOR COMPLETE DRUG FACTS INFORMATION.**

TO REPORT A SERIOUS ADVERSE EVENT CONTACT 2885 SANFORD AVE. SW #39615 GRANDVILLE, MI 49418

DO NOT USE IF CARTON IS OPEN OR IF SEAL ON ENVELOPE HAS BEEN PUNCTURED OR BROKEN.

DO NOT SWALLOW. ALL CAUTIONS ON CARTON
Active Ingredient: Sodium Perborate Monohydrate 1.2 g

www.amosan.ca |  /AmosanOralProducts | VINTAGE BRANDS LTD.



Use For:

- canker sores
- denture irritation
- orthodontic irritation
- oral injuries or after dental procedures

NET WT. 0.06 OZ (1.7 G)

FOR MINOR MOUTH IRRITATIONS

ADULTS AND CHILDREN 6 YEARS OF AGE AND OLDER: DISSOLVE ONE ENVELOPE IN 1 OUNCE (30 MILLILITERS) OF WARM WATER. USE IMMEDIATELY. SWISH SOLUTION AROUND IN THE MOUTH OVER THE AFFECTED AREA OR GARGLE FOR AT LEAST 1 MINUTE AND THEN SPIT IT OUT. DO NOT SWALLOW. USE UP TO 4 TIMES DAILY AFTER MEALS AND AT BEDTIME OR AS DIRECTED BY A DENTIST OR DOCTOR. THIS UNIT NOT LABELED FOR RETAIL SALE. THIS UNIT IS PACKAGED IN AN OUTER CONTAINER. PLEASE SEE OUTER CONTAINER FOR COMPLETE DRUG FACTS INFORMATION.

TO REPORT A SERIOUS ADVERSE EVENT CONTACT 2885 SANFORD AVE. SW #39615 GRANDVILLE, MI 49418

DO NOT USE IF CARTON IS OPEN OR IF SEAL ON ENVELOPE HAS BEEN PUNCTURED OR BROKEN.

AMOSAN ORAL WOUND CLEANSER SPEARMINT

sodium perborate monohydrate powder, for solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71223-003
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM PERBORATE MONOHYDRATE (UNII: Y9UKD0XE6F) (BORATE ION - UNII:44OAE30D22)	BORATE ION	1.2 g in 1.7 g

Inactive Ingredients

Ingredient Name	Strength
TARTARIC ACID (UNII: W4888119H)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71223-003-00	12 in 1 CARTON	04/01/2024	
1		1.7 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	04/01/2024	

Labeler - Vintage Brands Limited (248592383)

Revised: 3/2024

Vintage Brands Limited