

**AQUILINUM TARAXACUM- aquilinum taraxacum cream**  
**Uriel Pharmacy Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

**Aquilinum Taraxacum**

Directions: FOR TOPICAL USE ONLY.

Apply to skin as needed. Under age 2: Consult a doctor.

Active Ingredients: Chelidonium (Greater celandine) 3X, Filix (Male fern) 3X, Pteridium (Eagle fern) 3X, Salix purp. (Purple willow) 3X, Salix vim. (Osier willow) 3X, Salix vite. (Golden willow) 3X, Scolopendrium (Hart’s tongue) 3X, Solidago virg. (Goldenrod) 3X, Taraxacum (Dandelion) 3X

Inactive Ingredients: Distilled water, Stearic acid, Isopropyl myristate, Lavender oil, Cetyl alcohol, Polyoxyl 40 stearate, Steryl alcohol, Xanthan gum, Frankincense oil, Myrrh oil, Sorbic acid, Tea tree oil, Grapefruit seed extract

Use: Temporary relief of digestive upset.

KEEP OUT OF REACH OF CHILDREN.

Warnings: FOR EXTERNAL USE ONLY.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated. Do not use if allergic to any ingredient. Consult a doctor before use for serious conditions, if conditions worsen or persist, or accidental ingestion occurs. If pregnant or nursing, consult a doctor before use. Avoid contact with eyes. Do not use if safety seal is broken or missing.

Questions? Call 866.642.2858

Made with care by Uriel, East Troy, WI 53120

www.urielpharmacy.com



| <b>AQUILINUM TARAXACUM</b>   |                |                           |                 |
|--|----------------|---------------------------|-----------------|
| aquilinum taraxacum cream  |                |                           |                 |
| <b>Product Information</b>   |                |                           |                 |
| <b>Product Type</b>  | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:48951-1311  |
| <b>Route of Administration</b>   | TOPICAL        |                           |                 |
| <b>Active Ingredient/Active Moiety</b>   |                |                           |                 |
| <b>Ingredient Name</b>   |                | <b>Basis of Strength</b>  | <b>Strength</b> |
| TARAXACUM PALUSTRE ROOT (UNII: GCZ4W7077C) (TARAXACUM PALUSTRE ROOT - UNII:GCZ4W7077C) |                | TARAXACUM PALUSTRE ROOT   | 3 [hp_X] in 1 g |
| ASPLENIUM SCOLOPENDRIUM TOP (UNII: HJA3YWQ7HL) (ASPLENIUM                              |                | ASPLENIUM                 | 3 [hp_X]        |

|   |                                   |                    |
|---|-----------------------------------|--------------------|
| SCOLOPENDRIUM TOP - UNII:HJA3YWQ7HL)  | SCOLOPENDRIUM TOP                 | in 1 g             |
| <b>WILLOW BARK</b> (UNII: S883J9JDYX) (WILLOW BARK - UNII:S883J9JDYX)   | WILLOW BARK                       | 3 [hp_X]<br>in 1 g |
| <b>DRYOPTERIS FILIX-MAS ROOT</b> (UNII: C0ZK0RRF5X) (DRYOPTERIS FILIX-MAS ROOT - UNII:C0ZK0RRF5X)                 | DRYOPTERIS FILIX-MAS ROOT         | 3 [hp_X]<br>in 1 g |
| <b>SOLIDAGO CANADENSIS FLOWERING TOP</b> (UNII: ZHL562L3PR) (SOLIDAGO CANADENSIS FLOWERING TOP - UNII:ZHL562L3PR) | SOLIDAGO CANADENSIS FLOWERING TOP | 3 [hp_X]<br>in 1 g |
| <b>PTERIDIUM AQUILINUM WHOLE</b> (UNII: 05T3M06HCM) (PTERIDIUM AQUILINUM WHOLE - UNII:05T3M06HCM)                 | PTERIDIUM AQUILINUM WHOLE         | 3 [hp_X]<br>in 1 g |
| <b>CHELIDONIUM MAJUS</b> (UNII: 7E889U5RNN) (CHELIDONIUM MAJUS - UNII:7E889U5RNN)                                 | CHELIDONIUM MAJUS                 | 3 [hp_X]<br>in 1 g |
| <b>SALIX PURPUREA BARK</b> (UNII: 287VJO13M9) (SALIX PURPUREA BARK - UNII:287VJO13M9)                             | SALIX PURPUREA BARK               | 3 [hp_X]<br>in 1 g |
| <b>SALIX ALBA FLOWER</b> (UNII: 905Y746BSW) (SALIX ALBA FLOWER - UNII:905Y746BSW)                                 | SALIX ALBA FLOWER                 | 3 [hp_X]<br>in 1 g |

### Inactive Ingredients

| Ingredient Name                         | Strength |
|---|----------|
| XANTHAN GUM (UNII: TTV12P4NEE)          |          |
| POLYOXYL 40 STEARATE (UNII: 13A4J4NH9I) |          |
| TEA TREE OIL (UNII: VIF565UC2G)         |          |
| CITRUS PARADISI SEED (UNII: 12F08874Y7) |          |
| FRANKINCENSE OIL (UNII: 67ZYA5T02K)     |          |
| WATER (UNII: 059QF0KO0R)                |          |
| STEARIC ACID (UNII: 4ELV7Z65AP)         |          |
| ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)  |          |
| LAVENDER OIL (UNII: ZBP1YXW0H8)         |          |
| MYRRH OIL (UNII: H74221J5J4)            |          |
| CETYL ALCOHOL (UNII: 936JST6JCN)        |          |
| STEARYL ALCOHOL (UNII: 2KR89I4HIY)      |          |
| SORBIC ACID (UNII: X045WJ989B)          |          |

### Packaging

| # | Item Code        | Package Description                               | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:48951-1311-5 | 60 g in 1 TUBE; Type 0: Not a Combination Product | 09/01/2009           |                    |

### Marketing Information

| Marketing Category     | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|------------------------|--|----------------------|--------------------|
| unapproved homeopathic |  | 09/01/2009           |                    |

**Labeler** - Uriel Pharmacy Inc. (043471163)

### Establishment

| Name                | Address | ID/FEI    | Business Operations     |
|---------------------|---------|-----------|-------------------------|
| Uriel Pharmacy Inc. |         | 043471163 | manufacture(48951-1311) |

