# PSORIASIS- niccolum sulphuricum, natrum bromatum, zincum bromatum, kali bromatum, kali sulphuricum. liquid PLYMOUTH HEALTHCARE PRODUCTS LLC

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

-----

### LOMA LUX PSORIASIS

## **Drug Facts**

Active Ingredients (in each teaspoon):	Purpose*
Niccolum Sulphuricum 3x (59.9%)	Skin Itching
Natrum Bromatum 2x (30%)	Calming Effect
Zincum Bromatum 4x (4%)	Skin Itching, Psoriasis Eruptions
Kali Bromatum 1x (3.5%)	Itching, Scaling & Redness
Kali Sulphuricum 4x (0.025%)	Scaling, Psoriasis Treatment

**Uses**: For temporary relief from scaling, flaking, redness & itching associated with Psoriasis, Seborrheic Dermatitis, Dandruff.

## **Warnings:**

- **DO NOT USE** \* if you have kidney disease \*in children under 12 years of age.
- **Ask a doctor before use if** you have a known sensitivity to any ingredient in LomaLux® Psoriasis ingredients, nickel or costume jewelry.
- When using this product use only as directed.
- **Stop use and ask a doctor if** \*symptoms do not improve, recur, are unusual \*skin rash appears
- If pregnant or breast-feeding, ask a health professional before use.
- **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions:** Adults & Children 12 & Older: Take once per day as indicated on the chart below according to your weight:

DAILY DOSAGE	BOTTLE LASTS
1/2 Teaspoon	96 Days
1 Teaspoon	48 Days
1 1/2 Teaspoons	32 Days
2 Teaspoons	24 Days
	1/2 Teaspoon 1 Teaspoon 1 1/2 Teaspoons

For Optimal Absorption, take orally at Bedtime or in the Morning on an empty stomach. Do not eat or drink anything but water for 1 hour after taking. Increase dosage by 50% if symptoms do not improve after 4-5 months.

Recommended treatment course 4-5 months.

**Other Information: DO NOT USE\*** if imprinted tamper evident band is broken or missing. \*Store at room temperature, 68 to 77 Fahrenheit. Protect from light.

**Inactive Ingredients:** Alcohol USP 2%, Methyl Paraben, Propyl Paraben, Purified Water.

## **Questions? Comments? Side Effects?**

Call 800-316-9636 or visit www.lomalux.com

\*These statements are based upon traditional homeopathic practice. They have not been evaluated by the Food & Drug Administration.

Distributed by Loma Lux Laboratories

6521 Davis Industrial Parkway, Solon, Ohio 44139 USA

Loma Lux founder, Dr. Steven A. Smith M.D. developed Loma Lux® Psoriasis as a natural treatment for his psoriasis patients. Extensive scientific research & rigorous testing led to this exclusive formulation that has helped psoriasis sufferers for decates.

Unlike many conventional creams and lotions which only treat the surface of the skin, LomaLux Psoriasis is taken internally to help attack psoriasis at its source, by helping to gently stimulate your body's own recovery response. To achieve maximum benefits & relief, a 4-5 month treatment plan is recommended.

Over a Decade of Safe, Effective Use with NO Known Side Effects.

Finally, Healthy Skin!

Countless Studies have documented the skin healing powers of minerals, including the world renowned Dead Sea for soothing relief of many skin conditions. LomaLux® Psoriasis contains many of the same minerals as found in the Dead Sea - for natural health & well-being. Join the thousands of LomaLux® Psoriasis users, who for decades have found natural relief.

5 POWERFUL ACTIVE INGREDIENTS to help fight Psoriasis & Seborrhea

In a Clinical Test: 85% of Psoriasis Patients Experienced Real Relief.

- Itching
- Redness
- Scaling
- Inflammation
- Irritation

CLINICAL STUDY DATA available at www.lomalux.com U.S. Patents No.5,171,581;5,681,593;5,433,954

**NEW ITEM** 

NDC#61480-105-03

NATURE CREATED. DERMATOLOGIST PERFECTED.™

LOMALUX® LABORATORIES

## **PSORIASIS**

PATENTED MINERAL TECHNOLOGY

**CLINICALLY PROVEN** 

## Relieves

**Itching** 

Redness

Scaling

## Reduces

Inflammation

**Irritation** 

## **Prevents**

Recurrences

24 HOUR ONE DOSE

2% Alcohol

8 FL. OZ. (237 mL)

HOMEOPATHIC ORAL MEDICATION



## **PSORIASIS**

PATENTED MINERAL TECHNOLOGY

POWERFUL ACTIVE INGREDIENTS to Help Fight Psoriasis & Seborrhea.

#### **Drug Facts**

## Active Ingredients: ... Purpose\*

(in each leaspoon)
Niccolum Sulphuricum 3x (59,9%) — Skin Itching
Niccolum Sulphuricum 3x (59,9%) — Calming Effect
Zincum Bromatum 4x (4%) — Skin Itching, Soriasis Eruptions
Kali Bromatum 1x (53,5%) — Itching, Scaling & Redness
Kali Sulphuricum 4x (0.05%) — Scaling, Psoriasis Treatment

**Uses:** For temporary relief from scaling, flaking, redness & itching associated with Psoriasis, Seborrheic Dermatitis, Dandruff.

Warnings: DO NOT USE \* if you have kidney disease \*in childre

Ask a doctor before use if you have a known sensitivity to any ingredient in LomaLux® Psoriasis ingredients, nickel or costume jewelry

When using this product use only as directed.

Stop use and ask a doctor if \*symptoms do not improve, recur, are unusual \*skin rash appears

If pregnant or breast-feeding, ask a health professional before us Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions:** Adults & Children 12 & Older: Take once per day as

WEIGHT	DAILY DOSAGE	BOTTLE LASTS
50 - 100 lbs.	1/2 Teaspoon	96 Days
100 - 150 lbs.	1 Teaspoon	48 Days
150 - 200 lbs.	11/2 Teaspoons	32 Days
Over 200 lbs.	2 Teaspoons	24 Days

For Optimal Absorption, take orally at Bedtime or in the Moming on an empty stomach. Do not eat or drink anything but water for 1 hour after taking. Increase dosage by 50% if symptoms do not improve after 4–5 months.

Recommended treatment course 4-5 months.

Other Information: DO NOT USE\* if imprinted tamper evident band is broken or missing. "Store at room temperature, 68 to 77 Fahrenheit. Protect from light.

Inactive Ingredients: Alcohol USP, 2%, Methyl Paraben,

**Questions? Comments? Side Effects?** Call 800-316-9636 or visit www.lomalux.com

These statements are based upon traditional homeopathic practice They have not been evaluated by the Food & Drug Administration. Distributed by Loma Lux Laboratories 6521 Davis Industrial Parkway, Solon, Ohio 44139 USA

## NEW ITEM

NATURE CREATED. DERMATOLOGIST PERFECTED.™

LOMALUX



developed Loma Lux® Psoriasis as a natural treatment for his psoriasis patients. Exten-sive scientific research & rigorous testing led to this exclusive formulation that has helped psoriasis sufferers for decades.

Unlike many conventional creams and lotions which only treat the surface of the skin, LomaLux® Psoriasis is taken internally to help attack psoriasis at its source, by helping to gently stimulate your body's own recovery response. To achieve maximum benefits & relief, a 4 - 5 month treatment plan is recommended.

Over a Decade of Safe, Effective Use with **NO** Known Side Effects.

Finally, Healthy Skin!

## NEW ITEM

NDC#61480-105-03

NATURE CREATED. DERMATOLOGIST PERFECTED.™

**LOMALUX**°

## **PSORIASIS**

PATENTED MINERAL TECHNOLOGY



CLINICALLY

Scaling

2% ALCOHOL

Relieves Itching Redness

Reduces Inflammation Irritation

**Prevents** Recurrences

8 FL.0Z.(237 mL)

HOMEOPATHIC ORAL MEDICATION

## NEW ITEM

NATURE CREATED.

DERMATOLOGIST PERFECTED.™

**LOMALUX**°

## **PSORIASIS**

PATENTED MINERAL TECHNOLOGY Countless studies have documented the skin healing powers of minerals, including the world renowned Dead Sea for soothing relief of many skin conditions. LomaLux® Psoriasis contains many of the same minerals as found in the Dead Sea - for natural health & well-being. Join the thousands of LomaLux® Psoriasis users, who for decades have found natural relief.

**5 POWERFUL ACTIVE INGREDIENTS** to help fight Psoriasis & Seborrhea

## In a Clinical Test: 85% of Psoriasis Patients Experienced Real Relief.

- · Itching
- Inflammation
- Redness
  - Irritation
- Scaling


#### CLINICAL STUDY DATA

U.S. Patents No.5,171,581;5,681,593;5,433,954

#### LLPC02172015







8 FL.OZ.(237 mL)

Directions: Adults & Children 12 & Older: Take once per day as indicated on the chart below according to your weight: 50 - 100 lbs. 100 -150 lbs. 150 -200 lbs. Over 200 lbs. 2 Teaspoons For optimal absorption, take orally at Bedtime or in the Morning on an empty stomach. Do not eat or drink anything but water for 1 hour after taking. Increase dosage by 50% if symptoms do not improve after 4-5 months. Recommended treatment course 4-5 months. Other Information: DO NOT USE\* if imprinted tamper evident band is broken or missing. \*Store at room

HOMEOPATHIC

**ORAL MEDICATION** 

temperature, 68 to 77 Fahrenheit. Protect from light. Inactive Ingredients: Alcohol USP, 2%, Methyl Paraben, Propyl Paraben, Purified Water

> Questions? Comments? Side Effects? Call 800-316-9636 or visit www.lomalux.com

DAILY DOSAGE

1/2 Teaspoon

11/2 Teaspoons 32 Days

1 Teaspoon

BOTTLE LASTS

96 Days

48 Days

24 Days

These statements are based upon traditional homeopathic practice. They have not been evaluated by the Food & Drug Administration. U.S. Patents No.5,171,581;5,681,593;5,433,954

### Relieves

Itching

Redness

Scaling

## Reduces

Inflammation

Irritation

### **Prevents**

Recurrences

## **PSORIASIS**

niccolum sulphuricum, natrum bromatum, zincum bromatum, kali bromatum, kali sulphuricum. liquid

#### **Product Information Product Type HUMAN OTC DRUG Item Code (Source)** NDC:61480-105 **Route of Administration ORAL**

Active Ingredient/Active Moiety		
Ingredient Name	<b>Basis of Strength</b>	Strength
NICKEL SULFATE HEXAHYDRATE (UNII: JC9WZ4FK68) (NICKEL CATION - UNII: OIS2CXW7AM)	NICKEL SULFATE HEXAHYDRATE	3 [hp_X] in 237 mL
SODIUM BROMIDE (UNII: LC1V549NOM) (BROMIDE ION - UNII:952902IX06)	SODIUM BROMIDE	2 [hp_X] in 237 mL
		4 [hm V]

ZINC BROMIDE (UNII: 007ZBU9703) (ZINC CATION - UNII:13S1S8SF37)	ZINC BROMIDE	in 237 mL
POTASSIUM BROMIDE (UNII: OSD78555ZM) (BROMIDE ION - UNII:952902IX06)	POTASSIUM BROMIDE	1 [hp_X] in 237 mL
POTASSIUM SULFATE (UNII: 1K573LC5TV) (SULFATE ION - UNII:7IS9N8KPMG)	POTASSIUM SULFATE	4 [hp_X] in 237 mL

Inactive Ingredients				
Ingredient Name	Strength			
ALCOHOL (UNII: 3K9958V90M)				
METHYLPARABEN (UNII: A2I8C7HI9T)				
PROPYLPARABEN (UNII: Z8IX2SC1OH)				
WATER (UNII: 059QF0KO0R)				

l	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
		NDC:61480-105- 03	237 mL in 1 BOTTLE; Type 0: Not a Combination Product	12/12/2016	

Marketing Information			
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
	12/12/2016		
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date	

## Labeler - PLYMOUTH HEALTHCARE PRODUCTS LLC (079330314)

Revised: 12/2021 PLYMOUTH HEALTHCARE PRODUCTS LLC