

NITROUS OXIDE- nitrous oxide gas
NLR Welding Supply, Inc.

Nitrous Oxide

NITROUS OXIDE USP LABEL

NITROUS OXIDE, COMPRESSED, USP

Rx ONLY UN1070

NLR NLR WELDING SUPPLY, INC.

5001 E. Broadway N.L.R., AR 72117

(501) 945-0986 www.nlrwelding.com

NON-FLAMMABLE GAS 2 OXIDIZER 5.1

NLR-17

WARNING: Administration of Nitrous Oxide may be hazardous or contraindicated. For use only by or under supervision of a licensed practitioner who is experienced in the use and administration of Nitrous Oxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken. **DANGER:** HIGH PRESSURE OXIDIZING LIQUID AND GAS. VIGOROUSLY ACCELERATES COMBUSTION. CAN CAUSE RAPID SUFFOCATION. CAN CAUSE ANESTHETIC EFFECTS. MAY CAUSE FROSTBITE. Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings fitting free from grease and oil. Avoid breathing gas. Do not get in eyes, on skin, or on clothing. Use and store outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a backflow preventative device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Read and follow the Safety Data Sheet (SDS) before use. **FIRST AID: IF INHALED:** Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. **IF ON SKIN:** Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention. CAS: 10024-97-2 **DO NOT REMOVE THIS PRODUCT LABEL**

**NITROUS OXIDE,
COMPRESSED, USP
Rx ONLY
UN 1070**
NLR
NLR WELDING SUPPLY INC.
501 E. Broadway N.L.R. AR 72117
(501) 945-0988 www.nlrwelding.com



NLR-17



WARNING: Administration of Nitrous Oxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and duration of administration of Nitrous Oxide and is familiar with the indications, effects, dosages, methods, and precautions to be taken. **DANGER:** MAY CAUSE OR AGGRAVATE ANEMIA; MAY CAUSE OR AGGRAVATE HYPOTENSION; MAY CAUSE OR AGGRAVATE HYPOTHERMIA; MAY CAUSE OR AGGRAVATE HYPOTENSION; MAY CAUSE OR AGGRAVATE HYPOTHERMIA; MAY CAUSE OR AGGRAVATE HYPOTHERMIA; MAY CAUSE OR AGGRAVATE HYPOTHERMIA. **OXIDIZER:** CONTAINS GAS UNDER PRESSURE. MAY EXPLODE IF HEATED. IF HEATED, MAY CAUSE FROTHING. DO NOT TITRATE GAS TO OXYGEN. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. MAY CAUSE FROTHING. DO NOT TITRATE GAS TO OXYGEN. Precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Avoid breathing gas. Do not get in eyes. Do not get in mouth. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop make it safe to approach. Use a back flow preventive device in the piping. Use only with equipment designed for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 50° C (125° F). Read and follow the Safety Data Sheet (SDS) before use. **FIRST AID:** IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or toxicologist if you feel unwell. **IF ON SKIN:** Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention. CAS: 10024-97-2. **DO NOT REMOVE THIS PRODUCT LABEL.**

NITROUS OXIDE

nitrous oxide gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:62045-8333
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NITROUS OXIDE (UNII: K50XQU1029) (NITROUS OXIDE - UNII:K50XQU1029)	NITROUS OXIDE	99 L in 100 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62045-8333-1	671 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1986	
2	NDC:62045-8333-2	6896 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1986	
3	NDC:62045-8333-3	3450 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1986	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA206009	01/01/1986	

Labeler - NLR Welding Supply, Inc. (144730421)

Registrant - NLR Welding Supply, Inc. (144730421)

Establishment

Name	Address	ID/FEI	Business Operations
NLR Welding Supply, Inc.		144730421	manufacture(62045-8333)

Revised: 10/2022

NLR Welding Supply, Inc.