

ASPIRIN LOW DOSE CHEWABLE- aspirin tablet, chewable
Better Living Brands, LLC

Signature Care 44-397A

Active ingredient (in each chewable tablet)

Aspirin 81 mg (NSAID)*

*nonsteroidal anti-inflammatory drug

Purpose

Pain reliever

Uses

for the temporary relief of minor aches and pains or as recommended by your doctor

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Aspirin may cause a severe allergic reaction, which may include:

- hives
- facial swelling
- shock
- asthma (wheezing)

Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you

- take a blood thinning (anticoagulant) or steroid drug
- are age 60 or older
- take other drugs containing prescription or nonprescription NSAIDs [aspirin, ibuprofen, naproxen, or others]
- have 3 or more alcoholic drinks every day while using this product
- have had stomach ulcers or bleeding problems
- take more or for a longer time than directed

Do not use

- if you are allergic to aspirin or any other pain reliever/fever reducer
- for at least 7 days after tonsillectomy or oral surgery unless directed by a doctor
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if

- you have asthma
- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you are taking a diuretic
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease

Ask a doctor or pharmacist before use if you are

taking a prescription drug for

- gout
- diabetes
- arthritis

Stop use and ask a doctor if

- an allergic reaction occurs. Seek medical help right away.
- you experience any of the following signs of stomach bleeding:
 - vomit blood
 - have bloody or black stools
 - feel faint
 - have stomach pain that does not get better
- ringing in the ears or a loss of hearing occurs
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use. It is especially important not to use aspirin at 20 weeks or later in pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **do not take more than directed**
- drink a full glass of water with each dose
- chew or crush tablets completely before swallowing; do not swallow tablets whole
- adults and children 12 years and over: take 4 to 8 chewable tablets every 4 hours not to exceed 48 chewable tablets in 24 hours unless directed by a doctor
- children under 12 years: do not use unless directed by a doctor

Other information

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

- see end flap for expiration date and lot number

Inactive ingredients

corn starch, D&C red #27 aluminum lake, D&C red #30 aluminum lake, dextrans hydrated, flavor, maltodextrin, sucralose

Questions or comments?

1-800-426-9391

Principal display panel

Signature[™]

care

Quality Guaranteed

COMPARE TO

Bayer® Chewable Low Dose Aspirin
active ingredient[†]

NDC 21130-397-07

Low Dose

Aspirin 81 mg

Chewable Tablets

Pain Reliever **(NSAID)**

Chew or crush
tablets completely
before swallowing.

- Aspirin regimen**

CHERRY

FLAVOR

Actual Size

36 TABLETS

****Talk to your doctor or other healthcare provider
before using this product for your heart.**

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

[†]This product is not manufactured or distributed by Bayer AG,
distributors of Bayer® Chewable Low Dose Aspirin.

50844

REV0122B39707

**DISTRIBUTED BY
BETTER LIVING BRANDS LLC**

P.O. BOX 99, PLEASANTON, CA 94566-0009
1-888-723-3929
www.betterlivingbrandsLLC.com
QUALITY & SATISFACTION 100% GUARANTEED
OR YOUR MONEY BACK

	<p>Drug Facts (continued)</p> <ul style="list-style-type: none"> have had stomach ulcers or bleeding problems take more or for a longer time than directed <p>Do not use</p> <ul style="list-style-type: none"> if you are allergic to aspirin or any other pain reliever/fever reducer for at least 7 days after tonsillectomy or oral surgery unless directed by a doctor if you have ever had an allergic reaction to this product or any of its ingredients <p>Ask a doctor before use if</p> <ul style="list-style-type: none"> you have asthma stomach bleeding warning applies to you you have a history of stomach problems, such as heartburn you are taking a diuretic you have high blood pressure, heart disease, liver cirrhosis, or kidney disease <p>Ask a doctor or pharmacist before use if you are taking a prescription drug for</p> <ul style="list-style-type: none"> gout diabetes arthritis <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> an allergic reaction occurs. Seek medical help right away. you experience any of the following signs of stomach bleeding: <ul style="list-style-type: none"> vomit blood have bloody or black stools feel faint have stomach pain that does not get better ringing in the ears or a loss of hearing occurs pain gets worse or lasts more than 10 days fever gets worse or lasts more than 3 days redness or swelling is present new symptoms occur <p>These could be signs of a serious condition.</p>	
<p>KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION</p> <p>Drug Facts</p> <p>Active ingredient (in each chewable tablet) Aspirin 81 mg (NSAID)* Pain reliever *nonsteroidal anti-inflammatory drug</p> <p>Uses for the temporary relief of minor aches and pains or as recommended by your doctor</p> <p>Warnings Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.</p> <p>Allergy alert: Aspirin may cause a severe allergic reaction, which may include:</p> <ul style="list-style-type: none"> hives facial swelling shock asthma (wheezing) <p>Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you</p> <ul style="list-style-type: none"> take a blood thinning (anticoagulant) or steroid drug are age 60 or older take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others) have 3 or more alcoholic drinks every day while using this product 	<p>COMPARE TO Bayer® Chewable Low Dose Aspirin active ingredient†</p> <p>NDC 21130-397-07</p> <p>Low Dose Aspirin 81 mg Chewable Tablets Pain Reliever (NSAID)</p> <p>• Aspirin regimen**</p> <p>CHERRY FLAVOR</p> <p>36 TABLETS</p>	<p>B-1817-397A-07-S REV0122B39707</p>
<p>†This product is not manufactured or distributed by Bayer AG, distributors of Bayer® Chewable Low Dose Aspirin.</p> <p>DISTRIBUTED BY 50844 BETTER LIVING BRANDS LLC REV0122B39707 P.O. BOX 99, PLEASANTON, CA 94566-0009 1-888-723-3929 www.betterlivingbrandsLLC.com QUALITY & SATISFACTION 100% GUARANTEED OR YOUR MONEY BACK</p> <p> Scan here for more information</p>	<p> Quality Guaranteed</p> <p>Signature Care</p>	<p>**Talk to your doctor or other health care provider before using this product for your heart.</p> <p>TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING</p> <p>RD 19094</p> <p> 3 21130 179857 6</p> <p>S1714</p> <p>No Print / No Varnish Lot no. & Exp. date</p>
<p>Drug Facts (continued)</p> <p>if pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin at 20 weeks or later in pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</p> <p>Directions</p> <ul style="list-style-type: none"> do not take more than directed drink a full glass of water with each dose chew or crush tablets completely before swallowing; do not swallow tablets whole adults and children 12 years and over: take 4 to 8 chewable tablets every 4 hours not to exceed 48 chewable tablets in 24 hours unless directed by a doctor children under 12 years: do not use unless directed by a doctor <p>Other information</p> <ul style="list-style-type: none"> store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) see end flap for expiration date and lot number <p>Inactive ingredients corn starch, D&C red #27 aluminum lake, D&C red #30 aluminum lake, dextrates hydrated, flavor, malodextrim, sucralose</p> <p>Questions or comments? 1-800-426-9391</p>	<p>Directions</p> <ul style="list-style-type: none"> do not take more than directed drink a full glass of water with each dose chew or crush tablets completely before swallowing; do not swallow tablets whole adults and children 12 years and over: take 4 to 8 chewable tablets every 4 hours not to exceed 48 chewable tablets in 24 hours unless directed by a doctor children under 12 years: do not use unless directed by a doctor <p>Other information</p> <ul style="list-style-type: none"> store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) see end flap for expiration date and lot number <p>Inactive ingredients corn starch, D&C red #27 aluminum lake, D&C red #30 aluminum lake, dextrates hydrated, flavor, malodextrim, sucralose</p> <p>Questions or comments? 1-800-426-9391</p>	<p>Questions or comments? 1-800-426-9391</p>

Signature Care 44-397A

ASPIRIN LOW DOSE CHEWABLE

aspirin tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:21130-397	
Route of Administration	ORAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)		ASPIRIN	81 mg	
Inactive Ingredients				
Ingredient Name			Strength	
STARCH, CORN (UNII: O8232NY3SJ)				
D&C RED NO. 27 ALUMINUM LAKE (UNII: ZK64F7XSTX)				
D&C RED NO. 30 (UNII: 2S42T2808B)				
DEXTROSE MONOHYDRATE (UNII: LX22YL083G)				
MALTODEXTRIN (UNII: 7CVR7L4A2D)				
SUCRALOSE (UNII: 96K6UQ3ZD4)				
Product Characteristics				
Color	pink	Score	no score	
Shape	ROUND	Size	8mm	
Flavor	CHERRY	Imprint Code	44;397	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:21130-397-07	1 in 1 CARTON	09/04/2001	
1		36 in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013		09/04/2001	

Labeler - Better Living Brands, LLC (009137209)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(21130-397)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(21130-397)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	manufacture(21130-397)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(21130-397)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(21130-397)

Revised: 6/2023

Better Living Brands, LLC