

**MUCUS RELIEF CHILDRENS- dextromethorphan hbr, guaifenesin,  
phenylephrine hcl solution  
TOPCO ASSOCIATES LLC**

-----  
**TopCare 44-057**

***Active ingredients (in each 5 mL)***

Dextromethorphan HBr 5 mg  
Guaifenesin 100 mg  
Phenylephrine HCl 2.5 mg

***Purpose***

Cough suppressant  
Expectorant  
Nasal decongestant

***Uses***

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
  - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
  - nasal congestion due to a cold
  - the intensity of coughing
  - stuffy nose
  - the impulse to cough to help the child get to sleep

***Warnings***

**Do not use**

in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

**Ask a doctor before use if the child has**

- diabetes
- heart disease
- thyroid disease
- high blood pressure

- persistent or chronic cough such as occurs with asthma
- cough that occurs with too much phlegm (mucus)

### **When using this product**

**do not exceed recommended dosage.**

### **Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- symptoms do not get better within 7 days or occur with fever
- cough persists more than 7 days, tends to recur, or is accompanied by a fever, rash, or persistent headache. These could be signs of a serious condition.

### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

### ***Directions***

- **do not take more than directed**
- do not take more than 6 doses in any 24-hour period
- mL = milliliter
- only use the dose cup provided
- dose as follows or as directed by a doctor

<b>Age</b>	<b>Dose</b>
children 6 to under 12 years	10 mL every 4 hours
children 4 to under 6 years	5 mL every 4 hours
children under 4 years	do not use

### ***Other information***

- **each 5 mL contains:** sodium 3 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

### ***Inactive ingredients***

anhydrous citric acid, FD&C red #40, flavors, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate dihydrate, sorbitol, sucralose, xanthan gum

### ***Questions or comments?***

**1-888-423-0139**

### ***Principal display panel***

**TopCare®**

health

NDC 76162-057-88

COMPARE TO MUCINEX®

CHILDREN'S MULTI-SYMPTOM COLD

ACTIVE INGREDIENTS\*

*children's*

**Multi-Symptom**

**Cold**

**Mucus**

**Relief**

**DEXTROMETHORPHAN HBr** - COUGH SUPPRESSANT

**GUAIFENESIN** - EXPECTORANT

**PHENYLEPHRINE HCl** - NASAL DECONGESTANT

ORAL SOLUTION

- Controls Cough
- Relieves Chest Congestion
- Breaks Up Mucus
- Relieves  
Stuffy Nose

*Ages 4*

*to*

*11 Years*

BERRY

FLAVOR

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED  
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

DISTRIBUTED BY TOPCO ASSOCIATES LLC

ITASCA, IL 60143

©TOPCO LNKA0923

QUESTIONS? 1-888-423-0139

topcare@topco.com

www.topcarebrand.com

\*This product is not manufactured or distributed by  
RB Health (US) LLC, owner of the registered trademark  
Mucinex® Children's Multi-Symptom Cold.  
50844 ORG022305788

**KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION**

**Drug Facts**

**Active ingredients (in each 5 mL)**

Dextromethorphan HBr 5 mg Cough suppressant

Guaifenesin 100 mg Expectorant

Phenylephrine HCl 2.5 mg Nasal decongestant

**Uses**

■ helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

■ temporarily relieves:

■ cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants

■ nasal congestion due to a cold

■ the intensity of coughing

■ stuffy nose

■ the impulse to cough to help the child get to sleep

**Warnings**

Do not use in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

Ask a doctor before use if the child has:

■ diabetes ■ heart disease ■ thyroid disease ■ high blood pressure

■ persistent or chronic cough such as occurs with asthma

■ cough that occurs with too much phlegm (mucus)

When using this product do not exceed recommended dosage.

Stop use and ask a doctor if:

■ nervousness, dizziness, or sleeplessness occur

■ symptoms do not get better within 7 days or occur with fever

■ cough persists more than 7 days, tends to recur, or is accompanied by a fever, rash, or persistent headache. These could be signs of a serious condition.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

■ do not take more than directed

■ do not take more than 6 doses in any 24-hour period

■ mL = milliliter

■ only use the dose cup provided

■ dose as follows or as directed by a doctor

Age	Dose
children 6 to under 12 years	10 mL every 4 hours
children 4 to under 6 years	5 mL every 4 hours
children under 4 years	do not use

**Other information**

■ each 5 mL contains: sodium 3 mg

■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

■ see end flap for expiration date and lot number

**Inactive ingredients** anhydrous citric acid, FD&C red #40, flavors, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate dihydrate, sorbitol, sucralose, xanthan gum

**Questions or comments?** 1-888-423-0139

**+TopCare®**  
health

**children's Multi-Symptom Cold Mucus Relief**

6.8 FL OZ (201 mL)

**+TopCare®**  
health

NDC 76162-057-88

COMPARE TO MUCINEX® CHILDREN'S MULTI-SYMPOM COLD ACTIVE INGREDIENTS\*

**children's Multi-Symptom Cold Mucus Relief**

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

DISTRIBUTED BY TOPCO ASSOCIATES LLC  
ITASCA, IL 60143  
©TOPCO LNKA0923  
QUESTIONS? 1-888-423-0139  
topcare@topco.com  
www.topcarebrand.com



Scan here for more information or call 1-888-423-0139

**QUALITY GUARANTEED**

\*This product is not manufactured or distributed by RB Health (US) LLC, owner of the registered trademark Mucinex® Children's Multi-Symptom Cold. 50844 ORG022305788

**PARENTS:**  
Learn about teen medicine abuse  
[www.StopMedicineAbuse.org](http://www.StopMedicineAbuse.org)

**+TopCare®**  
health

NDC 76162-057-88

COMPARE TO MUCINEX® CHILDREN'S MULTI-SYMPOM COLD ACTIVE INGREDIENTS\*

**children's Multi-Symptom Cold Mucus Relief**

DEXTROMETHORPHAN HBr - COUGH SUPPRESSANT  
GUAIFENESIN - EXPECTORANT  
PHENYLEPHRINE HCl - NASAL DECONGESTANT

**ORAL SOLUTION**

- Controls Cough
- Relieves Chest Congestion
- Breaks Up Mucus
- Relieves Stuffy Nose

**Ages 4 to 11 Years**



**BERRY FLAVOR**

6.8 FL OZ (201 mL)

**+TopCare®**  
health

NDC 76162-057-88

COMPARE TO MUCINEX® CHILDREN'S MULTI-SYMPOM COLD ACTIVE INGREDIENTS\*

**children's Multi-Symptom Cold Mucus Relief**

DEXTROMETHORPHAN HBr - COUGH SUPPRESSANT  
GUAIFENESIN - EXPECTORANT  
PHENYLEPHRINE HCl - NASAL DECONGESTANT

**ORAL SOLUTION**

- Controls Cough
- Relieves Chest Congestion
- Breaks Up Mucus
- Relieves Stuffy Nose

**Ages 4 to 11 Years**



**BERRY FLAVOR**

6.8 FL OZ (201 mL)



0 36800 00340 8

No Print/No Varnish Lot & EXP

B-1910-057-88  
ORG022305788

**TopCare 44-057**

## MUCUS RELIEF CHILDRENS

dextromethorphan hbr, guaifenesin, phenylephrine hcl solution

### Product Information

**Product Type**

HUMAN OTC DRUG

**Item Code (Source)**

NDC:76162-057

Route of Administration		ORAL		
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)		DEXTROMETHORPHAN HYDROBROMIDE	5 mg in 5 mL	
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)		GUAIFENESIN	100 mg in 5 mL	
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)		PHENYLEPHRINE HYDROCHLORIDE	2.5 mg in 5 mL	
Inactive Ingredients				
Ingredient Name			Strength	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)				
FD&C RED NO. 40 (UNII: WZB9127XOA)				
GLYCERIN (UNII: PDC6A3C0OX)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
WATER (UNII: 059QF0KO0R)				
SODIUM BENZOATE (UNII: OJ245FE5EU)				
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)				
SORBITOL (UNII: 506T60A25R)				
SUCRALOSE (UNII: 96K6UQ3ZD4)				
XANTHAN GUM (UNII: TTV12P4NEE)				
Product Characteristics				
Color	red	Score		
Shape		Size		
Flavor	BERRY	Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76162-057-88	1 in 1 CARTON	03/07/2024	
1		201 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M012	03/07/2024	

**Labeler** - TOPCO ASSOCIATES LLC (006935977)

**Establishment**

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	manufacture(76162-057) , pack(76162-057)

Revised: 3/2024

TOPCO ASSOCIATES LLC