

PAIN RELIEVER FEVER REDUCER EXTRA STRENGTH- acetaminophen liquid
CVS Pharmacy

Drug Facts

Active ingredient (in each 15 mL)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - the common cold
 - headache
 - backache
 - minor pain of arthritis
 - toothache
 - muscular ache
 - premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. The maximum daily dose of this product is 90 mL (6 tbsp) (3,000 mg) in 24 hours. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks ever day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if you have

liver disease.

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- pain gets worse or lasts for more than 10 days
- fever gets worse or lasts for more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Overdose warning: Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed (see overdose warning)
- do not take more than 4 doses in any 24 hours period
- measure only with dosing cup provided. Do not use any other dosing device
- mL=milliliter
- keep dosing cup with product
- adults and children 12 years and over
 - 30 mL every 6 hours while symptoms last
 - do not take more than 10 days unless directed by a doctor
- children under 12 years: do not use

Other information

- **each 15 mL contains:**sodium 6 mg
- store between 20-25°C (68-77°F) do not refrigerate
- protect from light

Inactive ingredients

citric acid, D&C red 33, FD&C red 40, flavors, high fructose corn syrup, polyethylene glycol, propylene glycol, purified water, saccharin sodium, sodium benzoate, sorbitol

Questions or comments?

Call **1-877-753-3935 Monday-Friday 9AM-5PM EST**

Principal Display Panel

Compare to the active ingredient in Extra Strength Tylenol®*

EXTRA STRENGTH

Acetaminophen, Liquid 500 mg

Pain reliever; Fever reducer

For Ages 12 & over

Cherry flavor

FL OZ (mL)

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL IS BROKEN OR MISSING.

*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Extra Strength Tylenol®.

Distributed by: CVS Pharmacy, Inc.

One CVS Drive, Woonsocket, RI 02895

CVS.com

Product Label

CVS Health.

Compare to the active ingredient in Extra Strength Tylenol®*

Liquid

EXTRA STRENGTH NDC 69842-878-08

Acetaminophen

Liquid, 500 mg
Pain reliever; Fever reducer
For Ages 12 & Over

Cherry Flavor

8 FL OZ (237 mL) PLD-E229B LB005563

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND DOSAGE CUP OR UNDER CAP IS BROKEN OR MISSING.

*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Extra Strength Tylenol®.

Distributed by: CVS Pharmacy, Inc.
One CVS Drive, Woonsocket, RI 02895
© 2018 CVS/pharmacy
CVS.com® 1-800-SHOP CVS
V-19654

CVS Quality
Money Back Guarantee

#695051

0 50428 26094 4
PLD-H229B LB005564

PEEL CORNER FOR MORE DRUG FACTS

Drug Facts

Active ingredient (in each 15 mL)	Purpose
Acetaminophen 500 mg	Pain reliever/ fever reducer

Uses

- temporarily relieves minor aches and pains due to
 - the common cold
 - backache
 - toothache
 - premenstrual and menstrual cramps
- temporarily reduces fever
- headache
- minor pain of arthritis
- muscular aches

Drug Facts (continued)

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Drug Facts (continued)

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if you have liver disease.

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days

Drug Facts (continued)

- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Drug Facts (continued)

Directions

- do not take more than directed (see **Overdose warning**)
- do not take more than 4 doses in any 24-hour period
- measure only with dosing cup provided. Do not use any other dosing device.
- mL = milliliter
- keep dosing cup with product
- adults and children 12 years and over
- 30 mL every 6 hours while symptoms last
- do not take more than 10 days unless directed by a doctor
- children under 12 years: do not use

Drug Facts (continued)

Other information

- each 15 mL contains: sodium 6 mg
- store between 20-25°C (68-77°F). Do not refrigerate.
- protect from light

Inactive ingredients citric acid, D&C red #33, FD&C red #40, flavor, high fructose corn syrup, polyethylene glycol, propylene glycol, purified water, saccharin sodium, sodium benzoate, sorbitol

Questions or comments?
Call 1-877-753-3935 Monday-Friday
9AM-5PM EST

CVS HEALTH Extra Strength Acetaminophen Cherry Flavor

PAIN RELIEVER FEVER REDUCER EXTRA STRENGTH			
acetaminophen liquid			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69842-878
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)		ACETAMINOPHEN	500 mg in 15 mL
Inactive Ingredients			
Ingredient Name			Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)			
D&C RED NO. 33 (UNII: 9DBA0SBB0L)			
FD&C RED NO. 40 (UNII: WZB9127XOA)			
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)			
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
WATER (UNII: 059QF0KO0R)			
SACCHARIN SODIUM (UNII: SB8ZUX40TY)			
SODIUM BENZOATE (UNII: OJ245FE5EU)			
SORBITOL (UNII: 506T60A25R)			

Product Characteristics

Color		Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-878-08	237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	04/30/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	04/30/2018	

Labeler - CVS Pharmacy (062312574)

Revised: 3/2024

CVS Pharmacy