

SENNALAX- sennosides tablet
P & L Development, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each tablet)

Sennosides 8.6 mg

Purpose

Laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces a bowel movement within 6- 12 hours.

Warnings

Do not use

- laxative products for longer than 1 week unless directed by a doctor

Ask a doctor before using if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that continues over a period of 2 weeks.

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take preferably at bedtime or as directed by a doctor

age	starting dosage	maximum dosage
adults and children 12 years of age and over	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years	1/2 tablets once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor

Other information

- **each tablet contains:** calcium 30 mg
- store at 25° C (77° F); excursions permitted between 15-30°C (59-86°F)

Inactive Ingredients

croscarmellose sodium, dibasic calcium phosphate dihydrate, hypromellose, magnesium stearate, microcrystalline cellulose, mineral oil*, silicon dioxide*, sodium lauryl sulfate*, stearic acid*, talc*, triacetin*

*contains one or more of these ingredients

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to the active ingredient in Senokot®†

regular strength

natural laxative

sennosides 8.6 mg

laxative

- natural vegetable laxative ingredient
- gentle, dependable
- overnight relief

tablets

†This product is not manufactured or distributed by Aviro Health L.P., distributor of Senokot®.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Distributed by:

PL Developments

200 Hicks Street

Westbury, NY 11590

Product Label



Compare to the active ingredient in Senokot®

NDC 59726-731-10

regular strength natural laxative


sennosides 8.6 mg
laxative

- natural vegetable laxative ingredient
- gentle, dependable
- overnight relief

100 tablets



actual size



3 59726 88210 1

PLD-A2ZY FC007685

Lot No.:
Exp. Date:

Distributed by:
PL Developments
200 Hicks Street
Westbury, NY 11590



KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

*This product is not manufactured or distributed by Aviro Health L.P., distributor of Senokot®.

Drug Facts (continued)

Inactive ingredients croscarmellose sodium, dibasic calcium phosphate dihydrate, hypromellose, magnesium stearate, microcrystalline cellulose, mineral oil, silicon dioxide, sodium lauryl sulfate, stearic acid, talc, triacetin* contains one or more of these ingredients

Questions or comments? Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Drug Facts

Active ingredient (in each tablet) Sennosides 8.6 mg.....Laxative

Purpose

relieves occasional constipation (irregularly)
generally produces a bowel movement in 6 - 12 hours

Uses

Do not use
laxative products for longer than 1 week unless directed by a doctor

Warnings

Ask a doctor before use if you have
stomach pain ■ nausea ■ vomiting
noticed a sudden change in bowel habits that continues over a period of 2 weeks

Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

take preferably at bedtime or as directed by a doctor

age	starting dosage	maximum dosage
adults and children 12 years of age and over	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years	1/2 tablet once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor

Other information

each tablet contains: calcium 30 mg
store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

READYinCASE Regular Strength Laxative

SENNA LAXATIVE

sennosides tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59726-731
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.6 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
MINERAL OIL (UNII: T5L8T28FGP)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
TRIACETIN (UNII: XHX3C3X673)	

Product Characteristics

Color	brown	Score	no score
Shape	ROUND	Size	9mm
Flavor		Imprint Code	PS23
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59726-731-10	1 in 1 BOX	03/26/2021	12/31/2025
1		100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	03/26/2021	12/31/2025

Labeler - P & L Development, LLC (800014821)

Revised: 4/2023

P & L Development, LLC