

**CANDIDA- abies canadensis, agaricus musc, allium cepa, allium sativum, aloe, antimonium crudum, asafoetida, borax, candida albicans, candida parapsilosis, carpinus betulus, flos, ignatia amara, lachesis mutus, lycopodium clavatum, malus pumila, flos, olea europaea, flos, phosphoricum acidum, phytolacca decandra, pulsatilla, sabadilla, sticta pulmonaria, sulphur, thuja occidentalis. liquid
King Bio Inc.**

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Candida

Warnings

Stop use and ask your doctor if symptoms persist or worsen.

If pregnant or breast-feeding, take only on advice of a healthcare professional.

Keep out of reach of children.

Reference image: Candida.jpg

Keep out of reach of children.

Reference image: Candida.jpg

Directions

Adults 1 teaspoon
Children 6 - 12 years 1/2 teaspoon
Children under 6 years old Consult a physician

2 times daily on an empty stomach, before breakfast and at bedtime.

Reference image: Candida.jpg

Tamper resistant for your protection. Use only if seal is intact. This product has not been clinically tested.

King Bio, Inc. FDA Reg. #1053442
3 Westside Dr. Asheville, NC 28806 USA

Questions? Call 866.298.2740

Reference image: Candida.jpg

Inactive ingredients

Citrus Extract (ascorbic acid, citric acid, citrus aurantium amara fruit extract, citrus aurantium sinensis peel extract, citrus reticulata fruit extract, demineralized water, glycerin, lactic acid), Honeysuckle (*Lonicera japonica*), Polylysine, Purified Water, Shagbark Hickory (*Carya ovata*) Bark Extract, Steviol (Steviol glycosides).

Reference image: Candida.jpg

Equal volumes of each HPUS ingredient in 12X, 30X, 100X, 1LM, 2LM, 3LM, and 5LM potencies.

Abies canadensis	gnawing hunger
Agaricus musc.....	gastric disturbances, bloating
Allium cepa.....	burning in mouth and throat
Allium sativum	constipation
Aloe	headache, nausea
Antimonium crudum	ear ringing, pimples
Asafoetida	bloating, flatulence
Borax	nervousness
Candida albicans.....	yeast infections, thrush
Candida parapsilosis	itchy scalp, nail fungus
Carpinus betulus, flos.....	fatigue
Ignatia amara	moodiness, rash
Lachesis mutus	sleeplessness
Lycopodium clavatum.....	forgetfulness
Malus pumila, flos.....	obsessive cleansing
Olea europaea, flos	complete exhaustion
Phosphoricum acidum.....	listlessness
Phytolacca decandra.....	scaly scalp, dry skin
Pulsatilla	overly emotional
Sabadilla.....	cravings for sweets and starches
Sticta pulmonaria.....	diarrhea
Sulphur.....	cravings for sweets
Thuja occidentalis.....	GI irritation, brittle nails

Reference image: Candida.jpg

Active Ingredient

Equal volumes of each HPUS ingredient in 12X, 30X, 100X, 1LM, 2LM, 3LM, and 5LM potencies.

Abies canadensis, Agaricus musc, Allium cepa, Allium sativum, Aloe, Antimonium crudum, Asafoetida, Borax, Candida albicans, Candida parapsilosis, Carpinus betulus, flos, Ignatia amara, Lachesis mutus, Lycopodium clavatum, Malus pumila, flos, Olea europaea, flos, Phosphoricum acidum, Phytolacca decandra, Pulsatilla, Sabadilla, Sticta pulmonaria, Sulphur, Thuja occidentalis.

Reference image: Candida.jpg

Use

Temporarily relieves symptoms due to overgrowth of *Candida albicans* yeast:

yeast infections

thrush

nausea

nail fungus

constipation

headache

itchy skin

fatigue

diarrhea

flatulence

forgetfulness

bloating

Reference image: Candida.jpg

Drug Facts (continued)
Warnings
■ Stop use and ask a doctor if symptoms persist or worsen.
■ If pregnant or breast-feeding, ask a healthcare professional before use.
■ Keep out of reach of children.

Directions

Adults	1 teaspoon
Children 6 - 12 years	1/2 teaspoon
Children under 6 years old	Consult a physician

■ 2 times daily on an empty stomach, before breakfast and at bedtime.

Inactive ingredients Citrus Extract (ascorbic acid, citric acid, citrus aurantium amara fruit extract, citrus aurantium sinensis peel extract, citrus reticulata fruit extract, demineralized water, glycerin, lactic acid), Honeysuckle (*Lonicera japonica*), Polylysine, Purified Water, Shagbark Hickory (*Carya ovata*) Bark Extract, Steviol (Steviol glycosides).

Manufactured by:
King Bio, Inc.
FDA Reg. #1053442
3 Westside Dr.
Asheville, NC 28806 USA
Questions? Call 866.298.2740
DrKings.com

3 57955 62068 6

SafeCare

Candida

Multi-Strain Formula for Candida Overgrowth

For temporary relief of:
Fatigue
Gastric Disturbances

High Potency Homeopathic Formula for Professional Use Only

Pure Water Base, Gluten Free
Less than 1% Alcohol

8 fl oz (236 mL)

Drug Facts
Active ingredients Purpose
Equal volumes of each HPUS ingredient in 12X, 30X, 100X, 1LM, 2LM, 3LM, and 5LM potencies.
Abies canadensis gnawing hunger
Agaricus musc gastric disturbances, bloating
Allium cepa burning in mouth and throat
Allium sativum constipation
Aloe headache, nausea
Antimonium crudum ear ringing, pimples
Asafoetida bloating, flatulence
Borax nervousness
Candida albicans yeast infections, thrush
Candida parapsilosis itchy scalp, nail fungus
Carpinus betulus, flos fatigue
Ignatia amara moodiness, rash
Lachesis mutus sleeplessness
Lycopodium clavatum forgetfulness
Malus pumila, flos obsessive cleansing
Olea europaea, flos complete exhaustion
Phosphoricum acidum listlessness
Phytolacca decandra scaly scalp, dry skin
Pulsatilla overly emotional
Sabadilla cravings for sweets and starches
Sclita pulmonaria diarrhea
Sulphur cravings for sweets
Thuja occidentalis GI irritation, brittle nails

Uses temporarily relieves symptoms due to overgrowth of *Candida albicans* yeast: ■ yeast infections ■ thrush ■ nausea ■ nail fungus ■ constipation ■ headache ■ itchy skin ■ fatigue ■ diarrhea ■ flatulence ■ forgetfulness ■ bloating

CANDIDA

abies canadensis, agaricus musc, allium cepa, allium sativum, aloe, antimonium crudum, asafoetida, borax, candida albicans, candida parapsilosis, carpinus betulus, flos, ignatia amara, lachesis mutus, lycopodium clavatum, malus pumila, flos, olea europaea, flos, phosphoricum acidum, phytolacca

decandra, pulsatilla, sabadilla, sticta pulmonaria, sulphur, thuja occidentalis. liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:57955-3017
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TSUGA CANADENSIS BARK (UNII: R53V5F950S) (TSUGA CANADENSIS BARK - UNII:R53V5F950S)	TSUGA CANADENSIS BARK	12 [hp_X] in 236 mL
AMANITA MUSCARIA FRUITING BODY (UNII: DIF093I037) (AMANITA MUSCARIA FRUITING BODY - UNII:DIF093I037)	AMANITA MUSCARIA FRUITING BODY	12 [hp_X] in 236 mL
ONION (UNII: 492225Q21H) (ONION - UNII:492225Q21H)	ONION	12 [hp_X] in 236 mL
GARLIC (UNII: V1V998DC17) (GARLIC - UNII:V1V998DC17)	GARLIC	12 [hp_X] in 236 mL
Aloe (UNII: V5VD430YW9) (ALOE - UNII:V5VD430YW9)	Aloe	12 [hp_X] in 236 mL
ANTIMONY TRISULFIDE (UNII: F79059A38U) (ANTIMONY TRISULFIDE - UNII:F79059A38U)	ANTIMONY TRISULFIDE	12 [hp_X] in 236 mL
FERULA ASSA-FOETIDA RESIN (UNII: W9FZA51AS1) (ASAFETIDA - UNII:W9FZA51AS1)	FERULA ASSA-FOETIDA RESIN	12 [hp_X] in 236 mL
SODIUM BORATE (UNII: 91MBZ8H3QO) (BORATE ION - UNII:44OAE30D22)	SODIUM BORATE	12 [hp_X] in 236 mL
Candida albicans (UNII: 4D7G21HD8C) (CANDIDA ALBICANS - UNII:4D7G21HD8C)	Candida albicans	12 [hp_X] in 236 mL
CANDIDA PARAPSILOSIS (UNII: 0KZ676D44N) (CANDIDA PARAPSILOSIS - UNII:0KZ676D44N)	CANDIDA PARAPSILOSIS	12 [hp_X] in 236 mL
CARPINUS BETULUS FLOWERING TOP (UNII: QOI241B01F) (CARPINUS BETULUS FLOWERING TOP - UNII:QOI241B01F)	CARPINUS BETULUS FLOWERING TOP	12 [hp_X] in 236 mL
STRYCHNOS IGNATII SEED (UNII: 1NM3M2487K) (STRYCHNOS IGNATII SEED - UNII:1NM3M2487K)	STRYCHNOS IGNATII SEED	12 [hp_X] in 236 mL
LACHESIS MUTA VENOM (UNII: VSW71SS07I) (LACHESIS MUTA VENOM - UNII:VSW71SS07I)	LACHESIS MUTA VENOM	12 [hp_X] in 236 mL
LYCOPODIUM CLAVATUM SPORE (UNII: C88X29Y479) (LYCOPODIUM CLAVATUM SPORE - UNII:C88X29Y479)	LYCOPODIUM CLAVATUM SPORE	12 [hp_X] in 236 mL
MALUS DOMESTICA FLOWER (UNII: EF626V855K) (MALUS DOMESTICA FLOWER - UNII:EF626V855K)	MALUS DOMESTICA FLOWER	12 [hp_X] in 236 mL
OLEA EUROPAEA FLOWER (UNII: 498M34P1VZ) (OLEA EUROPAEA FLOWER - UNII:498M34P1VZ)	OLEA EUROPAEA FLOWER	12 [hp_X] in 236 mL
PHOSPHORIC ACID (UNII: E4GA8884NN) (PHOSPHORIC ACID - UNII:E4GA8884NN)	PHOSPHORIC ACID	12 [hp_X] in 236 mL
PHYTOLACCA AMERICANA ROOT (UNII: 11E6V8VEG) (PHYTOLACCA AMERICANA ROOT - UNII:11E6V8VEG)	PHYTOLACCA AMERICANA ROOT	12 [hp_X] in 236 mL
PULSATILLA PATENS WHOLE (UNII: 4M1169RWJD) (ANEMONE PATENS WHOLE - UNII:4M1169RWJD)	PULSATILLA PATENS WHOLE	12 [hp_X] in 236 mL
SCHOENOCAULON OFFICINALE SEED (UNII: 6NAF1689IO) (SCHOENOCAULON OFFICINALE SEED - UNII:6NAF1689IO)	SCHOENOCAULON OFFICINALE SEED	12 [hp_X] in 236 mL
LOBARIA PULMONARIA (UNII: D1YM0P5Z2T) (LOBARIA PULMONARIA - UNII:D1YM0P5Z2T)	LOBARIA PULMONARIA	12 [hp_X] in 236 mL
SULFUR (UNII: 70FD1KFU70) (SULFUR - UNII:70FD1KFU70)	SULFUR	12 [hp_X] in 236 mL
THUJA OCCIDENTALIS LEAFY TWIG (UNII: 1NT28V9397) (THUJA OCCIDENTALIS LEAFY TWIG - UNII:1NT28V9397)	THUJA OCCIDENTALIS LEAFY TWIG	12 [hp_X] in 236 mL

Inactive Ingredients

Ingredient Name	Strength
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
CITRUS AURANTIUM FRUIT OIL (UNII: 59JDQ5VT0T)	
ORANGE PEEL (UNII: T19T76XD44)	
CITRUS RETICULATA FRUIT OIL (UNII: 25P9H3QU5E)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)	
LONICERA JAPONICA FLOWER (UNII: 4465L2WS4Y)	
BENZYL PENICILLOYL POLYLYSINE (UNII: 76479814OY)	
CARYA OVATA BARK (UNII: X765CF609L)	
STEVIOLE (UNII: 4741LYX6RT)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57955-3017-8	236 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	02/01/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		02/01/2022	

Labeler - King Bio Inc. (617901350)

Registrant - King Bio Inc. (617901350)

Establishment

Name	Address	ID/FEI	Business Operations
King Bio Inc.		617901350	manufacture(57955-3017) , api manufacture(57955-3017)

Revised: 9/2022

King Bio Inc.