

**CITY SKIN AGE DEFENSE BROAD SPECTRUM SPF 50- titanium dioxide and zinc oxide lotion**  
**Murad, LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**City Skin™ Age Defense Broad Spectrum  
SPF 50**

***Drug Facts***

**Active ingredients**

Titanium Dioxide 2.7%  
Zinc Oxide 10.0%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***) decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor**

- if rash occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months of age: ask a doctor
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer

and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses.

### **Inactive ingredients**

Water (Aqua), Dimethicone, C12-15 Alkyl Benzoate, Glycerin, Triheptanoin, Caprylic/Capric Triglyceride, C13-16 Isoparaffin, Argania Spinosa Kernel Oil, Tocopheryl Acetate, Polyurethane-35, Polyhydroxystearic Acid, Polymethylsilsesquioxane, Dimethicone/Vinyl Dimethicone Crosspolymer, Avena Sativa (Oat) Kernel Extract, Xanthophylls, Retinyl Palmitate, Ascorbic Acid, Bisabolol, Hydrolyzed Jojoba Esters, Urea, Yeast Amino Acids, Trehalose, Inositol, Taurine, Betaine, Tocopherol, Biosaccharide Gum-4, Hydroxyphenyl Propamidobenzoic Acid, Silica, Carthamus Tinctorius (Safflower) Seed Oil, Pentylene Glycol, Butylene Glycol, Dimethicone/PEG-10/15 Crosspolymer, Lauryl PEG-9 Polydimethylsiloxyethyl Dimethicone, PEG-8 Dimethicone, Octyldodecanol, Sodium Propoxyhydroxypropyl Thiosulfate Silica, PEG/PPG-18/18 Dimethicone, Triethoxycaprylylsilane, Aluminum Stearate, Alumina, Ethylhexylglycerin, Leuconostoc/Radish Root Ferment Filtrate, Methylpropanediol, Dipropylene Glycol, Caprylyl Glycol, Phenylpropanol, Phenoxyethanol, Potassium Sorbate, Iron Oxides (CI 77491)

### **Other information**

- protect this product from excessive heat and direct sun

### **Questions or comments?**

**1.800.33.MURAD or Murad.com**

### **PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton**

Protect | Brighten | Correct

Murad®

ENVIRONMENTAL  
SHIELD™

City Skin™  
Age Defense  
Broad Spectrum  
SPF 50 | PA++++

mineral sunscreen

DEVELOPED BY  
+Murad+  
EST.  
1989  
DOCTOR MURAD

e 50 mL NET VOL 1.7 FL OZ

### Drug Facts (continued)

#### Inactive ingredients

Water (Aqua), Dimethicone, C12-15 Alkyl Benzoate, Glycerin, Triheptanoin, Caprylic/Capric Triglyceride, C13-16 Isoparaffin, Argania Spinosa Kernel Oil, Tocopheryl Acetate, Polyurethane-35, Polyhydroxystearic Acid, Polymethylsilsesquioxane, Dimethicone/Vinyl Dimethicone Crosspolymer, Avena Sativa (Oat) Kernel Extract, Xanthophylls, Retinyl Palmitate, Ascorbic Acid, Bisabolol, Hydrolyzed Jojoba Esters, Urea, Yeast Amino Acids, Trehalose, Inositol, Taurine, Betaine, Tocopherol, Biosaccharide Gum-4, Hydroxyphenyl Propamidobenzoic Acid, Silica, Carthamus Tinctorius (Safflower) Seed Oil, Pentylene Glycol, Butylene Glycol, Dimethicone/PEG-10/15 Crosspolymer, Lauryl PEG-9 Polydimethylsiloxyethyl Dimethicone, PEG-8 Dimethicone, Octyldodecanol, Sodium Propoxyhydroxypropyl Thiosulfate Silica, PEG/PPG-18/18 Dimethicone, Triethoxycaprylylsilane, Aluminum Stearate, Alumina, Ethylhexylglycerin, Leuconostoc/Radish Root Ferment Filtrate, Methylpropanediol, Dipropylene Glycol, Caprylyl Glycol, Phenylpropanol, Phenoxyethanol, Potassium Sorbate, Iron Oxides (CI 77491)

**Other information** ■ protect this product from excessive heat and direct sun

**Questions or comments?**  
1.800.33.MURAD or Murad.com

A new level of skin protection. This revolutionary, ultra-light 100% mineral sunscreen with Environmental Protection Technology shields skin from 5 main causes of damage that accelerate signs of aging.

- UVA
- UVB
- Pollution
- Blue light from devices
- Infrared radiation

An advanced polymer matrix helps inhibit adhesion and penetration of environmental toxins, while vitamin C helps brighten skin. Color correcting tint evens tone and boosts radiance.

**TO USE:** SHAKE WELL. AM. Apply liberally to face, neck and chest.

Protect | Brighten | Correct

# Murad.

ENVIRONMENTAL  
SHIELD™

City Skin™  
Age Defense  
Broad Spectrum  
SPF 50 | PA++++  
mineral sunscreen



Murad.com

e 50 mL NET VOL 17 FL OZ



Made in USA | © MURAD  
USA: Los Angeles, CA 90245  
UK: London SE10LH  
DE: [Wiesenstr. 21, D-40549 Düsseldorf](#)  
AUS: 111 Chandos St,  
Crow's Nest, NSW 2065 605457/1021



7 67332 15232 5

### Drug Facts

#### Active ingredients

Titanium Dioxide 2.7%  
Zinc Oxide 10.0%

#### Purpose

Sunscreen

**Uses** ■ helps prevent sunburn  
■ if used as directed with other sun protection measures (see **Directions**) decreases the risk of skin cancer and early skin aging caused by the sun.

#### Warnings

##### For external use only

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

##### Stop use and ask a doctor

■ if rash occurs

##### Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ apply liberally 15 minutes before sun exposure  
■ use a water resistant sunscreen if swimming or sweating ■ reapply at least every 2 hours ■ children under 6 months of age; ask a doctor ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. - 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses. ▶



MuraSOL  
ANTIOXIDANT DEFENSE



## CITY SKIN AGE DEFENSE BROAD SPECTRUM SPF 50

titanium dioxide and zinc oxide lotion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:70381-119
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.7 g in 100 mL
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	10 g in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>TRIHEPTANOIN</b> (UNII: 2P6O7CFW5K)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>C13-16 ISOPARAFFIN</b> (UNII: LED42LZG6O)	
<b>ARGAN OIL</b> (UNII: 4V59G5UW9X)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>POLYURETHANE-35 (NOT MORE THAN 500 MPa.S AT 40%)</b> (UNII: Q2LKX89BE0)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>POLYMETHYLSILSESQUIOXANE (4.5 MICRONS)</b> (UNII: 59Z907ZB69)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>OAT</b> (UNII: Z6J799EAJK)	
<b>LUTEIN</b> (UNII: X72A60C9MT)	
<b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)	
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)	
<b>.ALPHA.-BISABOLOL, (+/-)-</b> (UNII: 36HQN158VC)	
<b>HYDROLYZED JOJOBA ESTERS (ACID FORM)</b> (UNII: UDR641JW8W)	
<b>UREA</b> (UNII: 8W8T17847W)	
<b>AMINO ACIDS, SOURCE UNSPECIFIED</b> (UNII: 0O72R8RF8A)	
<b>TREHALOSE</b> (UNII: B8WCK70T7I)	
<b>INOSITOL</b> (UNII: 4L6452S749)	
<b>TAURINE</b> (UNII: 1EQV5MLY3D)	
<b>BETAINE</b> (UNII: 3SCV180C9W)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	

<b>BIOSACCHARIDE GUM-4</b> (UNII: 9XRL057X90)
<b>HYDROXYPHENYL PROPAMIDOBENZOIC ACID</b> (UNII: 25KRT26H77)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>SAFFLOWER OIL</b> (UNII: 65UEH262IS)
<b>PENTYLENE GLYCOL</b> (UNII: 50C1307PZG)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)
<b>DIMETHICONE/PEG-10/15 CROSSPOLYMER</b> (UNII: 21AS8B1BSS)
<b>LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: 25G622K2RA)
<b>PEG-8 DIMETHICONE</b> (UNII: GIA7T764OD)
<b>OCTYLDODECANOL</b> (UNII: 461N1O614Y)
<b>SODIUM PROPOXYHYDROXYPROPYL THIOSULFATE SILICA</b> (UNII: 208G222332)
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)
<b>ALUMINUM STEARATE</b> (UNII: U6XF9NP8HM)
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)
<b>LEUCONOSTOC/RADISH ROOT FERMENT FILTRATE</b> (UNII: D2QHA03458)
<b>METHYLPROPANEDIOL</b> (UNII: N8F53B3R4R)
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)
<b>PHENYLPROPANOL</b> (UNII: 0F897O3O4M)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)

### Product Characteristics

<b>Color</b>	PINK (Light Pink)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70381-119-02	1 in 1 CARTON	11/22/2021	
1	NDC:70381-119-01	50 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	11/22/2021	

---

## Establishment

Name	Address	ID/FEI	Business Operations
Cosway Company, Inc.		052400223	MANUFACTURE(70381-119)

Revised: 11/2021

Murad, LLC