

DIMENHYDRINATE- dimenhydrinate tablet
Cardinal Health

1006-Cardinal

Drug Facts

Active ingredient (in each tablet)

Dimenhydrinate 50 mg

Purpose

Antiemetic

Uses

for the prevention and treatment of nausea, vomiting, or dizziness associated with motion sickness

Do not give to children under 2 years of age unless directed by a doctor

Ask a doctor before use if you have

- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- to prevent motion sickness, the first dose should be taken one-half to one hour before starting activity
- **adults and children 12 years of age and over:** 1 to 2 tablets every 4-6 hours;

not to exceed 8 tablets in 24 hours, or as directed by a doctor

■ **children 6 to under 12 years of age:** 1/2 to 1 tablet every 6-8 hours; not to exceed 3 tablets in 24 hours, or as directed by a doctor

■ **children 2 to under 6 years of age:** 1/2 tablet every 6-8 hours; not to exceed 1 1/2 tablets in 24 hours, or as directed by a doctor

Other information

■ **each tablet contains:** calcium 30 mg

■ store in a dry place at 15° – 30°C (59° – 86°F)

■ protect from moisture

■ see end flap for expiration date and lot number

■ **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**

croscarmellose sodium, dicalcium phosphate, magnesium stearate, microcrystalline cellulose

Questions or comments?

1-800-231-4670

*This product is not manufactured or distributed by Medtech Products Inc., owner of the registered trademark Dramamine®

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

©2021 Cardinal Health. All Rights Reserved.

CARDINAL HEALTH, the Cardinal Health LOGO, LEADER, and the Leader LOGO are trademarks or registered trademarks of Cardinal Health. All other marks are the property of their respective owners

DISTRIBUTED BY CARDINAL HEALTH

DUBLIN, OHIO 43017

www.myleader.com 1-800-200-6313

Essential to Care™ since 1979

All LEADER™ Brand

Products Have A

100%

Money Back

Guarantee

LEADER

NDC 7000-0404-1

Original Formula

Motion Sickness Relief

Dimenhydrinate, 50 mg/ Antiemetic

COMPARE TO DRAMAMINE® ORIGINAL FORMULA active ingredient*

Fast Acting Motion Sickness Relief for Children & Adults

12 Tablets

R50592

Return to place of purchase if not satisfied.

NDC 70000-0404-1

Original Formula

Motion Sickness Relief

Dimenhydrinate, 50 mg | Antiemetic

Fast Acting
Motion Sickness Relief
for Children & Adults

Actual Size

12 TABLETS

COMPARE TO
DRAMAMINE®
ORIGINAL FORMULA
active ingredient*

100% Money Back Guarantee


©2021 Cardinal Health. All Rights Reserved.
CARDINAL HEALTH, the Cardinal Health
LOGO, ESSENTIAL TO CARE, LEADER, and
the Leader LOGO are trademarks or
registered trademarks of Cardinal Health.
All other marks are the property of their
respective owners.

CardinalHealth™
DISTRIBUTED BY CARDINAL HEALTH
DUBLIN, OHIO 43007
www.myleader.com 1-800-200-6315
Essential to Care™ since 1979

Drug Facts (continued)
Inactive ingredients croscarmellose
sodium, dicalcium phosphate, magnesium stearate,
microcrystalline cellulose
Questions or comments?
1-800-231-4670

Warnings
Do not give to children under 2 years of age unless directed by a doctor.
Ask a doctor before use if you have
■ glaucoma
■ a breathing problem such as emphysema or chronic bronchitis
■ trouble urinating due to an enlarged prostate gland
Ask a doctor or pharmacist before use if you are
taking sedatives or tranquilizers
When using this product
■ marked drowsiness may occur
■ avoid alcoholic drinks
■ alcohol, sedatives, and tranquilizers may increase drowsiness
■ use caution when driving a motor vehicle or operating machinery
Other information
■ each tablet contains: calcium 30 mg ■ store in a dry place at 15° - 30°C (59° - 86°F) ■ protect from moisture
■ see end flap for expiration date and lot number
■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN

to prevent motion sickness, the first dose should be taken one-half to one hour before starting activity
■ to prevent or treat motion sickness, see below:
■ **adults and children 12 years of age and over:** 1 to 2 tablets every 4-6 hours; not to exceed 8 tablets in 24 hours, or as directed by a doctor
■ **children 6 to under 12 years of age:** 1/2 to 1 tablet every 6-8 hours; not to exceed 3 tablets in 24 hours, or as directed by a doctor
■ **children 2 to under 6 years of age:** 1/2 tablet every 6-8 hours; not to exceed 1 1/2 tablets in 24 hours, or as directed by a doctor



DIMENHYDRINATE				
dimenhydrinate tablet				
Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70000-0404	
Route of Administration	ORAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
DIMENHYDRINATE (UNII: JB937PER5C) (CHLORTHEOPHYLLINE - UNII:GE2UA340FM)		DIMENHYDRINATE	50 mg	
Inactive Ingredients				
Ingredient Name			Strength	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)				
MAGNESIUM STEARATE (UNII: 70097M6I30)				
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)				
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)				
Product Characteristics				
Color	white	Score	2 pieces	
Shape	ROUND	Size	9mm	
Flavor		Imprint Code	1006;1006	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70000-0404-1	1 in 1 CARTON	01/04/2019	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M009	01/04/2019	

Labeler - Cardinal Health (063997360)

Revised: 1/2024

Cardinal Health