

**STOOL SOFTENING SENNA LAXATIVE- sennosides 8.6 mg - docusate sodium 50 mg tablet  
TARGET CORPORATION**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**192R - TARGET -DOC SOD 50 MG & SENNOSIDES 8.6 MG**

**ACTIVE INGREDIENTS**

---

Each Tablet contains:  
Docusate sodium 50 mg  
Sennosides 8.6 mg

---

**INACTIVE INGREDIENTS**

---

INACTIVE INGREDIENTS: carnauba wax, colloidal silicon dioxide, croscarmellose sodium, dibasic calcium phosphate dihydrate, d-c yellow#10 aluminum lake, fd&c yellow#6 aluminum lake, Hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, sodium benzoate, stearic acid, titanium dioxide

---

**INDICATIONS AND USAGE**

---

Relieves occasional constipation (irregularity); generally causes a bowel movement in 6-12 hours

---

**PURPOSE**

---

Stimulant Laxative and Stool Softener

---

**DOSAGE AND ADMINISTRATION**

**Directions:**

Take preferably at bedtime or as directed by a doctor. If you do not have a comfortable bowel movement by the second day, increase dose by one tablet (not to exceed maximum dosage) or decrease dose until you are comfortable.

**Adults and children 12 years and older:** - Starting dosage: 2 tablets once a day - Maximum dosage: 4 tablets twice a day

**Children 6 to under 12 years:** - Starting dosage: 1 tablet once a day-Maximum dosage: 2 tablets twice a day

**Children 2 to under 6 years** - Starting dosage: 1/2 tablet once a day- Maximum dosage: 1 tablet twice a day

**Children under 2 years** - Ask a doctor

---

**WARNINGS**

---

**WARNINGS:**

Do not use this product

If you are presently taking mineral oil unless directed by a doctor

Laxative products for longer than 1 week unless directed by a doctor

## PREGNANT OR BREAST FEEDING

If pregnant or breastfeeding, ask a health professional before use.

## KEEP OUT OF REACH OF CHILDREN

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.



# STOOL SOFTENING SENNA LAXATIVE

sennosides 8.6 mg - docusate sodium 50 mg tablet

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11673-192
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	50 mg
SENNOSIDES A AND B (UNII: 1B5FP142EN) (SENNOSIDES A AND B - UNII:1B5FP142EN)	SENNOSIDES A AND B	8.6 mg

## Inactive Ingredients

Ingredient Name	Strength
SODIUM BENZOATE (UNII: OJ245FE5EU)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	

## Product Characteristics

<b>Color</b>	orange	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	9mm
<b>Flavor</b>		<b>Imprint Code</b>	TCL081
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11673-192-03	30 in 1 BOTTLE; Type 0: Not a Combination Product	03/29/2019	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	03/29/2019	

---

**Labeler** - TARGET CORPORATION (006961700)

**Registrant** - TIME CAP LABORATORIES, INC. (037052099)

**Establishment**

Name	Address	ID/FEI	Business Operations
TIME CAP LABORATORIES, INC		037052099	manufacture(11673-192)

Revised: 2/2019

TARGET CORPORATION