

**SALINE ENEMA- sodium phosphate monobasic, sodium phosphate dibasic enema**

**Dynarex Corporation**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**4719 Enema, Saline NDC 67777-402-01**

***Active Ingredients***

( in each 118 mL delivered dose)

Dibasic Sodium Phosphate 7g

Monobasic Sodium Phosphate 19g

***Purpose***

Saline Laxative

***Uses***

- For relief of occasional constipation
- This product generally produces bowel movement in 2 to 15 minutes

***Warnings:***

**For rectal use only**

**Dosage Warning: Using more than one enema in 24 hours can be harmful.**

***Do not use***

- Laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor
- Longer than 1 week unless directed by a doctor
- This product if you are on a low salt diet unless directed by a doctor
- This product if you have kidney disease unless directed by a doctor

***Ask a doctor before use if you have:***

Noticed a sudden change in bowel habits that persists over a period of 2 weeks

***Stop use and ask a doctor if:***

- If you have rectal bleeding or fail to have a bowel movement after use

**Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

Adults and children 12 years old and over - 1 bottle once daily

Children 2 to under 12 years of age - 1/2 bottle once daily, discard unused portion

Children under 2 years - Consult a physician.

**Other information:**

- Sodium content in each dose (1 bottle): 4.4 g
- Store at room temperature 15°-30°C (59°- 8°F)

**Inactive ingredients**

Benzalkonium Chloride, Disodium EDTA, Purified Water

**Questions?**

1-888-DYNAREX Monday - Friday 9AM - 5PM EST

**Label**

**ENEMA**  
SALINE  
LAXATIVE  
Ready-To-Use

**TAMPER EVIDENT:**  
IF THE TOP OR BOTTOM FLAP  
IS TORN OR DAMAGED IN ANY  
WAY, DO NOT USE

**CAUTION: REMOVE GREEN  
PROTECTIVE SHIELD  
BEFORE INSERTING.**

Hold bottle upright, grasping bottle cap with fingers. Grasp protective shield with other hand and pull gently to remove.



**Positioning**

**Left-side position:** Lie on left side with knee bent and arms at rest.



**Knee-chest position:** Kneel, then lower head and chest forward until left side of face is resting on surface. Position arms comfortably.



**Administering Enema**

- With steady pressure, gently insert enema with tip pointing toward navel.
- Squeeze bottle until recommended dose is expelled (it is not necessary to empty unit completely. Bottle contains more liquid than needed for effective use. A small amount of liquid will remain in bottle after squeezing).
- Remove tip from rectum.
- Stop using if tip is hard to insert. Forcing the tip into the rectum can cause injury (especially if you have hemorrhoids). If enema tip causes rectal bleeding or pain, get immediate medical care.
- Maintain position until urge to evacuate is strong (usually 1 to 5 minutes).
- If no urge is felt after 5 minutes of using, try to empty bowel. Call a doctor promptly if no liquid comes out of the rectum after 30 minutes because dehydration could occur.



**ENEMA**  
SALINE  
LAXATIVE  
Ready-To-Use  
*Soft, Flexible,  
Comfortable,  
Lubricated Tip*

**ENEMA**  
SALINE  
LAXATIVE  
Ready-To-Use  
*Soft, Flexible,  
Comfortable,  
Lubricated Tip*

**TAMPER EVIDENT: CARTON SEALED FOR SAFETY.**  
IF PRINTED SEAL ON BOTTOM OR TOP FLAP IS  
BROKEN OR MISSING, DO NOT USE

**Drug Facts**

Active Ingredients	Purpose
<i>(in each 118-mL delivered dose)</i>	
Dibasic Sodium Phosphate 7 g	Saline Laxative
Monobasic Sodium Phosphate 19 g	Saline Laxative

**Uses**

- For relief of occasional constipation
- This product generally produces bowel movement in 2 to 15 minutes

**Warnings**

For rectal use only

Do not use

- Laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor
- Longer than 1 week unless directed by a doctor
- This product if you are on a low salt diet unless directed by a doctor
- This product if you have kidney disease unless directed by a doctor

**Ask a doctor before use if you have** noticed a sudden change in bowel habits that persists over a period of 2 weeks

**Stop use and ask a doctor if you have** rectal bleeding or fail to have a bowel movement after use

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

Adults and children 12 years old and over	1 bottle once daily
Children from 2 to under 12 years of age	½ bottle once daily, discard unused portion
Children under 2 years old	Consult a doctor

**Other Information**

- Store at room temperature 15°-30°C (59°-86°F)
- Sodium content in each dose (1 bottle): 4.4 g

**Inactive Ingredients**

Benzalkonium Chloride, Disodium EDTA, Purified Water

**Questions?** 1-888-DYNAREX Monday - Friday 9AM - 5PM EST

**Reorder No. 4719**

Manufactured for: Dynarex Corporation  
10 Glenshaw Street • Orangeburg, NY 10962  
USA • www.dynarex.com

Made in India



**LOT** LLLLLL

**YYYY-MM-DD**

**YYYY-MM-DD**

Protective shield prevents contamination

Comfortable, lubricated tip for ease of insertion

One-way safety valve controls flow and prevents reflux

Easy, soft squeeze bottle

- For Relief of Occasional Constipation
- Pre-mixed

**1** 4.5 fl. oz.  
(133 mL)

**1** 4.5 fl. oz.  
(133 mL)



**SYMBOL GLOSSARY**  
For an explanation of symbols used in Dynarex packaging, visit [dynarex.com/symbols.php](http://dynarex.com/symbols.php)



6 16784 47191 4

R220420

**TAMPER EVIDENT:**

IF THE TOP OR BOTTOM FLAP  
IS TORN OR DAMAGED IN ANY  
WAY, DO NOT USE

7.3 in.

1.89 in.

1.89 in.

1.89 in.

1.89 in.

# SALINE ENEMA

sodium phosphate monobasic, sodium phosphate dibasic enema

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:67777-402
<b>Route of Administration</b>	RECTAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>SODIUM PHOSPHATE, DIBASIC</b> (UNII: GR686LBA74) (PHOSPHATE ION - UNII:NK08V8K8HR)	SODIUM PHOSPHATE, DIBASIC	7 g in 118 mL
<b>SODIUM PHOSPHATE, MONOBASIC</b> (UNII: 3980JIH2SW) (PHOSPHATE ION - UNII:NK08V8K8HR)	SODIUM PHOSPHATE, MONOBASIC	19 g in 118 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67777-402-02	48 in 1 CASE	08/29/2012	
1	NDC:67777-402-01	1 in 1 BOX		
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	08/29/2012	

**Labeler** - Dynarex Corporation (008124539)

**Registrant** - Dynarex Corporation (008124539)