ROBAFEN DM COUGH- dextromethorphan hbr, guaifenesin solution Major Pharmaceuticals

Major 44-073

Active ingredients (in each 20 mL)

Dextromethorphan HBr 20 mg Guaifenesin 200 mg

Purpose

Cough suppressant Expectorant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if

cough persists more than 7 days, tends to recur, or is accompanied by a fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not take more than directed
- do not take more than 6 doses in any 24-hour period
- mL = milliliter
- only use the dose cup provided
- adults and children 12 years and over: 20 mL every 4 hours
- children under 12 years: do not use

Other information

- each 20 mL contains: sodium 8 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

anhydrous citric acid, flavors, glycerin, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium citrate dihydrate, sucralose, xanthan gum

Questions or comments?

1-800-426-9391

Principal display panel

MAJOR®

NDC 0904-7441-20 Compare to the active ingredients in Robitussin® Sugar-Free Dye-Free Cough+Chest Congestion DM*

Sugar Free & Dye Free Robafen® DM

Cough
Dextromethorphan HBr
Guaifenesin
Cough Suppressant
Expectorant

Oral Solution

- Controls Cough
- Relieves Chest Congestion
- Thins & Loosens Mucus

Ages 12 Years and Over

Cool Mint Flavored

4 FL OZ (118 mL)

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

*This product is not manufactured or distributed by GlaxoSmithKline Consumer Healthcare Holdings (US) LLC, owner of the registered trademark Robitussin® Sugar-Free Dye-Free Cough+Chest Congestion DM. 50844 ORG062307336

PARENTS:

Learn about teen medicine abuse www.StopMedicineAbuse.org

Distributed by: MAJOR® PHARMACEUTICALS Indianapolis, IN 46268 (800) 616-2471 www.majorpharmaceuticals.com

MAJOR°

Sugar Free & Dye Free Robafen® DM Cough

Dextromethorphan HBr Guaifenesin

Cough Suppressant Expectorant

4 FL OZ (118 mL)

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

Drug Facts

Active ingredients (in each 20 mL) Dextromethorphan HBr 20 mg... Guaifenesin 200 mg

Purpose . Expectorani

Uses

- temporarily relieves cough due to minor throat and bronchial
- irritation as may occur with a cold

 In helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug, if you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

cough that occurs with too much phlegm (mucus)

persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if cough persists more than 7 days, tends to recur, or is accompanied by a fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not take more than directed
- do not take more than 6 doses in any 24-hour period
- only use the dose cup provided
- adults and children 12 years and over: 20 mL every 4 hours
 children under 12 years: do not use

- Other information

 we each 20 mL contains: sodium 8 mg
 store at 25°C (77°F); excursions permitted between 15°-30°C
- see end flap for expiration date and lot number

Inactive ingredients

anhydrous citric acid, flavors, glycerin, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium citrate dihydrate, sucralose, xanthan gum

Questions or comments? 1-800-426-9391

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

*This product is not manufactured or distributed by GlaxoSmithKline Consumer Healthcare Holdings (US) LLC, owner of the registered trademark Robitussin® Sugar-Free Dye-Free Cough+Chest Congestion DM. 50844 ORG062307336



Distributed by: MAJOR® PHARMACEUTICALS Indianapolis, IN 46268 (800) 616-2471 www.majorpharmaceuticals.com

MAIOR

Compare to the active ingredients in Robitussin^e Sugar-Free Dye-Free Cough+Chest Congestion DM*

Sugar Free & Dye Free Robafen® DM Cough

Dextromethorphan HBr Guaifenesin

Cough Suppressant Expectorant

Oral Solution

- Controls Cough
- Relieves Chest Congestion
- Thins & Loosens Mucus

Ages 12 Years and Over



Cool Mint Flavored

4 FL OZ (118 mL)

NDC 0904-7441-20 MAIOR Compare to the active ingredients in Robitussin® Sugar-Free Dye-Free Cough+Chest Congestion DM*

Sugar Free & Dye Free Robafen® DM Cough

Dextromethorphan HBr Guaifenesin

Cough Suppressant **Expectorant**

Oral Solution

- · Controls Cough
- Relieves Chest Congestion
- Thins & Loosens Mucus

Ages 12 Years and Over



Cool Mint Flavored

4 FL OZ (118 mL)

B-1212-073-36 ORG062307336



Major 44-073

ROBAFEN DM COUGH

dextromethorphan hbr, guaifenesin solution

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:0904-7441

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 20 mL	
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg in 20 mL	

Inactive Ingredients			
Ingredient Name	Strength		
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)			
GLYCERIN (UNII: PDC6A3C0OX)			
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
WATER (UNII: 059QF0KO0R)			
SODIUM BENZOATE (UNII: OJ245FE5EU)			
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)			
SUCRALOSE (UNII: 96K6UQ3ZD4)			
XANTHAN GUM (UNII: TTV12P4NEE)			

Product Characteristics			
Color		Score	
Shape		Size	
Flavor	MENTHOL, MINT	Imprint Code	
Contains			

Packaging				
# Item Code	Package Description	Marketing Start Date	Marketing End Date	
NDC:0904- 7441-20	1 in 1 CARTON	04/05/2024		
1	118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	04/05/2024	

Labeler - Major Pharmaceuticals (191427277)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	manufacture(0904-7441) , pack(0904-7441)

Revised: 4/2024 Major Pharmaceuticals