PREPARATION H MAXIMUM STRENGTH- glycerin, petrolatum, phenylephrine hcl, pramoxine hcl cream Haleon US Holdings LLC

PREPARATION H®

Drug Facts

Active ingredients Purposes			
Glycerin 14.4%	Protectant		
Phenylephrine HCI 0.25%	Vasoconstrictor		
Pramoxine HCl 1%	Local anesthetic		
White petrolatum	Protectant		
15%			

Uses

- for temporary relief of pain, soreness and burning
- helps relieve the local itching and discomfort associated with hemorrhoids
- temporarily shrinks hemorrhoidal tissue
- temporarily provides a coating for relief of anorectal discomforts
- temporarily protects the inflamed, irritated anorectal surface to help make bowel movements less painful

Warnings

For external use only

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are presently taking a prescription drug for high blood pressure or depression.

When using this product

- do not exceed the recommended daily dosage unless directed by a doctor
- do not put into the rectum by using fingers or any mechanical device or applicator

Stop use and ask a doctor if

- bleeding occurs
- condition worsens or does not improve within 7 days
- an allergic reaction develops
- the symptom being treated does not subside or if redness, irritation, swelling, pain, or other symptoms develop or increase

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Adults: when practical, cleanse the affected area by patting or blotting with an appropriate cleansing wipe. Gently dry by patting or blotting with a tissue or a soft cloth before applying cream.
- when first opening the tube, puncture foil seal with top end of cap
- apply externally or in the lower portion of the anal canal only
- apply externally to the affected area up to 4 times daily, especially at night, in the morning or after each bowel movement
- for application in the lower anal canal: remove cover from dispensing cap. Attach dispensing cap to tube. Lubricate dispensing cap well, then gently insert dispensing cap partway into the anus.
- thoroughly cleanse dispensing cap after each use and replace cover
- children under 12 years of age: ask a doctor

Other information

store at 20-25°C (68-77°F)

Inactive ingredients

aloe barbadensis leaf extract, anhydrous citric acid, butylated hydroxyanisole, carboxymethylcellulose sodium, cetyl alcohol, citric acid monohydrate, dexpanthenol, edetate disodium, glyceryl monostearate, methylparaben, mineral oil, polyoxyl lauryl ether, polyoxyl stearyl ether, propyl gallate, propylene glycol, propylparaben, purified water, sodium benzoate, stearyl alcohol, tocopherols excipient, vitamin E acetate, xanthan gum

Questions or comments?

Call weekdays 9 AM to 5 PM EST at 1-800-99PrepH or 1-800-997-7374

PRINCIPAL DISPLAY PANEL - 26 g Tube Carton

PREPARATION H®

HEMORRHOIDAL CREAM

Multi-Symptom Pain Relief

WITH ALOF

New Look, SAME SIZE!

- Soothing Pain Relief from Burning, Itching, & Discomfort
- Shrinks Swollen Hemorrhoidal Tissue

- Protects Irritated Tissue
- Relieves External Discomfort
- Proprietary Blend with Vitamin E and Aloe

1 TUBE | NET WT 0.9 OZ (26 g)



PRINCIPAL DISPLAY PANEL - 51 g Tube Carton PREPARATION H® HEMORRHOIDAL CREAM

Maximum Strength Pain Relief

Smooth Cream Formula with Aloe

1. Rapid, Soothing Pain Relief from Painful

Burning, Itching and Discomfort

- 2. Shrinks Swollen Hemorrhoidal Tissue
- 3. Protects Irritated Tissue
- 4. Relieves External Discomfort

NET WT. 1.8 OZ (51 g)

Drug Facts (continued)

Ask a doctor or pharmacist before use if you are presently taking a prescription drug for high blood

When using this product

- and o not exceed the recommended daily dosage unless directed by a doctor
- do not put into the rectum by using fingers or any mechanical device or applicator

Stop use and ask a doctor if bleeding occurs

- condition worsens or does not improve within 7 days
- man allergic reaction develops
- the symptom being treated does not subside or if redness, irritation, swelling, pain or other

If pregnant or breast-feeding, ask a health professional before use.

Drug Facts (continued)

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center

- m adults: when practical, cleanse the affected area by patting or biotting with an appropriate cleansing wips. Sently dry by patting or blotting with a tissue or a soft cloth before applying cream.

 when first opening the tube, puncture foil seal with top end of cap
- apply externally or in the lower portion of the anal canal only
- apply externally to the affected area up to 4 times daily, especially at night, in the morning or after each bowel movement
- for application in the lower analicanal; remove cover from dispensing cap. Attach dispensing cap to tube. Lubricate dispensing cap well, then guntly insert dispensing cap partway into the area.



Drug Facts (continued)

- thoroughly cleanse dispensing cap after each use and replace cover
- children under 12 years of age: ask a doctor

Other information store at 20-25°C (68-77°F)

aloe barbadensis leaf extract, enhydrous citric acid, butylated hydroxyanisole, carboxymethylcellulose sodium, cetyl alcohol, citric acid monohydrale, dexpanthenol, edetate disodium, glyceryf monostearate, methylparaben, mineral oll, polyoxyl lauryl ether, polyoxyl stearyl ether, propyl gallate, propylene glycol, propylparaben, puntled water, sodium binzoate, stearyl alcohol, tocopherols excipient, vitamin E acetate, xanthan gum

Drug Facts (continued)

To Questions or comments? Call weekdays 9 AM to 5 PM EST at 1-800-99Proof or 1-800-997-7374.



HEMORRHOIDAL CREAT

Maximum Strength Pain Relief

Smooth Cream Formula with Aloe

- Rapid, Soothing Pain Relief from Painful Burning, Itching and Discomfort
- Shrinks Swollen Hemorrhoidal Tissue
- Protects Irritated Tissue
- Relieves External Discomfort

NET WT. 1.8 OZ (51 g)

Drug Facts

Active ingredients

Purposes Glycerin 14.4% Protectant Phenylephrine HCI 0.25%. Vasoconstrictor Local anesthetic

Pramoxine HCI 1%...

for temporary relief of pain, soreness and burning
 helps relieve the local itching and discomfort associated with hemorrhoids


Drug Facts (continued)

- temporarily shrinks bemorrhoidal tissue
- temporarily provides a coating for relief of anorectal discomforts
- temporarily protects the inflamed, irritated angrectal surface to help make bowel movements less painful.

For external use only

Ask a doctor before use if you have

- m heart disease minigh blood pressure mithyrold disease midlabetes midlificulty in crination due to enlargement of the prostate gland





PRINCIPAL DISPLAY PANEL - 51 g Tube Carton - NDC 0573-2868-98

PREPARATION H®

HEMORRHOIDAL CREAM

Multi-Symptom Pain Relief

WITH

ALOE

- Soothing Pain Relief from Burning, Itching, & Discomfort
- Shrinks Swollen Hemorrhoidal Tissue
- Protects Irritated Tissue
- Relieves External Discomfort
- Proprietary Blend with Vitamin E and Aloe

1 TUBE | NET WT 1.8 OZ (51 g)

PREPARATION H°

HEMORRHOIDAL CREAM

Multi-Symptom

- Soothing Pain Relief from Burning, Itching, & Discomfort
- Shrinks Swollen Hemorrhoidal Tissue
- Protects Irritated Tissue
- Relieves External Discomfort
- Proprietary Blend with Vitamin E and Aloe



1 TUBE | NET WT 1.8 0Z (51 g)

For US Parantar Applicationstatus see www.po.ductpata.com © 2020 Hizer Inc. Made inConsola Marketed by: Pfizer, Madisor, NJ 07940 USA mos im orbinoproprimi com For montrecent product information

gso neb nu lisee e dut îi eelb tolf o D gnizaim no mextand zi "H" driw besendme

M/22-160-000-1 × H^{dau}460-000-1 F153 MJ 5 4 WY 6 T (inestions or comments? Cal we adays

(penuguco) sassy brug

отефроне" мизила в осовав" хонива и биш huyl efter, polovyl staryl efter, propligaline pro ylaz dycal, propip mbar, pu his dwiet, solum bazcale, denyl skohol, bosolie ob solum bazcale, denyl skohol, bosolie ob क मुकारी कर प्रदेशकों के प्रतिस्था के मुख्य के मुख्य के प्रतिस्था के स्थापन के स्थापन के स्थापन के स्थापन के स स्थापन स्थापन के स्थ hydroxyansole, carbo symedly icellub cessodium, cetyl alcohol, citric a cidmo nchydrale, leaf entract, artifatious citricassid, builded issebutededs strieiber gni evitos ni

Deug Facts (continued)

Other information see & 20-25%

mach i dren und er 12 years of sys: axis: e doctor nseauq schres cova. mapsonitipi qearas qebsuauti esb apar each

grandicarph usear qubarend cob barriesh uno captorube Lutrisated is on ange ap well. fusuedspupegy des fusuedspluoquevois meta sppicatonia frelower and canal centratore

(penuguoo) spacy Brug

sobcernyl squidite in promound or spares copy over

mappy externally to the effect energy proper daily. mappi externily or in the lower portion of the anal can alonly

medor rive besilis eutomopetude frinces kin tropent groto

aplanguean. A pating a bothogwiho tesas are art clain betre а родивлиции из выоб изра сухина в боль об домуй для addit: wher practical, deansethe affected are aby pating Directions

Chrug Facts (continued)



Proprietary Blend with Vitamin E and Aloe

 Shrinks Swollen Hemorrhoidal Protects Irritated Tissue Relieves External Discomfort Burning, Itching, & Discomfort

PREPARATION H°

PREPARATION H°

lissue

HEMORRHOIDAL CREAM

Drug Facts

Active ingredients Purposes Protestant Vacoconstrictor Promovine HCI 1% Losal mesthetic White petrolatum 15%

for temporary relief of pain, screness and burning ■ helps relieve the local ticking and discomfort associated with hemorrhoids

Drug Facts (continued)

- temporarily shrinks hemorrhoidal tissue ■ temporarily provides a coating for relief of ancrectal discomforts
- temporarily protects the inflamed, irritated anorestal surface to help make bowel movements less painful

Warnings

For external use only

Ask a doctor before use if you have

■ heart disease ■ high blood pressure
■ thyroid disease ■ diabetes

Drug Facts (continued)

difficulty in urination due to enlargement of the

Ask a doctor or pharmacist before use if you are presently taking a prescription drug for high blood pressure or depression


When using this product

do not exceed the recommended daily dosage unless directed by a doctor

do not put into the rectum by using fingers or any mechanical device or applicator



The symptom being treated does not subside or if redness, imbation swelling, paint or other symptoms develop or increase. condition warsens or does not improve within Urug Facts (continued) f prognant or breast-feeding, aska health professional



PREPARATION H MAXIMUM STRENGTH

glycerin, petrolatum, phenylephrine hcl, pramoxine hcl cream

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0573-2868	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	144 mg in 1 g	
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1W5297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	2.5 mg in 1 g	
PRAMOXINE HYDROCHLORIDE (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 g	
PETROLATUM (UNII: 4T6H12BN9U) (PETROLATUM - UNII:4T6H12BN9U)	PETROLATUM	150 mg in 1 g	

Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
.ALPHATOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
BUTYLATED HYDROXYANISOLE (UNII: REK4960K2U)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K6790BS311)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
DEXPANTHENOL (UNII: 106C93RI7Z)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLYCERYL MONOSTEARATE (UNII: 2300U9XXE4)	
LAURETH-23 (UNII: N72LMW566G)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
MINERAL OIL (UNII: T5L8T28FGP)	
PROPYL GALLATE (UNII: 8D4SNN7V92)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC10H)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	
WATER (UNII: 059QF0KO0R)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics		
Color	white	Score
Shape		Size
Flavor		Imprint Code
Contains		

Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:0573-2868- 10	1 in 1 CARTON	07/01/2004		
1		26 g in 1 TUBE; Type 0: Not a Combination Product			
2	NDC:0573-2868- 20	1 in 1 CARTON	07/01/2004		
2		51 g in 1 TUBE; Type 0: Not a Combination Product			
3	NDC:0573-2868- 93	1 in 1 CARTON	01/01/2019		
3		26 g in 1 TUBE; Type 0: Not a Combination Product			
4	NDC:0573-2868- 98	1 in 1 CARTON	05/12/2020		
4		51 g in 1 TUBE; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M015	07/01/2004		

Labeler - Haleon US Holdings LLC (079944263)

Revised: 4/2024 Haleon US Holdings LLC