# LORATADINE- loratadine tablet, orally disintegrating Chain Drug Marketing Association Inc.

\_\_\_\_\_

## **Drug Facts**

# **ACTIVE INGREDIENT (IN EACH TABLET)**

Loratadine, USP 10 mg

## PURPOSE

Antihistamine

# USES

Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

# WARNINGS

## Do not use

If you have ever had an allergic reaction to this product or any of its ingredients.

# Ask a doctor before use if you have

Liver or kidney disease. Your doctor should determine if you need a different dose.

# When using this product

Do not take more than directed. Taking more than directed may cause drowsiness.

#### Stop use and ask a doctor if

An allergic reaction to this product occurs. Seek medical help right away.

# If pregnant or breast-feeding

Ask a health professional before use.

# Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

# DIRECTIONS

place 1 tablet on tongue; tablet disintegrates, with or without water

adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours		
children under 6 years of age	ask a doctor		
consumers with liver or kidney disease	ask a doctor		

## **OTHER INFORMATION**

- Phenylketonurics: Contains Phenylalanine 0.6 mg Per Tablet.
- TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.
- store between 20° to 25° C (68° to 77° F). Protect from excessive moisture.
- keep in a dry place.
- use tablet immediately after opening individual blister.

## **INACTIVE INGREDIENTS**

Aspartame, croscarmellose sodium, fruit flavors, magnesium stearate, mannitol, sodium stearyl fumarate

#### **QUESTIONS?**

Call **1-800-406-7984** 

## PRINCIPAL DISPLAY PANEL

**QC QUALITY CHOICE**®

NDC 63868-0157-10

# $^{\dagger}$ Compare to the active ingredient in Claritin<sup>®</sup> Reditabs<sup>®</sup>

NON-DROWSY

Original Prescription Strength

**Allergy Relief** 

Loratadine Orally Disintegrating Tablets, 10 mg

Antihis tamine

**Indoor & Outdoor Allergies** 

No Water Needed · Melts in Your Mouth

For Adults and Children six years and older!

**Relief of:** 

Sneezing; Runny Nose

Itchy, Watery Eyes; Itchy Throat or Nose

10 Orally Disintegrating Tablets

24 Hour

**Allergy Relief** 

■■ When taken as directed. See Drug Facts Panel.

<sup>©</sup>DISTRIBUTED BY QUALITY CHOICE

5079372/R0610



	7							
LORATADIN		ing						
oratadine tablet, or	any disintegrat	шg						
Product Informa	ition							
Product Type		HUMAN OTC DRUG	Item Code (Source)			NDC:6386	58-157	
Route of Administr	ation	ORAL						
Active Ingredier	nt/Active Moi	ety						
0	Ingredient Name Basis of Str						Strength	
LORATADINE (UNII:		LORATADINE - UNII:7AJ	O3BO7QN)		LORATADIN		10 mg	
Inactive Ingredi	ents							
		Ingredient Nam	e			S	Strength	
ASPARTAME (UNII: Z	0H242BBR1)	5					0	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)								
MAGNESIUM STEAR	<b>ATE</b> (UNII: 7009	7M6I30)						
MANNITOL (UNII: 30	WL53L36A)							
SODIUM STEARYL FUMARATE (UNII: 7CV7WJK4UI)								
Product Charact	eristics							
Color v	white (White to Off-White) Score				no score			
Shape I	ROUND (flat face	lat faced beveled edge) Size			10	10 mm		
Flavor I	RUIT			Imprir	nt Code	RC	RC17	
Contains								
Packaging								
# Item Code	Pac	kage Description	Marketin	g Start Da	te I	Marketing	End Date	
1 NDC:63868-157-10	10 in 1 B	LISTER PACK						
Marketing In	formation							
Marketing Catego		on Number or Monogra	aph Citation	Marketin	g Start Date	Marketi	ing End Date	
ANDA	ANDA077153	-	-P. Oradon	08/31/2007	-	inter ne ti		

Labeler - Chain Drug Marketing Association Inc. (011920774)

Registrant - Ranbaxy Pharmaceuticals Inc. (937890044)

Establishment							
Name	Address	ID/FEI	<b>Business Operations</b>				
Ohm Laboratories Inc.		051565745	manufacture(63868-157)				

Revised: 9/2012

Chain Drug Marketing Association Inc.