

**REGULAR STRENGTH ANTACID ANTIGAS- aluminum hydroxide, magnesium hydroxide, dimethicone suspension  
WALGREEN COMPANY**

-----  
**WALgreens rs ANT CHERRY**

**Active ingredients (in each 5 mL teaspoonful)**

Aluminum hydroxide 200 mg (equivalent to dried gel, USP)  
Magnesium hydroxide 200 mg  
Simethicone 20mg

**Purposes**

Antacid  
Antigas

**Uses**

relieves

- heartburn
- sour stomach
- acid indigestion
- the symptoms referred to as gas

**Warnings**

**Do not take** more than 24 teaspoonfuls in 24 hours or use the maximum dosage for more than 2 weeks.

**Ask a doctor before use if you have**

- kidney disease
- a magnesium-restricted diet

**Ask a doctor or pharmacist before use if you are** presently taking a prescription drug.

Antacids may interact with certain prescription drugs.

**Stop use and ask a doctor if** symptoms last more than 2 weeks

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

**Directions**

- shake well before use
- adults and children 12 years and older: take 2 to 4 teaspoonfuls between meals, at bedtime, or as directed by a doctor
- children under 12: ask a doctor

## Other information

- **each 5 mL teaspoonful contains:** magnesium 85 mg, sodium 3 mg
- store at room temperature and avoid freezing
- keep tightly closed

## Inactive ingredients

benzyl alcohol, butylparaben, carboxymethylcellulose sodium, FD&C red 40, flavor, hypromellose, microcrystalline cellulose, propylparaben, purified water, saccharin sodium, sorbitol solution

## Questions or comments?

1-800-540-3765

## package Label



**Walgreens** 

Compare to the active ingredients in Mylanta<sup>®</sup>

# Antacid + Anti-Gas Liquid

ALUMINA, MAGNESIA, AND SIMETHICONE ORAL SUSPENSION / ANTACID & ANTI-GAS

**Regular Strength**

- Fast relief of heartburn, pressure, bloating, acid indigestion & sour stomach

12 FL OZ (355 mL)  Cherry Flavor

222-06312-9 REV GC-0222

**Drug Facts** **TAMPER-EVIDENT: DO NOT USE IF THE BREAKAWAY BAND ON CAP IS BROKEN OR MISSING.**

Active ingredients (in each 5 mL teaspoonful)	Purposes
Aluminum hydroxide 200 mg (equivalent to dried gel, USP)	Antacid
Magnesium hydroxide 200 mg	Antacid
Simethicone 20 mg	Antigas

**Uses** relieves • heartburn • sour stomach  
• acid indigestion • symptoms referred to as gas

**Warnings**  
Do not take more than 24 teaspoonfuls in 24 hours or use the maximum dosage for more than 2 weeks.  
Ask a doctor before use if you have • kidney disease • a magnesium-restricted diet  
Ask a doctor or pharmacist before use if you are presently taking a prescription drug. Antacids may interact with certain prescription drugs.  
Stop use and ask a doctor if symptoms last more than 2 weeks  
If pregnant or breast-feeding, ask a health professional before use  
Keep out of reach of children.

**Directions** • shake well before using  
• adults and children 12 years and older: take 2 to 4 teaspoonfuls between meals, at bedtime, or as directed by a doctor  
• children under 12: ask a doctor

**Other information**  
• each 5 mL teaspoonful contains: magnesium 85 mg, sodium 3 mg  
• store at room temperature and avoid freezing • keep tightly closed

**Inactive ingredients** benzyl alcohol, butylparaben, carboxymethylcellulose sodium, FD&C red 40, flavor, hypromellose, microcrystalline cellulose, propylparaben, purified water, saccharin sodium, sorbitol solution

**Questions or comments? 1-800-540-3765**

Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands. <sup>†</sup>This product is not manufactured or distributed by McNeil Consumer Pharmaceuticals Co., the owner of the registered trademark Mylanta<sup>®</sup>.  
DISTRIBUTED BY: WALGREEN CO. 200 WILMOT RD., DEERFIELD, IL 60015 100% SATISFACTION GUARANTEED walgreens.com ©2021 Walgreen Co. MADE IN U.S.A. W3ORG1021-F ITEM 221702 W10071-1021-F 922-06312-10 REV GC-0222

3 11917 15185 4

# REGULAR STRENGTH ANTACID ANTIGAS

aluminum hydroxide, magnesium hydroxide, dimethicone suspension

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-2628
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0) (ALUMINUM HYDROXIDE - UNII:5QB0T2IUN0)	ALUMINUM HYDROXIDE	200 mg in 5 mL
<b>MAGNESIUM HYDROXIDE</b> (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	200 mg in 5 mL
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	20 mg in 5 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>BUTYLPARABEN</b> (UNII: 3QPI1U3FV8)	
<b>CARBOXYMETHYLCELLULOSE SODIUM</b> (UNII: K679OBS311)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	

## Product Characteristics

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	CHERRY	<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-2628-12	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	08/01/2014	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	08/01/2014	

**Labeler** - WALGREEN COMPANY (008965063)

**Registrant** - GCP Laboratories (965480861)

## Establishment

Name	Address	ID/FEI	Business Operations
GCP Laboratories		965480861	manufacture(0363-2628) , pack(0363-2628)

Revised: 11/2023

WALGREEN COMPANY