

**GENTLE LAXATIVE ENTERIC COATED- bisacodyl tablet, coated
McKesson (Sunmark)**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each tablet)

Bisacodyl, USP 5 mg

Purpose

Stimulant laxative

Use

- for temporary relief of occasional constipation and irregularity
- this product generally produces a bowel movement in 6 to 12 hours

Warnings

Do not use

if you cannot swallow without chewing.

Ask a doctor before use if you have

- stomach pain, nausea or vomiting
- a sudden change in bowel habits that lasts more than 2 weeks

When using this product

- do not chew or crush tablet(s)
- do not use within 1 hour after taking an antacid or milk
- it may cause stomach discomfort, faintness and cramps

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take with a glass of water

adults and children 12 years of age and | take 1 to 3 tablets in a single daily

over	dose
children 6 to under 12 years of age	take 1 tablet in a single daily dose
children under 6 years of age	ask a doctor

Other information

- store between 20°-25°C (68°-77°F)

Inactive ingredients

acacia, anhydrous calcium sulfate, anhydrous lactose, carnauba wax, colloidal silicon dioxide, corn starch, D&C yellow #10 aluminum lake, FD&C yellow #6 aluminum lake, gelatin, iron oxide, iron oxide black, iron oxide yellow, magnesium stearate, microcrystalline cellulose, polyethylene glycol (PEG) 400, polyvinyl acetate phthalate, povidone, shellac, sodium starch glycolate, stearic acid, sugar, talc, titanium dioxide

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal Display Panel

COMPARE TO DULCOLAX® ACTIVE INGREDIENT*

Gentle Laxative

For relief of occasional constipation

BISACODYL

ENTERIC COATED

TABLETS 5 mg EACH

**TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS
TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.**

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

*This product is not manufactured or distributed by Boehringer Ingelheim Pharmaceuticals, Inc., distributor of Dulcolax® Laxative.

Distributed By McKesson

One Post Street, San Francisco, CA 94104

Please visit us at www.sunmarkbrand.com

Package Label

sunmark®

COMPARE TO DULCOLAX®
ACTIVE INGREDIENT*
NDC 49348-599-05

gentle laxative

For relief of
occasional constipation
BISACODYL



ENTERIC COATED
25 TABLETS 5 mg EACH

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

PLD-D23J
FC002041

Lot No.:
Exp Date:

*This product is not manufactured or distributed by Boehringer Ingelheim Pharmaceuticals, Inc., distributor of Dulcolax® Laxative.

MCKESSON

Another Quality Product
Distributed By McKesson
One Post Street, San Francisco, CA 94104
Money Back Guarantee
Please visit us at www.sunmarkbrand.com



<p>(in each tablet) Bisacodyl USP 5 mg.....Stimulant laxative</p>	
<p>Use <ul style="list-style-type: none"> for temporary relief of occasional constipation and irregularly this product generally produces a bowel movement in 6 to 12 hours </p>	
<p>Warnings <ul style="list-style-type: none"> Do not use if you cannot swallow without chewing. Ask a doctor before use if you have <ul style="list-style-type: none"> stomach pain, nausea or vomiting a sudden change in bowel habits that lasts more than 2 weeks </p>	
<p>When using this product <ul style="list-style-type: none"> do not chew or crush tablet(s) do not use within 1 hour after taking an antacid or milk it may cause stomach discomfort, faintness and cramps </p>	
<p>Stop use and ask a doctor if <ul style="list-style-type: none"> you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition. you need to use a laxative for more than 1 week </p>	
<p>professional before use.</p>	
<p>Directions <ul style="list-style-type: none"> take with a glass of water adults and children 12 years of age and over take 1 to 3 tablets in a single daily dose children 6 to under 12 years of age take 1 tablet in a single daily dose children under 6 years of age ask a doctor </p>	
<p>Other information <ul style="list-style-type: none"> store between 20°-25°C (68°-77°F) </p>	
<p>Inactive ingredients acacia, anhydrous calcium sulfate, anhydrous lactose, carnauba wax, colloidal silicon dioxide, corn starch, D&C yellow #10 aluminum lake, FD&C yellow #6 aluminum lake, gelatin, iron oxide, iron oxide black, iron oxide yellow, magnesium stearate, microcrystalline cellulose, polyethylene glycol (PEG) 400, polyvinyl acetate phthalate, povidone, shellac, sodium starch glycolate, stearic acid, sugar, talc, titanium dioxide</p>	
<p>Questions or comments? Call 1-877-753-3935 Monday-Friday 9AM-5PM EST</p>	
<p>Overdose, get medical help or contact a Poison Control Center right away.</p>	



Sunmark Gentle Laxative Tablet

GENTLE LAXATIVE ENTERIC COATED

bisacodyl tablet, coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49348-599
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BISACODYL (UNII: 10 X0 709 Y6I) (BISACODYL - UNII:10 X0 709 Y6I)	BISACODYL	5 mg

Inactive Ingredients

Ingredient Name	Strength
ACACIA (UNII: 5C5403N26O)	
CALCIUM SULFATE ANHYDROUS (UNII: E934B3V59H)	
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STARCH, CORN (UNII: O8232NY3SJ)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
SHELLAC (UNII: 46N107B71O)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
Polyvinyl Acetate Phthalate (UNII: 58QVG85GW3)	
SUCROSE (UNII: C151H8M554)	
POVIDONES (UNII: FZ989GH94E)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
POLYETHYLENE GLYCOLS (UNII: 3WJQ0SDW1A)	
ALUMINUM OXIDE (UNII: LM26O6933)	

Product Characteristics

Color	ORANGE	Score	no score
Shape	ROUND	Size	6 mm
Flavor		Imprint Code	TCL003
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49348-599-05	1 in 1 CARTON		
1		25 in 1 BLISTER PACK		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part334	01/10/2013	

Labeler - McKesson (Sunmark) (177667227)

Revised: 12/2012

McKesson (Sunmark)