

**EXTRA STRENGTH TYLENOL COLD PLUS FLU MULTI-ACTION DAY-
acetaminophen, pseudoephedrine hydrochloride, and dextromethorphan
hydrobromide tablet, film coated
Kenvue Brands LLC**

Extra Strength TYLENOL Cold + Flu Multi-Action

Day

Drug Facts

<i>Active ingredients (in each caplet)</i>	<i>Purpose</i>
Acetaminophen 500 mg	Pain reliever/fever reducer
Dextromethorphan HBr 15 mg	Cough suppressant
Pseudoephedrine HCl 30 mg	Nasal decongestant

Uses

- temporarily relieves these common cold/flu symptoms:
 - minor aches and pains
 - headache
 - sore throat
 - nasal congestion
 - cough
 - sinus congestion and pressure
- helps clear nasal passages
- promotes nasal and sinus drainage
- temporarily reduces fever

Warnings

Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning

If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma or emphysema
- cough that occurs with too much phlegm (mucus)

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

When using this product do not exceed recommended dose

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- pain, nasal congestion or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed (see overdose warning)**

adults and children 12 years and over	<ul style="list-style-type: none">▪ take 2 caplets every 6 hours while symptoms last▪ do not take more than 6 caplets in 24 hours, unless directed by a doctor▪ do not use for more than 10 days unless directed by a doctor
children under 12 years	ask a doctor

Other information

- store between 20 - 25°C (68 - 77°F).
- **do not use if blister unit is torn or broken**

Inactive ingredients

carnauba wax, hypromellose, magnesium stearate, microcrystalline cellulose, powdered cellulose, pregelatinized starch, propylene glycol, sodium starch glycolate, titanium dioxide

Questions or comments?

call **1-877-895-3665** (toll-free) or **215-273-8755** (collect)

PRINCIPAL DISPLAY PANEL

NDC 50580-344-01

Extra Strength

TYLENOL®

FOR ADULTS

COLD + FLU MULTI-ACTION

Acetaminophen,

Dextromethorphan HBr, Pseudoephedrine HCl

Pain Reliever-Fever Reducer, Cough Suppressant, Nasal Decongestant

DAY

NON-DROWSY

- HEAD + BODY ACHES
- FEVER + SORE THROAT
- COUGH
- NASAL CONGESTION

Actual Size

24 CAPLETS

Made in Canada
 Distributed by:
JOHNSON & JOHNSON
CONSUMER INC.
 McNeil Consumer Healthcare Division
 Fort Washington, PA 19034 USA
 ©&© 2021

Drug Facts (continued)
Active ingredients (in each caplet)
 Acetaminophen 500 mg
 Dextromethorphan HBr 15 mg
 Pseudoephedrine HCl 30 mg
Purpose
 Pain reliever/fever reducer
 Cough suppressant
 Nasal decongestant

Uses
 Temporarily relieves these common cold/flu symptoms:
 minor aches and pains
 headache
 sore throat
 nasal congestion
 cough
 sinus congestion and pressure
 promotes nasal and sinus drainage
 temporarily reduces fever

Warnings
 Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 4,000 mg of acetaminophen in 24 hours
 with other drugs containing acetaminophen
 with other drugs containing acetaminophen
 or more alcoholic drinks every day while using this product
 Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:
 skin reddening
 hives
 rash
 If a skin reaction occurs, stop use and seek medical help right away.
 Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.
 Do not use
 with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
 You are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Drug Facts (continued)
Other information
 store between 20 - 25°C (68 - 77°F).
 do not use if blister unit is torn or broken
 inactive ingredients: carnauba wax, hypromellose, magnesium stearate, microcrystalline cellulose, powdered cellulose, pregelatinized starch, polyethylene glycol, sodium starch glycolate, titanium dioxide

Drug Facts (continued)
Questions or comments? call 1-877-895-3665 (toll-free) or 215-273-8755 (collect).



PARENTS:
 Learn about teen medicine abuse
 www.StopMedicineAbuse.org

Important: Read all product information before using. Keep this box for important information.
How can we help?
1-877-895-3665

NDC 50580-344-01

Extra Strength

TYLENOL®

FOR ADULTS

COLD + FLU MULTI-ACTION

Acetaminophen, Dextromethorphan HBr, Pseudoephedrine HCl
 Pain Reliever-Fever Reducer, Cough Suppressant, Nasal Decongestant

DAY
NON-DROWSY

Actual Size

24 CAPLETS

- HEAD + BODY ACES
- FEVER + SORE THROAT
- COUGH
- NASAL CONGESTION

EXTRA STRENGTH TYLENOL COLD PLUS FLU MULTI-ACTION DAY
 acetaminophen, pseudoephedrine hydrochloride, and dextromethorphan hydrobromide tablet, film

coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50580-344
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RT19KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	15 mg
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
PSEUDOEPHEDRINE HYDROCHLORIDE (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE HYDROCHLORIDE	30 mg

Inactive Ingredients

Ingredient Name	Strength
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POWDERED CELLULOSE (UNII: SMD1X3XO9M)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM STARCH GLYCOLATE TYPE A (UNII: H8AV0SQX4D)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	

Product Characteristics

Color	white	Score	no score
Shape	OVAL	Size	18mm
Flavor		Imprint Code	TY;COLD;1408
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50580-344-01	2 in 1 CARTON	06/21/2021	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	06/21/2021	

Labeler - Kenvue Brands LLC (118772437)

Revised: 11/2024

Kenvue Brands LLC