SUNMARK MILK OF MAGNESIA ORIGINAL- magnesium hydroxide suspension STRATEGIC SOURCING SERVICES LLC

Sunmark milk of mag original 12oz 70677-0043-1

Active ingredient (in each 15 mL)

Magnesium hydroxide 1200 mg

Purpose

Saline laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 1/2 to 6 hours

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet
- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts over 14 days

Ask a doctor or pharmacist before use if you are presently taking a prescription drug. This product may interact with certain prescription drugs.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away 1-800-222-1222.

Directions

- shake well before use
- do not exceed the maximum recommended daily dose in a 24 hour period
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- drink a full glass (8 oz) of liquid with each dose
- for accurate dosing, only use the dosing cup provided
- ml = milliliter

adults and children 12 years and over	30 mL to 60 mL
children 6 to 11 years	15 mL to 30 mL
children under 6 years	ask a doctor

Other information

- each 15 mL contains: magnesium 500 mg
- store at room temperature tightly closed
- do not freeze
- close cap tightly after use

Inactive ingredients

purified water, sodium hypochlorite

Questions or Comments?

1-800-540-3765 Monday to Friday 8am to 6pm EST

package label



Drug Facts

TAMPER EVIDENT: Do not use if imprinted neckband is missing or broken.

Active ingredient (in each 15 mL)

Purpose Magnesium hydroxide 1200 mg Saline laxative

 relieves occasional constipation (irregularity) generally produces bowel movement in ½ to 6 hours

Warnings

Ask a doctor before use if you have • kidney disease

- a magnesium-restricted diet · stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts over 14 days

Ask a doctor or pharmacist before use if you are presently taking a prescription drug. This product may interact with certain prescription drugs.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- vou need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away 1-800-222-1222.

Directions • shake well before use

- do not exceed the maximum recommended daily dose in a 24 hour period
- . dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- . drink a full glass (8 oz) of liquid with each dose
- · for accurate dosing, only use the dosing cup provided
- mL = milliliter

adults and children 12 years and over	30 mL to 60 mL
children 6 to 11 years	15 mL to 30 mL
children under 6 years	ask a doctor

Other information • each 15 mL contains: magnesium 500 mg

- store at room temperature tightly closed
- do not freeze
- close cap tightly after use

Inactive ingredients purified water, sodium hypochlorite

Questions or comments? 1-800-540-3765 Monday to Friday 8am to 6pm EST

This product is not manufactured or distributed by Bayer Healthcare LLC, the owner of the registered trademark Phillips'® Milk of Magnesia.

via SSSL

973-19112-3 REV0721

Distributed by McKesson Corp., Memphis, TN 38141 Money Back Guarantee Please visit us at www.sunmarkbrand.com 2003 McKesson Corporation

SUNMARK MILK OF MAGNESIA ORIGINAL

magnesium hydroxide suspension

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:70677-0043

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	1200 mg in 15 mL

Inactive Ingredients			
Ingredient Name	Strength		
WATER (UNII: 059QF0KO0R)			
SODIUM HYPOCHLORITE (UNII: DY38VHM5OD)			

Packaging					
	# Item Code Package Description		Marketing Start Date	Marketing End Date	
	1	NDC:70677- 0043-1	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	12/01/2018	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M007	04/01/2012	11/01/2024	

Labeler - STRATEGIC SOURCING SERVICES LLC (116956644)

Registrant - GCP Laboratories (965480861)

Establishment				
Name	Address	ID/FEI	Business Operations	
GCP Laboratories		965480861	manufacture(70677-0043)	

Revised: 11/2023 STRATEGIC SOURCING SERVICES LLC