

ANTIBIOTIC PLUS PAIN RELIEF- neomycin sulfate, polymyxin b sulfate and pramoxine hydrochloride cream

Meijer, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Meijer Antibiotic Plus Pain Relief Cream 0.5oz (94029, 2018)

Active Ingredients Purposes

Neomycin sulfate 3.5 mg.....First aid antibiotic

Polymyxin B sulfate 10,000 units.....First aid antibiotic

Pramoxine HCl 10 mg.....External analgesic

Uses

- first aid to help prevent infection and for the temporary relief of pain in minor:
- cuts
- scrapes
- burns

For external use only

Do not use

- if you are allergic to any of the ingredients
- in the eyes or nose
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- you need to use longer than 1 week
- rash or other allergic reaction develops
- symptoms persist for more than 1 week, or clear up and occur again within a few days
- condition persists or gets worse
- redness, irritation, swelling, or pain persists or increases

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- adults and children 2 years of age and older:
- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

Other information

- store at room temperature 20-25°C (68-77°F)

cetyl alcohol, methylparaben, mineral oil, petrolatum, polysorbate 60, propylene glycol, propylparaben, purified water, sorbitan monostearate, stearic acid

Questions or comments?

Call 1-800-814-8028

DIST. BY MEIJER DISTRIBUTION, INC.

GRAND RAPIDS, MI 49544

www.meijer.com

MADE IN SOUTH KOREA

MAXIMUM STRENGTH
**first aid antibiotic
 + pain relief cream**

Neomycin Sulfate | Polymyxin B Sulfate | Pramoxine HCl

+ PAIN RELIEF

Dual Action
 Soothes Cuts, Scrapes & Burns

Powerful Protection & Pain Relief for
 Cuts | Scrapes | Burns

meijer

Compare to Neosporin®
 + Pain Relief Cream
 active ingredients*

MAXIMUM STRENGTH
**first aid antibiotic
 + pain relief cream**

Neomycin Sulfate | Polymyxin B Sulfate | Pramoxine HCl

+ PAIN RELIEF

NET WT 0.5 OZ (14 g)

First Aid Antibiotic/Pain Relieving Cream

MAXIMUM STRENGTH
**first aid antibiotic
 + pain relief cream**
 Neomycin Sulfate | Polymyxin B Sulfate |
 Pramoxine HCl



DIST. BY MEIJER DISTRIBUTION, INC.
 GRAND RAPIDS, MI 49544
 www.meijer.com

MADE IN SOUTH KOREA

94031-TK-BX-R1
 0M-MD-TK107-R1

Lot & Exp.

Drug Facts (continued)

Active Ingredients
 Neomycin sulfate 3.5 mg
 Polymyxin B sulfate 10,000 units
 Pramoxine HCl 10 mg

Purposes
 First aid antibiotic
 First aid analgesic
 External analgesic

Uses
 first aid to help prevent infection and for the temporary relief of pain in minor: cuts ■ scrapes ■ burns

Warnings
 Do not use if you are allergic to any of the ingredients or over large areas of the body in the eyes or nose ■ Ask a doctor before use if you have deep or puncture wounds ■ animal bites ■ serious burns ■ Stop use and ask a doctor if you need to use longer than 1 week ■ rash or other allergic reaction develops ■ symptoms persist for more than 1 week, or clear up and occur again within a few days ■ condition persists or gets worse ■ redness, irritation, swelling, or pain persists or increases

Directions
 adults and children 2 years of age and older:
 ■ clean the affected area
 ■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
 ■ may be covered with a sterile bandage
 ■ children under 2 years of age: ask a doctor

Other Information
 ■ store at room temperature 20-25°C (68-77°F)

Inactive Ingredients
 petrolatum, polysorbate 60, propylene glycol, propylparaben, purified water, sorbitan monostearate, stearic acid

Questions or comments?
 Call 1-800-814-8028

*This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., owner of the registered trademark Neosporin®.

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPEN OR FOLIO UNDER CAP IS BROKEN OR MISSING.

WARNINGS AND PRODUCT INFORMATION.

ANTIBIOTIC PLUS PAIN RELIEF

neomycin sulfate, polymyxin b sulfate and pramoxine hydrochloride cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-960
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	10000 [iU] in 1 g
PRAMOXINE HYDROCHLORIDE (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
CETYL ALCOHOL (UNII: 936JST6JCN)	
MINERAL OIL (UNII: T5L8T28FGP)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PETROLATUM (UNII: 4T6H12BN9U)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
SORBITAN MONOSTEARATE (UNII: NVZ4I0H58X)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-960-14	1 in 1 CARTON	12/18/2018	
1		14 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part347	12/18/2018	

Labeler - Meijer, Inc. (006959555)

Revised: 12/2018

Meijer, Inc.