

MUTIAN XRAPHCONN- drug for treatment of fip capsule
Nantong MUTIAN Biotechnology Co., Ltd

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

MuTian, Xraphconn, 50mg *20 capsules

For cats use only, Not for human use.

Keep out of reach of children and animals.

It is forbidden to use for cats who are allergic to the active ingredients or any excipients of this products.

For the treatment of Feline Infectious Peritonitis (FIP).

Oral use.

This drug is recommended for taking on an empty stomach.

Consult your veterinarian for help in the diagnosis, treatment and control of FIP.

The daily dose for MUTIAN is 100mg/kg of body weight.

Inotodiol

Nicotinamide Mononucleotide

Crocin

S-Adenosylmethionine

Silymarin

Microcrystalline cellulose

In clinical studies 7 of 240 cats (about 3% of the treated cats) had vomiting associated with the use of the product.

Keep out of reach of children and animals.

Store at the room temperature.

Outer Package



6 972125 900227

To obtain product information including material safety data sheets (MSDS) or to report a suspected adverse reaction, email support@mutian.us

Meet with GMP Standard
FOR FIP...

50mg

MUTIAN[®]
xraphconn

20 capsules
FOR USE IN CATS ONLY

Natong MUTIAN Biotechnology Co.,
Ltd. 98# Jianghai Industry Zone,
Tongzhou, Nantong, Jiangsu, China.



*With an ambition
to help pets
feel better and live longer.*

Drug Facts

Active ingredients per capsule Inotodiol, Nicotinamide Mononucleotide, Crocin I, S-Adenosylmethionine, Silymarin, Microcrystalline cellulose. etc50mg

Inactive ingredients Veggie capsule (Pullulan).

Uses For the treatment of Feline Infectious Peritonitis (FIP).

Directions The daily dose for MUTIAN is 100 mg/kg of body weight. this drug is recommended for taking on an empty stomach. **Consult your veterinarian for help in the diagnosis, treatment and control of FIP.**

Adverse reactions In clinical studies 7 of 240 cats (about 3% of the treated cats) had vomiting associated with the use of the product.

Warnings It is forbidden to use for cats who are allergic to the active ingredients or any excipients of this product. For use in cats only, Not for human use, Keep out of reach of children and animals.

Store at room temperature.

MUTIAN XRAPHCONN

drug for treatment of fip capsule

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:73452-145
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
INONOTUS OBLIQUUS FRUITING BODY (UNII: MRO1FS760M) (INONOTUS	INONOTUS OBLIQUUS	2.5 mg

OBLIQUUS FRUITING BODY - UNII:MRO1FS760M)	FRUITING BODY	in 50 mg
---	---------------	----------

Inactive Ingredients

Ingredient Name	Strength
NICO TINAMIDE RIBOTIDE (UNII: 2KG6QX4W0V)	7.5 mg in 50 mg
CROCIN (UNII: 877GW46C2)	5 mg in 50 mg
S-ADENOSYLMETHIONINE SYNTHASE ISOFORM TYPE-2 (UNII: 1LM9SS1UEA)	3.75 mg in 50 mg
MILK THISTLE (UNII: U946SH95EE)	6.25 mg in 50 mg
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	25 mg in 50 mg

Product Characteristics

Color	white	Score	2 pieces
Shape	capsule	Size	6mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73452-145-15	1000 in 1 PACKAGE		
1	NDC:73452-145-01	50 mg in 1 CAPSULE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		12/03/2019	

Labeler - Nantong MUTIAN Biotechnology Co., Ltd (554512204)

Registrant - Nantong MUTIAN Biotechnology Co., Ltd (554512204)

Establishment

Name	Address	ID/FEI	Business Operations
Nantong MUTIAN Biotechnology Co., Ltd		554512204	label, manufacture, api manufacture

Revised: 12/2019

Nantong MUTIAN Biotechnology Co., Ltd