WAXRX EAR WAX REMOVAL AID DROPS- carbamide peroxide liquid DOCTOR EASY MEDICAL PRODUCTS, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Carbamide Peroxide 6.5%

Carbamide Peroxide 6.5%.....Earwax Removal Aid

For occasional use as an aid to soften, loosen and remove excessive ear wax

Ask a doctor before use if you have

- ear drainage or discharge
- ear pain
- irritation or rash in the ear
- dizziness
- an injury or perforation (hole) of the ear drum
- recently had ear surgery

Stop use and ask a doctor if

- you need to use for more than 4 days
- excessive ear wax remains after use of this product

When using this product do not get into eyes

Keep out of reach of children. In case of accidental overdose or allergic reaction, get medical help or contact a Posion Control Center immediately

FOR USE IN THE EAR ONLY

Adults and children over 12 years of age. Tilt head sideways and place 5-10 drops into ear. Tip of applicator should not enter ear canal. Keep drops in ear for several minutes by keeping head tilted or placing cotton in ears. Flush ear with VERY WARM (body temperature) water using the Wax-Rx Ear Washer.

Children under 12, consult a physician. Drops my be used twice daily for up to 4 days or as directed by a physician.

- Avoid exposing bottle to excessive heat or direct sunlight.
- Product foams on contact with ear wax due to release of oxygen. There may be an associated crackling
- Keep cap on bottle when not in use.
- Lot no. and exp. date:see Label, bottom contained or box.

Citric Acid, Glycerin, Propylene Glycol, Sodium Citrate, Sodium Lauryl Sulfate, Tartaric Acid

WaxRx

EAR WAX

REMOVAL

AID DROPS

6.5% Carbamide Peroxide

Safe, Fast Acting

0.5 FL OZ (15 ML)

Active Ingredients Carbamide Peroxide 6.5%	Purpose Earwax Removal Ai
Uses for occasional use as an aid to sol excessive ear wax	ten, loosen and remove
Warnings	
Ask a doctor before use if you have • ear drainage or discharge • ear pain • • dizziness • an injury or perforation (hole • recently had ear surgery	
Stop use and ask a doctor if you need to use for more than 4 days excessive ear wax remains after use of	this product
When using this product do not get into	
Keep out of reach of children. In case of reaction, get medical help or contact a Po	
Directions FOR USE IN THE EAR ON Adults and children over 12 years of a drops into ear. Tip of applicator should no for several minutes by keeping head title with VERY WARIM (body temperature) wat Children under 12, consult a physician. Di 4 days or as directed by a physician.	e. Tilt head sideways and place 5- t enter ear canal. Keep drops in ear I or placing cotton in ears. Flush ear er using the Wax-Rx Ear Washer.
Other information	or direct sunlight.

3 x 1-1/4 in.

Drug Facts Active Ingredients
Carbamide Peroxide 6.5%. Purpose . Earwax Removal Aid **Uses** for occasional use as an aid to soften, loosen and removexcessive ear wax Warnings Warrungs
Ask a doutor before use if you have
ear drainage or discharge e ear pain e irritation or rash in the ear
eiziness e an injury or perforation (hole) of the ear drum
recently had ear surgery
Soy un eard to sa doutor if
Soy un eard to use for more than 4 days
excessive ear wax remains after use of this product

Without self-or this enrodued to not out into eves When using this product do not get into eyes Keep out of reach of children. In case of accidental overdose or allergic reaction, get medical help or contact a Posion Control Center Immediately

Directions: FOR USE IN THE EAR ONLY

Adults and children over 12 years of age. Till head sideways and piace 5-10 drops into ear. Tip of applicator should not enter ear canal. Keep drops in ear for several minutes by keeping head titled or placing cotton in ears. Flush ear with VERY WARM (body temperature) water using the Wax-Rx Ear Washer. Children under 12, consult a physician. Drops my be used twice daily for up to 4 days or as directed by a physician.

Other information

- Uniter INTORTIALION

 Avoid exposing bottle to excessive heat or direct sunlight.

 Product loams on contact with ear wax due to release of oxygen.
 There may be an associated crackling

 Keep cap on bottle when not in use.

 Lot no. and exp. date;see Label, bottom contained or box.

Inactive ingredients
Citric Acid, Glycerin, Propylene Glycol, Sodium Citrate, Sodium Lauryl Sulfate
Tartaric Acid



WAXRX EAR WAX REMOVAL AID DROPS

carbamide peroxide liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72724-001
Route of Administration	AURICULAR (OTIC)		

Active Ingredient/Active Moiety Basis of Strength Strength **Ingredient Name** CARBAMIDE PERO XIDE (UNII: 31PZ2VAU81) (HYDROGEN PERO XIDE -CARBAMIDE 6.5 g UNII:BBX060AN9V) **PEROXIDE** in $100\ mL$

Inactive Ingredients		
Ingredient Name	Strength	
TARTARIC ACID (UNII: W4888I119H)		
GLYCERIN (UNII: PDC6A3C0OX)		
CITRIC ACID MO NO HYDRATE (UNII: 2968 PHW8 QP)		
SODIUM CITRATE (UNII: 1Q73Q2JULR)		
SODIUM LAURYL SULFATE (UNII: 368GB5141J)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		

Packaging					
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
		NDC:72724-001- 15	15 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	12/12/20 18	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part344	12/12/20 18		

Labeler - DOCTOR EASY MEDICAL PRODUCTS, LLC (848752523)

Establishment					
Name	Address	ID/FEI	Business Operations		
Sheffield Pharmaceuticals LLC		151177797	manufacture(72724-001)		

Revised: 12/2018 DOCTOR EASY MEDICAL PRODUCTS, LLC