

**ALLERGY RELIEF D 12- loratadine, pseudoephedrine sulfate tablet, film coated, extended release**  
**Walgreen Company**

-----  
**Walgreen Co. Allergy Relief D12 Drug Facts**

**Active ingredients (in each tablet)**

Loratadine 5 mg

Pseudoephedrine sulfate 120 mg

**Purpose**

Antihistamine

Nasal decongestant

**Uses**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - sneezing
  - itchy, watery eyes
  - runny nose
  - itching of the nose or throat
- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- reduces swelling of nasal passages
- temporarily relieves sinus congestion and pressure
- temporarily restores freer breathing through the nose

**Warnings**

**Do not use**

- if you have ever had an allergic reaction to this product or any of its ingredients
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- heart disease
- thyroid disease

- high blood pressure
- diabetes
- trouble urinating due to an enlarged prostate gland
- liver or kidney disease. Your doctor should determine if you need a different dose.

**When using this product do not take more than directed.**

Taking more than directed may cause drowsiness.

**Stop use and ask a doctor if**

- an allergic reaction to this product occurs. Seek medical help right away.
- symptoms do not improve within 7 days or are accompanied by a fever
- nervousness, dizziness or sleeplessness occurs

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- do not divide, crush, chew or dissolve the tablet

adults and children 12 years and over	1 tablet every 12 hours; not more than 2 tablets in 24 hours
children under 12 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

**Other information**

- **each tablet contains:** calcium 25 mg
- do not use if blister unit is broken or torn
- store between 20° to 25°C (68° to 77°F)
- keep in a dry place

**Inactive ingredients**

croscarmellose sodium, dibasic calcium phosphate, hypromellose, lactose monohydrate, magnesium stearate, pharmaceutical ink, povidone, titanium dioxide

**Questions or comments?**

**1-800-719-9260**

## Package/Label Principal Display Panel

Walgreens

Compare to the active ingredients in Claritin-D® 12 Hour Tablets

WALGREENS PHARMACIST RECOMMENDED

NON-DROWSY\*

Allergy Relief D12

12 HOUR ALLERGY & CONGESTION

PSEUDOEPHEDRINE SULFATE 120 mg / NASAL DECONGESTANT

LORATADINE 5 mg / ANTIHISTAMINE

EXTENDED-RELEASE TABLETS

12 Hour

Extended-Release Tablets

Indoor & Outdoor Allergies

-Relief of nasal & sinus congestion due to colds or allergies; sneezing; runny nose; itchy, watery eyes & itchy throat or nose due to allergies

20 TABLETS

\*WHEN TAKEN AS DIRECTED. SEE DRUG FACTS PANEL.

ACTUAL SIZE

DISTRIBUTED BY: WALGREENS CO.  
 200 WILMOT RD., DEERFIELD, IL 60015  
 walgreens.com  
 ©2021 Walgreen Co.

ITEM 9075 86 W 101 06-1221-L  
 1191717785  
 3  
 4

PAPER MULTILAYER  
 BOX TRAY  
 Recyclable Ink  
 Gluten Free

**Drug Facts (continued)**  
*Questions or comments? 1-800-719-9260*

**Drug Facts**

**Active ingredients (in each tablet)**  
 Loratadine 5 mg, Pseudoephedrine sulfate 120 mg, Nasal decongestant

**Purpose**  
 Antihistamine

**Uses**  
 temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:  
 sneezing, itchy, watery eyes  
 runny nose  
 itching of the nose or throat  
 temporarily relieves nasal congestion due to a common cold, hay fever, or other upper respiratory allergies  
 reduces swelling of nasal passages  
 temporarily relieves sinus congestion and pressure

**Warnings**  
 if you have ever had an allergic reaction to this product or any of its ingredients  
 if you are now taking a prescription monoamine oxidase inhibitor (MAOI) certain drugs for depression, psychotropic, or an oral MAOI drug, if you do not know if your prescription drug contains conditions, or Parkinon's disease, or if you stop after stopping (MAOI), ask a doctor or pharmacist before taking this product.  
 Ask a doctor before use if you have:  
 heart disease, thyroid disease, high blood pressure  
 diabetes  
 liver or kidney disease. Your doctor should determine if you need a different dose.

**Other information**  
 each tablet contains calcium 25 mg  
 do not use if blister unit is broken or torn  
 store between 20° to 25° C (68° to 77°)  
 keep in a dry place

**Directions**  
 adults and children 12 years of age and over: 1 tablet every 12 hours; not more than 2 tablets in 24 hours  
 children under 12 years of age: ask a doctor  
 kidney disease: ask a doctor

**Other information**  
 When using this product do not take more than directed. Taking more than directed may cause drowsiness.  
 Stop use and ask a doctor if:  
 an allergic reaction to this product occurs. Seek medical help right away.  
 symptoms do not improve within 7 days or are accompanied by a fever  
 nervousness, dizziness or sleepiness occurs  
 If pregnant or breastfeeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Warnings**  
 do not divide, crush, chew or dissolve the tablet  
 1 tablet every 12 hours; not more than 2 tablets in 24 hours

**Other information**  
 children under 12 years of age: ask a doctor  
 kidney disease: ask a doctor

**Other information**  
 Ask a doctor before use if you have:  
 heart disease, thyroid disease, high blood pressure  
 diabetes  
 liver or kidney disease. Your doctor should determine if you need a different dose.

**Other information**  
 Ask a doctor before use if you have:  
 heart disease, thyroid disease, high blood pressure  
 diabetes  
 liver or kidney disease. Your doctor should determine if you need a different dose.

Our pharmacists recommend the Walgreens Brand. We invite you to compare to national brands. This product is not manufactured or distributed by Bayer Healthcare LLC, distributor of Claritin-D<sup>®</sup> 12 Hour Tablets.

7U060 04 C5




**NON-DROWSY\***  
**Allergy Relief D12**  
 12 HOUR ALLERGY & CONGESTION

**\*WHEN TAKEN AS DIRECTED, SEE DRUG FACTS PANEL.**

W3ORG0821-F2




Compare to the active ingredients in Claritin-D<sup>®</sup> 12 Hour Tablets<sup>†</sup>

**NON-DROWSY\***  
**Allergy Relief D12**  
 12 HOUR ALLERGY & CONGESTION  
 PSEUDOEPHEDRINE SULFATE 120 mg / NASAL DECONGESTANT  
 LORATADINE 5 mg / ANTIHISTAMINE  
 EXTENDED-RELEASE TABLETS

12 Hour Extended-Release Tablets Indoor & Outdoor Allergies

• Relief of nasal & sinus congestion due to colds or allergies; sneezing; runny nose; itchy, watery eyes & itchy throat or nose due to allergies

**20 TABLETS**  
**\*WHEN TAKEN AS DIRECTED, SEE DRUG FACTS PANEL.**

ACTUAL SIZE

NDC 0363-7023-60

# ALLERGY RELIEF D 12

loratadine, pseudoephedrine sulfate tablet, film coated, extended release

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-7023
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>LORATADINE</b> (UNII: 7AJ03BO7QN) (LORATADINE - UNII:7AJ03BO7QN)	LORATADINE	5 mg
<b>PSEUDOEPHEDRINE SULFATE</b> (UNII: Y9DL7QPE6B) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE SULFATE	120 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>ANHYDROUS DIBASIC CALCIUM PHOSPHATE</b> (UNII: L11K75P92J)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

## Product Characteristics

<b>Color</b>	WHITE (to off-white)	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	12mm
<b>Flavor</b>		<b>Imprint Code</b>	7U0
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-7023-60	20 in 1 CARTON	10/20/2021	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:0363-7023-65	30 in 1 CARTON	10/20/2021	
2		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:0363-7023-46	10 in 1 CARTON	09/06/2023	
3		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076050	10/20/2021	

**Labeler** - Walgreen Company (008965063)

Revised: 9/2023

Walgreen Company