

**MAGNESIUM CITRATE CHERRY- magnesium citrate liquid**  
**Western Family Foods, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

**Active ingredient**

Magnesium citrate 1.745g per fl. oz.

**Purpose**

Saline laxative

**Uses**

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 1/2 to 6 hours

**Warnings**

**Do not use**

laxative products for longer than 1 week unless directed by a doctor

**Ask a doctor before use if you have**

- kidney disease
- a magnesium restricted diet
- a sodium restricted diet
- stomach pain, nausea or vomiting
- noticed a sudden change in bowel habits that lasts more than 1 week

**Ask a doctor or pharmacist before use if you**

are presently taking a prescription drug.

**When using this product**

do not exceed the maximum recommended daily dosage in a 24 hour period.

**Stop use and ask a doctor if**

you have rectal bleeding or no bowel movement after use. These could be signs of a serious condition

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

Adults and children 12 years of age and older	1/2 to 1 bottle (1Bottle). Drink a full 8 oz glass of liquid with each dose. The dose may be taken as a single daily dose or in divided doses.
children 6 to 11 years of age	1/3 to 1/2 bottles with a full 8 oz glass of liquid
children under 6 years of age	consult a doctor

### Other information

- each fluid ounce contains: magnesium 282mg, sodium 37 mg
- store between 46-86°F (8-30°C). Do not refrigerate.
- protect from excessive heat and freezing
- discard unused product within 24 hours of opening bottle

### Inactive ingredients

citric acid, flavors, purified water, FD&Cred 40, saccharin sodium, sodium bicarbonate

### Principal Display Panel

#### Magnesium Citrate

Saline Laxative

Oral Solution

Cherry

FL OZ (mL)

**TAMPER EVIDENT: DO NOT USE IF THE BREAKAWAY BAND ON CAP IS BROKEN OR MISSING.**

Proudly Distributed by Western Family Foods, Inc.

P.O. Box 4057, Portland, OR 97208

U.S.A.

[www.westernfamily.com](http://www.westernfamily.com)

### Package Label



# Magnesium Citrate

Saline Laxative Oral Solution



cherry

10 FL OZ (296 mL)

<b>Drug Facts</b>		<b>Drug Facts (continued)</b>	
<b>Active ingredient</b> Magnesium citrate 1.745g per fl. oz.....	<b>Purpose</b> Saline laxative	<b>Directions</b>	
<b>Uses</b> ■ relieves occasional constipation (irregularity) ■ generally produces bowel movement in 1/2 to 6 hours		adults and children 12 years of age and older	1/2 to 1 bottle (10 fl.oz.). Drink a full 8 oz. glass of liquid with each dose. The dose may be taken as a single daily dose or in divided doses.
<b>Warnings</b> Do not use laxative products for longer than 1 week unless directed by a doctor.		children 6 to 11 years of age	1/3 to 1/2 bottle with a full 8 oz. glass of liquid
<b>Ask a doctor before use if you have</b> ■ kidney disease ■ a magnesium restricted diet ■ a sodium restricted diet ■ stomach pain, nausea, or vomiting ■ noticed a sudden change in bowel habits that lasts more than 1 week		children under 6 years of age	consult a doctor
<b>Ask a doctor or pharmacist before use if you are</b> presently taking a prescription drug.		<b>Other information</b> ■ each fluid ounce contains: magnesium 282 mg, sodium 37 mg ■ store between 46-86°F (8-30°C). Do not refrigerate. ■ protect from excessive heat and freezing ■ discard unused product within 24 hours of opening bottle	
<b>When using this product,</b> do not exceed the maximum recommended daily dosage in a 24 hour period.		<b>Inactive ingredients</b> citric acid, FD&C red #40, flavor, purified water, saccharin sodium, sodium bicarbonate	
<b>Stop use and ask a doctor</b> if you have rectal bleeding or no bowel movement after use. These could be signs of a serious condition.		<b>Questions or comments?</b> Call 1-503-639-6300 Monday-Friday 8AM-4PM PST	
<b>If pregnant or breast-feeding,</b> ask a health professional before use. <b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. ▶		Proudly Distributed by Western Family Foods, Inc. 13147-A-PLD P.O. Box 4057, Portland, OR 97208 U.S.A., Copyright 2015 Marca Registrada www.westernfamily.com	
<b>TAMPER EVIDENT: DO NOT USE IF THE BREAKAWAY BAND ON CAP IS BROKEN OR MISSING.</b>			
PLD-C273C LB003241		0 15400 13147 6	

## Western Family Magnesium Citrate

### MAGNESIUM CITRATE CHERRY

magnesium citrate liquid

#### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55312-326
<b>Route of Administration</b>	ORAL		

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM CITRATE (UNII: RHO26O1T9V) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM CITRATE	1.745 g in 29.6 mL

#### Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
WATER (UNII: 059QF0KO0R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	

#### Product Characteristics

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	CHERRY	<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55312-326-10	296 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/30/2015	12/31/2022

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part334	06/30/2015	12/31/2022

**Labeler** - Western Family Foods, Inc. (192166072)

Revised: 12/2018

Western Family Foods, Inc.