

MASTICARE- lactic acid, salicylic acid solution
Ecolab Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

FOR INDUSTRIAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

NOT FOR HUMAN USE

WARNING

Causes eye irritation. Wash skin thoroughly after handling. Do not mix with bleach or other chlorinated products – will cause chlorine gas.

DIRECTIONS:

IMPORTANT: Do not further dilute with water or mix with any other teat dips. If product in dip cup becomes visibly dirty, discard contents and replenish with fresh product. Do not reuse or return any unused product to the original container.

Pre-Milking/Prepping: Using proper cleaning procedures, wash teats with appropriate udder wash solution or pre-dip/spray each teat prior to milking. Teats should then be dried with single-service towels.

Post-Milk Dipping: Using fresh Masticare Film, dip each teat full-length into the teat dip cup. Do not wipe. Allow to air dry. Do not turn cows out in freezing weather until the product is completely dry.

Expanded Usage: When freshening cows, begin dipping teats twice daily for about 10 days before calving. **PRECAUTION:** Masticare Film is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

Consult your Ecolab representative for specific use instructions and recommended dispensing equipment.

FIRST AID

IN CASE OF EYE CONTACT: Rinse with plenty of water.

IN CASE OF SKIN CONTACT: Rinse with water.

IF SWALLOWED: Rinse mouth. Get medical attention if symptoms occur.

IF INHALED: Get medical attention if symptoms occur.

READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).

Representative label and principal display panel

A&L Laboratories

Masticare Film™

Non-Iodine Barrier Teat Dip

An aid in reducing the spread of organisms which may cause mastitis

ACTIVE INGREDIENT:

Lactic acid.....2.2%
 Salicylic acid.....0.1%
SKIN CONDITIONING SYSTEM:
 (contains propylene glycol, glycerin, lanolin, aloe)..... 23.0%
INERT INGREDIENTS:..... 74.7%
TOTAL:..... 100.0%

NET CONTENTS: 18.9 L (5 US GAL)

6301464

Manufactured by

Ecolab Inc. · 370 Wabasha Street N · St Paul MN 55102-1390 USA · tel: 1 800 392 3392

© 2015 Ecolab USA Inc. · All rights reserved

Made in United States

761195/5300/0315



Masticare Film™
 Non-Iodine Barrier Teat Dip
 Sellador de barrera para pezones sin yodo

An aid in reducing the spread of organisms which may cause mastitis

ACTIVE INGREDIENT:
 Lactic acid.....2.2%
 Salicylic acid.....0.1%
SKIN CONDITIONING SYSTEM:
 (contains propylene glycol, glycerin, lanolin, aloe).....23.0%
INERT INGREDIENTS:.....74.7%
TOTAL:.....100.0%

FOR INDUSTRIAL USE ONLY
KEEP OUT OF REACH OF CHILDREN
NOT FOR HUMAN USE
DIRECTIONS:

IMPORTANT: Do not further dilute with water or mix with any other teat dips. If product in dip cup becomes visibly dirty, discard contents and replenish with fresh product. Do not reuse or return any unused product to the original container.
Pre-Milking/Prepping: Using proper cleaning procedures, wash teats with appropriate udder wash solution or pre-dip/spray each teat prior to milking. Teats should then be dried with single-service towels.
Post-Milk Dipping: Using fresh Masticare Film, dip each teat full-length into the teat dip cup. Do not wipe. Allow to air dry. Do not turn cows out in freezing weather until the product is completely dry.
Expanded Usage: When freshening cows, begin dipping teats twice daily for about 10 days before calving.
PRECAUTION: Masticare Film is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.
 Consult your Ecolab representative for specific use instructions and recommended dispensing equipment.
WARNING
 Causes eye irritation. Wash skin thoroughly after handling. Do not mix with bleach or other chlorinated products - will cause chlorine gas.
FIRST AID
IN CASE OF EYE CONTACT: Rinse with plenty of water.
IN CASE OF SKIN CONTACT: Rinse with water.
IF SWALLOWED: Rinse mouth. Get medical attention if symptoms occur.
IF INHALED: Get medical attention if symptoms occur.
READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT
EMERGENCY HEALTH INFORMATION: 1 800 328 0026. If located outside the United States and Canada, call collect 1 651 222 5352 (number is in the US).

Ayuda a evitar la proliferación de organismos que pueden causar mastitis

PARA USO INDUSTRIAL SOLAMENTE
MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS
NO ES PARA USA HUMANO

INSTRUCCIONES:
IMPORTANTE: No lo vuelva a diluir con agua ni lo mezcle con otros productos para baño de pezones. Si el producto del recipiente para realizar el baño está visiblemente sucio, deseche el contenido y rellene el recipiente con producto fresco. No vuelva a utilizar el producto ni vuelva a colocar producto sin usar en el contenedor original.
Pre-ordeño/Preparación: Utilizar procedimientos adecuados para la limpieza, enjuagar cada ubre con la solución de limpieza adecuada o usar una solución en spray o de inmersión, antes de empezar el ordeño. Los pezones deben luego secarse utilizando toallas de uso único.
Sellado del pezón posterior al ordeño: Bañe toda la superficie de cada pezón en un recipiente que contenga Masticare Film fresco. No utilice paños. Deje secar al aire. No deje las vacas en un clima helado hasta que el producto se haya secado por completo.
Uso Expandido: Al refrescar a las vacas, comience con un baño antiséptico de sus pezones dos veces por día por aproximadamente 10 días antes de parir.
PRECAUCIÓN: Masticare Film no está diseñado para curar o ayudar con la cicatrización de los pezones agrietados o irritados. Como cualquier otro germicida, puede provocar irritación o sensibilización en animales sensibles. En caso de irritación o agrietamiento de los pezones, haga examinar dichas afecciones y, de ser necesario, hágalas tratar con un veterinario.
 Consulte con su Representante de Ecolab para obtener instrucciones específicas sobre el uso y el equipo dispensador recomendado.
ATENCIÓN
 Provoca irritación ocular. Lave la piel minuciosamente después del manejo. No se mezcle con el blanqueo o otros productos tratados con cloro - causará el gas de cloro.
PRIMEROS AUXILIOS
EN CASO DE CONTACTO CON LOS OJOS: Enjuague con mucha agua.
EN CASO DE CONTACTO CON LA PIEL: Enjuague con agua.
EN CASO DE INGESTIÓN: Enjuague la boca. Consultar un médico si los síntomas aparecen.
EN CASO DE INHALACIÓN: Consultar un médico si los síntomas aparecen
LEA LA HOJA DE DATOS DE SEGURIDAD ANTES DE USAR ESTE PRODUCTO
INFORMACIÓN DE EMERGENCIA SOBRE SALUD: 1 800 328 0026. Si está fuera de los Estados Unidos y Canadá, llame a cobro revertido al 1 651 222 5352 (número en los EE.UU.).

Manufactured by
 Ecolab Inc. · 370 Wabasha Street N · St Paul MN 55102-1390 USA · tel: 1 800 392 3392
 © 2015 Ecolab USA Inc. · All rights reserved
 Made in United States
 761195/5300/0315

NET CONTENTS: 18.9 L (5 US GAL)

6301464



MASTICARE

lactic acid, salicylic acid solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:47593-545
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LACTIC ACID (UNII: 33X04XA5AT) (LACTIC ACID - UNII:33X04XA5AT)	LACTIC ACID	22 mg in 1 mL
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	1 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
PEG-75 LANOLIN (UNII: 09179OX7TB)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47593-545-16	18900 mL in 1 PAIL		
2	NDC:47593-545-17	56800 mL in 1 DRUM		
3	NDC:47593-545-21	208000 mL in 1 DRUM		
4	NDC:47593-545-44	1150000 mL in 1 PACKAGE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		06/10/2015	

Labeler - Ecolab Inc. (006154611)

Revised: 2/2020

Ecolab Inc.