

**GOLD-BLOC- bronopol liquid**  
**ProActive Solutions USA, LLC**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**Gold-Bloc**

**Gold-Bloc**

**Gold-Bloc**™ is a sanitizing barrier teat dip that stays on the teat until it is washed off with soap and water. These dips won't wind up on the floor or on you. The low drip properties keep the dip on the cow for fighting mastitis. This low drip formulation also allows the dip to accumulate at the teat end to form an extra thick layer of protection at this critical location. The skin conditioners and other moisturizing ingredients keep teats healthy and soft for added protection against infection.

**Use Instructions:**

Immediately after milking and before the cow is released, dip each teat in undiluted **Gold-Bloc**™ barrier teat dip.

Teats should be dipped or sprayed to the base of the udder.

If the dip becomes visibly dirty or contains sediment, replace with a fresh solution.

At the end of lactation, the teats should be dipped or sprayed with **Gold-Bloc**™ for four days after the last milking.

Teats should be thoroughly washed and dried before milking.

Use potable water, a suitable cleanser and individual paper towels to remove the barrier and to prevent contamination of the milk.

Do not use for cleansing or sanitizing milk equipment.

**Caution:**

**Hazard statement(s):**

May be harmful if swallowed. May cause eye irritation.

**Precautionary statement(s):**

Do not eat, drink or smoke while using this product. Wear protective clothing, and eye and face protection.

**Hazards not otherwise classified:** None Known

**First Aid:**

**External:** If irritation occurs, flush with plenty of cool, running water for at least 15 minutes

while removing contaminated clothing and shoes. Wash clothing before reuse.

**Eyes:** Immediately flush with plenty of cool, running water. Remove contact lenses; then continue flushing for at least 15 minutes, holding eyelids apart.

**Internal:** Call a physician immediately. If swallowed, do not induce vomiting. Rinse mouth,

then immediately drink one or two large glasses of water or milk. Never give anything by mouth to an unconscious person.

**Inhalation of vapors:** Should not occur with proper use of this product.  
**Most important symptoms/effects, acute and delayed:** None known  
**Immediate medical attention and special treatment needed, if any:** None known

**Caution:** Avoid freezing. If frozen, let thaw and shake thoroughly before using.

## Gold-Bloc



**Gold Bloc™**  
Sanitizing Barrier Teat Dip



FOR FARM USE ONLY - KEEP OUT OF REACH OF CHILDREN

**Gold-Bloc™** is a sanitizing barrier teat dip that stays on the teat until it is washed off with soap and water. These dips won't wind up on the floor or on you. The low drip properties keep the dip on the cow for fighting mastitis. This low drip formulation also allows the dip to accumulate at the teat end to form an extra thick layer of protection at this critical location. The skin conditioners and other moisturizing ingredients keep teats healthy and soft for added protection against infection.

**Use Instructions:**

Immediately after milking and before the cow is released, dip each teat in undiluted **Gold-Bloc™** barrier teat dip.  
Teats should be dipped or sprayed to the base of the udder.  
If the dip becomes visibly dirty or contains sediment, replace with a fresh solution.  
At the end of lactation, the teats should be dipped or sprayed with **Gold-Bloc™** for four days after the last milking.  
Teats should be thoroughly washed and dried before milking.  
Use potable water, a suitable cleanser and individual paper towels to remove the barrier and to prevent contamination of the milk.  
Do not use for cleansing or sanitizing milk equipment.

**Active Ingredient:**  
Bronopol.....0.2%

**Inactive Ingredients:**  
Skin Emollients.....15.0%

**Caution:**

**Hazard statement(s):**

May be harmful if swallowed. May cause eye irritation.

**Precautionary statement(s):**

Do not eat, drink or smoke while using this product. Wear protective clothing, and eye and face protection.

**Hazards not otherwise classified:** None Known

**FIRST AID:**

**External:** If irritation occurs, flush with plenty of cool, running water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.

**Eyes:** Immediately flush with plenty of cool, running water. Remove contact lenses, then continue flushing for at least 15 minutes, holding eyelids apart.

**Internal:** Call a physician immediately. If swallowed, do not induce vomiting. Rinse mouth, then immediately drink one or two large glasses of water or milk. Never give anything by mouth to an unconscious person.

**Inhalation of vapors:** Should not occur with proper use of this product.

**Most important symptoms/effects, acute and delayed:** None known  
**Immediate medical attention and special treatment needed, if any:** None known

**Caution:** Avoid freezing. If frozen, let thaw and shake thoroughly before using.

FOR CHEMICAL EMERGENCIES:  
CALL CHEMTREC 1-800-424-9300



ProActive Solutions® USA, LLC • 301 Bridge Street • Green Bay, WI 54303  
800.279.7761 www.proactivesolutionsusa.com



**Gold Bloc™**  
Sanitizing Barrier Teat Dip



**DO NOT  
FREEZE**

FOR FARM USE ONLY - KEEP OUT OF REACH OF CHILDREN

**Gold-Bloc™** is a sanitizing barrier teat dip that stays on the teat until it is washed off with soap and water. These dips won't wind up on the floor or on you. The low drip properties keep the dip on the cow for fighting mastitis. This low drip formulation also allows the dip to accumulate at the teat end to form an extra thick layer of protection at this critical location. The skin conditioners and other moisturizing ingredients keep teats healthy and soft for added protection against infection.

**Use Instructions:**

Immediately after milking and before the cow is released, dip each teat in undiluted **Gold-Bloc™** barrier teat dip.  
Teats should be dipped or sprayed to the base of the udder.  
If the dip becomes visibly dirty or contains sediment, replace with a fresh solution.  
At the end of lactation, the teats should be dipped or sprayed with **Gold-Bloc™** for four days after the last milking.  
Teats should be thoroughly washed and dried before milking.  
Use potable water, a suitable cleanser and individual paper towels to remove the barrier and to prevent contamination of the milk.  
Do not use for cleansing or sanitizing milk equipment.

**Active Ingredient:**  
Bronopol.....0.2%

**Inactive Ingredients:**  
Skin Emollients.....15.0%

**Caution:**

**Hazard statement(s):**

May be harmful if swallowed. May cause eye irritation.

**Precautionary statement(s):**

Do not eat, drink or smoke while using this product. Wear protective clothing, and eye and face protection.

**Hazards not otherwise classified:** None Known

**FIRST AID:**

**External:** If irritation occurs, flush with plenty of cool, running water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse.

**Eyes:** Immediately flush with plenty of cool, running water. Remove contact lenses, then continue flushing for at least 15 minutes, holding eyelids apart.

**Internal:** Call a physician immediately. If swallowed, do not induce vomiting. Rinse mouth, then immediately drink one or two large glasses of water or milk. Never give anything by mouth to an unconscious person.

**Inhalation of vapors:** Should not occur with proper use of this product.

**Most important symptoms/effects, acute and delayed:** None known  
**Immediate medical attention and special treatment needed, if any:** None known

**Caution:** Avoid freezing. If frozen, let thaw and shake thoroughly before using.

FOR CHEMICAL EMERGENCIES:  
CALL CHEMTREC 1-800-424-9300



ProActive Solutions® USA, LLC • 301 Bridge Street • Green Bay, WI 54303  
800.279.7761 www.proactivesolutionsusa.com



**Gold Bloc™**  
Sanitizing Barrier Teat Dip



**DO NOT  
FREEZE**

# GOLD-BLOC

bronopol liquid

## Product Information

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:63927-4170
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>BRONOPOL</b> (UNII: 6PU1E16C9W) (BRONOPOL - UNII:6PU1E16C9W)	BRONOPOL	0.2 kg in 100 kg

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:63927-4170-1	15.34 kg in 1 CASE		
2	NDC:63927-4170-2	19.18 kg in 1 JUG		
3	NDC:63927-4170-3	57.54 kg in 1 DRUM		
4	NDC:63927-4170-4	210.98 kg in 1 DRUM		
5	NDC:63927-4170-5	1054.88 kg in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK		

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved drug other		12/27/2005	

**Labeler** - ProActive Solutions USA, LLC (029368225)

**Registrant** - ProActive Solutions USA, LLC (029368225)

## Establishment

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
ProActive Solutions USA, LLC		029368225	api manufacture, manufacture, pack, repack, label

Revised: 12/2023

ProActive Solutions USA, LLC