

**EXCEDRIN EXTRA STRENGTH- acetaminophen, aspirin, and caffeine tablet, film coated**

**EXCEDRIN EXTRA STRENGTH, TRAVEL BASIX- acetaminophen, aspirin, and caffeine tablet, film coated**

**EXCEDRIN EXTRA STRENGTH, CVP HEALTH- acetaminophen, aspirin, and caffeine tablet, film coated**

**Lil Drug Store Products, Inc**

-----

## **Excedrin® Extra Strength**

### ***Drug Facts***

<b><i>Active ingredients (in each caplet)</i></b>	<b><i>Purposes</i></b>
Acetaminophen 250 mg	Pain reliever
Aspirin 250 mg (NSAID *)	Pain reliever
Caffeine 65 mg	Pain reliever aid

\* nonsteroidal anti-inflammatory drug

### **Uses**

- temporarily relieves minor aches and pains due to:
  - headache
  - a cold
  - arthritis
  - muscular aches
  - toothache
  - premenstrual & menstrual cramps

### **Warnings**

#### **Reye's syndrome**

Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

#### **Allergy alert**

Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

#### **Allergy alert**

Aspirin may cause a severe allergic reaction which may include:

- hives
- facial swelling
- asthma (wheezing)
- shock

### **Liver warning**

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 8 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

### **Stomach bleeding warning**

This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed

### **Caffeine warning**

The recommended dose of this product contains about as much caffeine as a cup of coffee. Limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heart beat.

### **Do not use**

- if you have ever had an allergic reaction to acetaminophen, aspirin or any other pain reliever/fever reducer
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist

### **Ask a doctor before use if**

- you have liver disease
- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic
- you have asthma

### **Ask a doctor or pharmacist before use if you are taking**

- a prescription drug for diabetes, gout, or arthritis
- any other drug, or are under a doctor's care for any serious condition

**Stop use and ask a doctor if**

- an allergic reaction occurs. Seek medical help right away.
- you experience any of the following signs of stomach bleeding:
  - feel faint
  - vomit blood
  - have bloody or black stools
  - have stomach pain that does not get better
  - ringing in the ears or loss of hearing occurs
  - painful area is red or swollen
  - pain gets worse or lasts for more than 10 days
  - fever gets worse or lasts for more than 3 days
  - any new symptoms occur

These could be signs of a serious condition

**If pregnant or breast-feeding,** ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **do not use more than directed**
- drink a full glass of water with each dose
- adults and children 12 years and over: take 2 caplets every 6 hours; not more than 8 caplets in 24 hours
- under 12 years: ask a doctor

**Other information**

- store at 20°-25°C (68°-77°F)
- read all product information before using. Keep this box for important information.

**Inactive ingredients**

benzoic acid, carnauba wax, FD&C blue #1, hypromellose, light mineral oil, low-substituted hydroxypropyl cellulose, microcrystalline cellulose, polysorbate 20, povidone, propylene glycol, simethicone, sorbitan monolaurate, stearic acid, titanium dioxide

**Questions or comments?**

**1-800-452-0051**

Packaged and distributed by Lil' Drug Store Products, Inc.  
with the permission of GSK Consumer Healthcare

# Excedrin Extra Strength - 6 Caplet Pouch Carton, Lil' Drug Store - PDP/Package

**EXCEDRIN®**

**EXTRA  
STRENGTH**

Acetaminophen, Aspirin (NSAID) and Caffeine  
Pain Reliever / Pain Reliever Aid

**6 Caplets**  
**3 PACKETS OF 2 CAPLETS**

**Lil'  
Drug Store ®**



# Excedrin Extra Strength 4ct, TRAVEL BASIX - PDP/Package

**EXCEDRIN**

**EXTRA**

**STRENGTH**

Acetaminophen, Aspirin (NSAID) and Caffeine

Pain Reliever / Pain Reliever Aid

[caplets image]

**4**

**Caplets Total**

(2) 2ct Packets

[TRAVEL BASIX logo]



## Excedrin Extra Strength, 4ct CVP HEALTH - PDP/Package

**EXCEDRIN**

**EXTRA**

**STRENGTH**

**Acetaminophen, Aspirin (NSAID) and Caffiene**

**Pain Reliever / Pain Reliever Aid**

[caplets image]

**4**

**Caplets Total**

**(2) 2ct Packets**

[CVP HEALTH logo]





# EXCEDRIN EXTRA STRENGTH

acetaminophen, aspirin, and caffeine tablet, film coated

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66715-9810
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)		ACETAMINOPHEN	250 mg
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)		ASPIRIN	250 mg
CAFFEINE (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)		CAFFEINE	65 mg

Inactive Ingredients		
Ingredient Name		Strength
BENZOIC ACID (UNII: 8SKN0B0MIM)		
CARNAUBA WAX (UNII: R12CBM0EIZ)		
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)		
HYDROXYPROPYL CELLULOSE (1600000 WAMW) (UNII: RFW2ET671P)		
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)		
LIGHT MINERAL OIL (UNII: N6K5787QVP)		
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)		
POLYSORBATE 20 (UNII: 7T1F30V5YH)		
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
SORBITAN MONOLAURATE (UNII: 6W9PS8B71J)		
STEARIC ACID (UNII: 4ELV7Z65AP)		
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)		

## Product Characteristics

<b>Color</b>	white (White)	<b>Score</b>	no score
<b>Shape</b>	CAPSULE (Capsule-Shaped Tablet)	<b>Size</b>	18mm
<b>Flavor</b>		<b>Imprint Code</b>	E
<b>Contains</b>			

  

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715-9810-2	2 in 1 CARTON	02/04/2016	
1		2 in 1 POUCH; Type 0: Not a Combination Product		
2	NDC:66715-9810-3	3 in 1 CARTON	05/12/2017	
2		2 in 1 POUCH; Type 0: Not a Combination Product		

  

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	05/10/2010	

## EXCEDRIN EXTRA STRENGTH, TRAVEL BASIX

acetaminophen, aspirin, and caffeine tablet, film coated

Product Information			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:66715-6410
<b>Route of Administration</b>	ORAL		

  

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	250 mg
<b>ASPIRIN</b> (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	250 mg
<b>CAFFEINE</b> (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)	CAFFEINE	65 mg

  

Inactive Ingredients	
Ingredient Name	Strength
<b>BENZOIC ACID</b> (UNII: 8SKN0B0MIM)	
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>HYDROXYPROPYL CELLULOSE (1600000 WAMW)</b> (UNII: RFW2ET671P)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>LIGHT MINERAL OIL</b> (UNII: N6K5787QVP)	

MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)				
POLYSORBATE 20 (UNII: 7T1F30V5YH)				
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
SORBITAN MONOLAURATE (UNII: 6W9PS8B71J)				
STEARIC ACID (UNII: 4ELV7Z 65AP)				
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)				
Product Characteristics				
Color	white (White)		Score	no score
Shape	CAPSULE (Capsule-Shaped Tablet)		Size	18mm
Flavor			Imprint Code	E
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715-6410-2	2 in 1 CARTON	11/28/2022	
1		2 in 1 POUCH; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013		11/28/2022	

EXCEDRIN EXTRA STRENGTH, CVP HEALTH			
acetaminophen, aspirin, and caffeine tablet, film coated			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66715-6510
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)		ACETAMINOPHEN	250 mg
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)		ASPIRIN	250 mg
CAFFEINE (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)		CAFFEINE	65 mg
Inactive Ingredients			
Ingredient Name			Strength



<b>BENZOIC ACID</b> (UNII: 8SKN0B0MIM)	
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>HYDROXYPROPYL CELLULOSE (1600000 WAMW)</b> (UNII: RFW2ET671P)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>LIGHT MINERAL OIL</b> (UNII: N6K5787QVP)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)	
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>SORBITAN MONOLAURATE</b> (UNII: 6W9PS8B71J)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

### Product Characteristics

<b>Color</b>	white (White)	<b>Score</b>	no score
<b>Shape</b>	CAPSULE (Capsule-Shaped Tablet)	<b>Size</b>	18mm
<b>Flavor</b>		<b>Imprint Code</b>	E
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715-6510-2	2 in 1 CARTON	05/06/2022	
1		2 in 1 POUCH; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	05/06/2022	

**Labeler** - Lil Drug Store Products, Inc (093103646)

Revised: 10/2023

Lil Drug Store Products, Inc