

JIDESHENG - clotrimazole gel
UPC Medical Supplies, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

JiDeSheng

| | |
|-------------------|------------|
| Active ingredient | Purpose |
| Clotrimazole 1% | Antifungal |

Uses

- cure most jock itch
- relieve itching, burning, scaling, chafing and discomfort which accompany this condition.

Warnings - For external use only

- do not use on children under 2 years of age unless directed by a doctor.
- when use this product avoid contact with eyes
- stop use and ask a doctor if irritation occurs or there is no improvement in 2 weeks
- Keep out the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Direction

- Wash the affected area and dry thoroughly
- apply a thin layer over affected area twice daily (morning and night)
- supervise children in the use of this product
- use daily for 2 weeks
- if condition persist longer, ask a doctor
- this product is not effective on the scalp or nails

Storage: Store at 20-15 C (68-77 F)

Inactive ingredients:

Water, stearic acid, mineral, glyceryl monostearate, cetostearyl alcohol, menthol, sodium lauryl sulfate, ethyl paraben

stop use and ask a doctor if irritation occurs or there is no improvement in 2 weeks

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

do not use on children under 2 years of age unless directed by a doctor.

Antifungal

JiDeSheng Anti-Itching Ointment
ANTIFUNGAL

Uses to relieve itching, burning, scaling, chafing and discomfort which accompany this condition.

For external use only

Product of China

Net wt. 1 oz. (30g)

Lot Number:
Expiration Date:



JiDeSheng Anti-Itching Ointment

ANTIFUGAL

季德勝止癢軟膏

傳世名醫 百年傳奇



Made in China

Net Weight : 1 Fl Oz/30 ml

Distributed by UPC Medical Supplies, Inc.
San Gabriel, CA 91776 USA

| | |
|---|------------------------------|
| Drug Facts | Purpose Antifungal |
| Active ingredient Clotrimazole 1%..... | |
| Uses - cure most jock itch - relieve itching, burning, scaling, chafing and discomfort which accompany this condition. | |
| Warnings - For external use only - do not use on children under 2 years of age unless directed by a doctor. - when use this product avoid contact with eyes - stop use and ask a doctor if irritation occurs or there is no improvement in 2 weeks - Keep out the reach of children. If swallowed, get medical help or contact a Poison Control Center right away. | |
| Direction - Wash the affected area and dry thoroughly - apply a thin layer over affected area twice daily (morning and night) - supervise children in the use of this product - use daily for 2 weeks - if condition persists longer, ask a doctor - this product is not effective on the scalp or nails | |
| Storage: Store at 20-15 C (68-77 F) | |
| Inactive ingredients: Water, stearic acid, mineral oil, glyceryl monostearate, cetostearyl alcohol, menthol, sodium lauryl sulfate, ethyl paraben | |

JIDESHENG

clotrimazole gel

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:51823-3574 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|--------------|
| Clotrimazole (UNII: G07GZ97H65) (Clotrimazole - UNII:G07GZ97H65) | Clotrimazole | 1 g in 100 g |

Inactive Ingredients

| Ingredient Name | Strength |
|--------------------------|----------|
| Water (UNII: 059QF0KO0R) | |

| | |
|---|--|
| Mineral oil (UNII: T5L8T28FGP) | |
| Stearic acid (UNII: 4ELV7Z65AP) | |
| GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4) | |
| cetostearyl alcohol (UNII: 2DMT128M1S) | |
| Menthol (UNII: L7T10EIP3A) | |
| SODIUM LAURYL SULFATE (UNII: 368GB5141J) | |
| Ethylparaben (UNII: 14255EXE39) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:51823-3574-7 | 1 in 1 BOX | | |
| 1 | | 29 g in 1 TUBE | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC monograph final | part333C | 10/23/2010 | |

Labeler - UPC Medical Supplies, Inc. (942011719)

Revised: 11/2010

UPC Medical Supplies, Inc.