

# **STOOL SOFTENER PLUS STIMULANT LAXATIVE- docusate sodium and sennosides tablet**

**Care One (Retail Business Services, LLC.)**

-----  
**Drug Facts**

## **Active ingredients (in each tablet)**

Docusate sodium 50 mg

Sennosides 8.6 mg

## **Purpose**

Stool softener

Stimulant laxative

## **Uses**

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

## **Warnings**

### **Do not use**

- laxative products for longer than 1 week unless told to do so by a doctor
- if you are now taking mineral oil, unless told to do so by a doctor

### **Ask a doctor before use if you have**

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over a period of 2 weeks

### **Stop use and ask a doctor if**

you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.

### **If pregnant or breast-feeding,**

ask a health professional before use.

### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

## Directions

- Take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.

adults and children 12 years and older	take 2-4 tablets daily
children 6 to under 12 years of age	take 1-2 tablets daily
children 2 to under 6 years of age	take up to 1 tablet daily
children under 2	ask a doctor

## Other information

- **each tablet contains:** calcium 30 mg
- **each tablet contains:** sodium 6 mg VERY LOW SODIUM
- store at 25°C (77°F); excursions permitted between 15-30°C(59-86°F)

## Inactive ingredients

croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C blue #2 aluminum lake, FD&C red #40 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, talc\*, titanium dioxide

## Questions or comments?

Call **1-877-753-3935 Monday-Friday 9AM-5PM EST**

## Principal Display Panel

\*Compare to the active ingredients in Colace® 2-IN-1

STOOL SOFTENER & STIMULANT LAXATIVE

Docusate sodium, 50 mg

AND Sennosides, 8.6 mg

A GENTLE, PREDICTABLE LAXATIVE

TABLETS

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

†This product is not manufactured or distributed by Avrio Health LP., distributor of Colace® 2 IN-1.

DISTRIBUTED BY FOODHOLD U.S.A., LLC

**Product Label**

NDC 72476-855-10

**CAREone**<sup>®</sup>

\*Compare to the active ingredients in Colace<sup>®</sup> 2-IN-1

**STOOL SOFTENER & STIMULANT LAXATIVE**

**Docosate sodium, 50 mg and Sennosides, 8.6 mg**

A GENTLE, PREDICTABLE LAXATIVE



Actual Size

**100 TABLETS**



DISTRIBUTED BY: FOODHOLD U.S.A., LLC  
LANDOVER, MD 20785 • 1-877-846-9949  
© 2020 Ahold Delhaize Licensing Sarl  
Quality guaranteed or your money back.

S-949 1016



3 4 1520 31406 3

PLD-F676A FC007196

**Drug Facts**

Active ingredients (in each tablet)	Purpose
Docosate sodium 50 mg.....	Stool softener
Sennosides 8.6 mg.....	Stimulant laxative

**Uses**

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

**Warnings**

**Do not use**

- laxative products for longer than 1 week unless directed by a doctor
- if you are presently taking mineral oil, unless told to do so by a doctor

**Ask a doctor before use if you have**

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over a period of 2 weeks

**Stop use and ask a doctor** if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.

**Drug Facts (continued)**

adults and children 12 years and over	take 2-4 tablets daily
children 6 to under 12 years of age	take 1-2 tablets daily
children 2 to under 6 years of age	take up to 1 tablet daily
children under 2	ask a doctor

**Other information**

- each tablet contains: calcium 30 mg
- each tablet contains: sodium 6 mg VERY LOW SODIUM
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

**Inactive ingredients** croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C blue #2 aluminum lake, FD&C red #40 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, talc, titanium dioxide

**Questions or comments?**  
Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

\*This product is not manufactured or distributed by Avrio Health L.P., distributor of Colace<sup>®</sup> 2-IN-1.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Lot No.:  
Exp. Date:

**CARE ONE Stool Softener and Stimulant Laxative**

**STOOL SOFTENER PLUS STIMULANT LAXATIVE**

docosate sodium and sennosides tablet

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:72476-855
---------------------	----------------	---------------------------	---------------

<b>Route of Administration</b>	ORAL
--------------------------------	------

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DOCUSATE SODIUM</b> (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	50 mg
<b>SENNOSIDES</b> (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.6 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>DIBASIC CALCIUM PHOSPHATE DIHYDRATE</b> (UNII: O7TSZ97GEP)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6130)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>FD&amp;C BLUE NO. 2</b> (UNII: L06K8R7DQK)	

### Product Characteristics

<b>Color</b>	red	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	PSD21
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72476-855-10	1 in 1 BOX	06/30/2020	
1		100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	06/30/2020	

**Labeler** - Care One (Retail Business Services, LLC.) (967989935)

Revised: 9/2024

Care One (Retail Business Services, LLC.)