

BAYER- aspirin tablet

BAYER ASPIRIN ORIGINAL, CVP HEALTH- aspirin tablet

BAYER ASPIRIN ORIGINAL, TRAVEL BASIX- aspirin tablet

Lil' Drug Store Products, Inc.

BAYER ® ASPIRIN

Lil' Drug Store ®, TRAVEL BASIX, CVP HEALTH

Drug Facts

Active ingredient (in each tablet)

Aspirin 325 mg (NSAID) ¹

1 nonsteroidal anti-inflammatory drug

Purposes

Pain reliever/fever reducer

Uses

temporarily relieves

- headache
- muscle pain
- toothache
- menstrual pain
- pain and fever of colds
- minor pain of arthritis

Warnings

Reye's syndrome

Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert

Aspirin may cause a severe allergic reaction which may include:

- hives
- facial swelling
- asthma (wheezing)
- shock

Stomach bleeding warning

This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed

Do not use if you are allergic to aspirin or any other pain reliever/fever reducer

Ask a doctor before use if

- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic
- you have asthma

Ask a doctor or pharmacist before use if you are taking a prescription drug for

- gout
- diabetes
- arthritis

Stop use and ask a doctor if

- an allergic reaction occurs. Seek medical help right away.
- you experience any of the following signs of stomach bleeding:
 - feel faint
 - vomit blood
 - have bloody or black stools
 - have stomach pain that does not get better
- pain gets worse or lasts more than 10 days
- redness or swelling is present
- fever lasts more than 3 days
- new symptoms occur
- ringing in the ears or a loss of hearing occurs

If pregnant or breast-feeding, ask a health professional before use. **It is especially important not to use aspirin at 20 weeks or later in pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.**

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- drink a full glass of water with each dose

- adults and children 12 years and over: take 1 or 2 tablets every 4 hours or 3 tablets every 6 hours, not to exceed 12 tablets in 24 hours
- children under 12 years: consult a doctor

Other information

- save carton for full directions and warnings
- store at room temperature

Inactive ingredients

corn starch, hypromellose, powdered cellulose, triacetin

Questions or comments?

1-800-331-4536

(Mon - Fri 9AM - 5PM EST) or www.bayerspirin.com

Bayer Aspirin Original, 4ct, Lil' Drug Store ® - PDP/Package

BAYER ® [Bayer cross]

ASPIRIN (NSAID) PAIN RELIEVER/FEVER REDUCER

GENUINE ASPIRIN

the wonder drug ®

SAFE PAIN RELIEF +

LIFESAVING BENEFITS

325

mg

[tablets image]

ACTUAL SIZE

**Talk to your doctor or other
healthcare provider before using
this product for your heart.**

6

Coated


Tablets

[**Lil' Drug Store ® logo**]

Drug Facts (continued)
Directions
<ul style="list-style-type: none"> drink a full glass of water with each dose adults and children 12 years and over: take 1 or 2 tablets every 6 hours, not to exceed 12 tablets in 24 hours children under 12 years: consult a doctor
Other Information
<ul style="list-style-type: none"> save card for directions and warnings fever or rectal temperature
Inactive ingredients
corn starch, hydroxyethylcellulose, powdered cellulose, triacetin
Questions or comments?
1-800-331-4536 (Mon - Fri 9AM - 5PM EST)

Bayer Manufacturer: Bayer HealthCare LLC, Whippany, NJ 07881
Bayer, the Bayer Cross and The Wonder Drug are registered trademarks of Bayer, used with permission.
Product of Spain

This product is repackaged by Lil' Drug Store Products, Inc.
9300 Ehart Lane SW, Cedar Rapids, IA 52404 1-877-507-6516
(M-F 8AM-4:30PM CST), from a product manufactured by Bayer.
97283C-US-04-22



Drug Facts (continued)
Active ingredient (in each tablet)
Aspirin 325 mg (NSAID).....Pain reliever/fever reducer
*nonsteroidal anti-inflammatory drug
Uses
<ul style="list-style-type: none"> temporarily relieves minor aches and pains due to: headache • muscle pain • toothache menstrual pain • colds • minor pain of arthritis temporarily reduces fever
Warnings
<p>Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these may be early signs of Reye's syndrome, a rare but serious illness.</p> <p>Allergy alert: Aspirin can cause an allergic reaction which may include: hives • facial swelling • asthma (wheezing). Check Stomach bleeding warnings. This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you:</p> <ul style="list-style-type: none"> are age 60 or older have had stomach ulcers or bleeding problems take a blood thinner (anticoagulant) or steroid drug take other drugs without a prescription or nonprescription drugs such as aspirin, ibuprofen, naproxen, or acetaminophen have 3 or more alcoholic drinks every day while using this product take more or for a longer time than directed <p>LIFT PANEL FOR CONTINUED DRUG FACTS</p>
Ask a doctor before use if
<ul style="list-style-type: none"> stomach bleeding warning applies to you you have a history of stomach problems, such as heartburn you have high blood pressure, heart disease, liver cirrhosis, or kidney disease you are taking a diuretic you have asthma
Ask a doctor or pharmacist before use if you are taking a prescription drug for
<ul style="list-style-type: none"> • gout • diabetes • arthritis
Stop use and ask a doctor if
<ul style="list-style-type: none"> an allergic reaction occurs. Seek medical help right away. you experience any of the following signs of stomach bleeding: • feel faint • vomit blood • have bloody or black stools • have stomach pain that does not get better • pain gets worse or lasts more than 10 days • pain comes and goes more than 3 days • redness or swelling is present • new symptoms occur
If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Bayer Aspirin Original 4ct, TAVEL BASIX

[Bayer cross]

BAYER ®

ASPIRIN (NSAID) PAIN RELIEVER/FEVER REDUCER

GENUINE ASPIRIN

the wonder drug*

SAFE PAIN RELIEF +

LIFESAVING BENEFITS

[tablets image]

ACTUAL SIZE

325

mg

Talk to your doctor or other healthcare provider
before using this product for your heart.

4

Coated Tablets

[TRAVEL BASIX logo]



Bayer Aspirin Original 4ct, CVP ® HEALTH - PDP/Package

BAYER ®

[Bayer cross]

ASPIRIN (NSAID) PAIN RELIEVER/FEVER REDUCER

GENUINE ASPIRIN

the wonder drug*

SAFE PAIN RELIEF +

LIFESAVING BENEFITS

[tablets image]

ACTUAL SIZE

325

mg

Talk to your doctor or other healthcare provider
before using this product for your heart.

4

Coated

Tablets

[CVP HEALTH logo]



BAYER

aspirin tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66715-9726
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	325 mg

Inactive Ingredients

Ingredient Name	Strength
HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
POWDERED CELLULOSE (UNII: SMD1X3XO9M)	
TRIACETIN (UNII: XHX3C3X673)	
STARCH, CORN (UNII: O8232NY3SJ)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	10mm
Flavor		Imprint Code	BAYER;BAYER
Contains			

Packaging

Marketing Status Marketing End

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715-9726-2	2 in 1 CARTON	12/06/2018	
1		2 in 1 POUCH; Type 0: Not a Combination Product		
2	NDC:66715-9726-3	3 in 1 CARTON	04/27/2022	
2		2 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	07/01/2009	

BAYER ASPIRIN ORIGINAL, CVP HEALTH

aspirin tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66715-6526
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	325 mg

Inactive Ingredients

Ingredient Name	Strength
HYDROXYBUTYL CELLULOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
POWDERED CELLULOSE (UNII: SMD1X3XO9M)	
TRIACETIN (UNII: XHX3C3X673)	
STARCH, CORN (UNII: O8232NY3SJ)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	10mm
Flavor		Imprint Code	BAYER;BAYER
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date

1	NDC:66715-6526-2	2 in 1 CARTON	05/06/2022	
1		2 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	05/06/2022	

BAYER ASPIRIN ORIGINAL, TRAVEL BASIX

aspirin tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66715-6426
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	325 mg

Inactive Ingredients

Ingredient Name	Strength
HYPMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
POWDERED CELLULOSE (UNII: SMD1X3XO9M)	
TRIACETIN (UNII: XHX3C3X673)	
STARCH, CORN (UNII: O8232NY3SJ)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	10mm
Flavor		Imprint Code	BAYER;BAYER
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715-6426-2	2 in 1 CARTON	11/29/2022	
1		2 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	11/29/2022	

Labeler - Lil' Drug Store Products, Inc. (093103646)

Revised: 10/2023

Lil' Drug Store Products, Inc.