LEADER 2% MILD IODINE TINCTURE- iodine and sodium iodide and alcohol liquid

Cardinal Health, 110 dba Leader

LEADER 2% Mild Iodine Tincture

Iodine 2%

Sodium Iodide 2.4%

First aid to help prevent infection in minor cuts, scrapes, and burns.

For external use only

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) immediately.

Clearn the affected area

apply a small amount to the affected area 1 to 3 times daily. May be covered with sterile bandage. If bandaged let dry first.

First Aid Antiseptic

Alcohol 47%

Purified Water



iodine and sodium iodide and alcohol liquid liquid Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:70000-0401

active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
SODIUM IODIDE (UNII: F5WR8N145C) (IODIDE ION - UNII:09G4I6V86Q)	IODIDE ION	24 mg in 1 mL	
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	20 mg in 1 mL	

Inactive Ingredients			
Ingredient Name	Strength		
WATER (UNII: 059QF0KO0R)			
ALCOHOL (UNII: 3K9958V90M)			

l	P	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
	1	NDC:70000- 0401-1	30 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/15/2019		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M003	01/15/2019		

Labeler - Cardinal Health, 110 dba Leader (063997360)

Revised: 5/2024 Cardinal Health, 110 dba Leader