

## **TRIODINE -7- triple source iodine tincture solution** **Durvet, Inc.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**Triodine-7®**

### **Triple Source Iodine Tincture**

Antiseptic / Disinfectant

**Use on: Cattle, Sheep, Horses, Dogs and Swine**

#### **INDICATIONS:**

For topical application on the skin to disinfect superficial wounds, cuts, abrasions, insect bites and minor bruises.

#### **DIRECTIONS FOR USE:**

If necessary, clip hair from area to be treated and cleanse with soap and water. Apply Triodine-7® with a swab.

#### **CAUTION:**

Not for use in body cavities or deep wounds. Do not use on burns. Do not apply under bandage. Irritation may occur if used on tender skin areas. Avoid contact with eyes and mucous membranes. In case of deep or puncture wounds or serious burns, consult a veterinarian. If redness, irritation, or swelling persists or increases, discontinue use and consult a veterinarian.



Triodine-7 is a registered trademark of First Priority, Inc.

Manufactured for:

**DURVET, INC.**

Blue Springs, MO 64014

www.durvet.com

#### **ACTIVE INGREDIENTS:**

7% active ingredients provided by Povidone Iodine, Iodine and Potassium Iodide.  
Provides 2.4% Titratable Iodine\*.

\*Complies with DEA Iodine Regulation 21 C.F.R. §1310.12. No DEA registration required.

**INACTIVE INGREDIENTS:**

Water, Isopropyl Alcohol and Propylene Glycol.

**WARNING:**

Ingestion may cause gastrointestinal irritation, nausea and vomiting.

**CALL A PHYSICIAN OR POISON CONTROL CENTER.**

**STORAGE:**

Store at controlled room temperature between 15°-30°C (59°-86°F). PROTECT FROM LIGHT.

**WARNING! FLAMMABLE! KEEP AWAY FROM HEAT AND OPEN FLAME. KEEP CONTAINER CLOSED WHEN NOT IN USE.**

**Not For Human Use.**

\*Complies with DEA Iodine Regulation 21 C.F.R. §1310.12.

No DEA registration required.

**NET CONTENTS:**

16 fl oz (473 mL)

32 fl oz (960 mL)

One Gallon (3.785 L)

**16 fl oz (473 mL)**

NDC 30798-928-31

**durvet**

# Triiodine-7®

## Triple Source Iodine Tincture

Antiseptic / Disinfectant

Use on: Cattle, Sheep, Horses,  
Dogs and Swine



NET CONTENTS:  
16 fl oz (473 mL)

**INDICATIONS:** For topical application on the skin to disinfect superficial wounds, cuts, abrasions, insect bites and minor bruises.

**DIRECTIONS FOR USE:** If necessary, clip hair from area to be treated and cleanse with soap and water. Apply Triiodine-7® with a swab.

**CAUTION:** Not for use in body cavities or deep wounds. Do not use on burns. Do not apply under bandage. Irritation may occur if used on tender skin areas. Avoid contact with eyes and mucous membranes. In case of deep or puncture wounds or serious burns, consult a veterinarian. If redness, irritation, or swelling persists or increases, discontinue use and consult a veterinarian.



Triiodine-7 is a registered trademark of First Priority, Inc.

Manufactured for:  
**DURVET, INC.**  
Blue Springs, MO 64014  
www.durvet.com  
ISS22XB02

**ACTIVE INGREDIENTS:** 7% active ingredients provided by Povidone Iodine, Iodine and Potassium Iodide. Provides 2.4% Titratable Iodine\*.

**INACTIVE INGREDIENTS:** Water, Isopropyl Alcohol and Propylene Glycol.

**WARNING:** Ingestion may cause gastrointestinal irritation, nausea and vomiting.

**CALL A PHYSICIAN OR POISON CONTROL CENTER.**

**STORAGE:** Store at controlled room temperature between 15°-30°C (59°-86°F). PROTECT FROM LIGHT.

**WARNING! FLAMMABLE! KEEP AWAY FROM HEAT AND OPEN FLAME. KEEP CONTAINER CLOSED WHEN NOT IN USE.**

**Not For Human Use.**

\*Complies with DEA Iodine Regulation 21 C.F.R. §1310.12.  
No DEA registration required.

Lot No. Exp. Date

No Varnish

32 fl oz (960 mL)

NDC 30798-928-34

**durvet**

# Triiodine-7®

## Triple Source Iodine Tincture

Antiseptic / Disinfectant

Use on: Cattle, Sheep, Horses,  
Dogs and Swine



NET CONTENTS:  
32 fl oz (960 mL)

**INDICATIONS:** For topical application on the skin to disinfect superficial wounds, cuts, abrasions, insect bites and minor bruises.

**DIRECTIONS FOR USE:** If necessary, clip hair from area to be treated and cleanse with soap and water. Apply Triiodine-7® with a swab.

**CAUTION:** Not for use in body cavities or deep wounds. Do not use on burns. Do not apply under bandage. Irritation may occur if used on tender skin areas. Avoid contact with eyes and mucous membranes. In case of deep or puncture wounds or serious burns, consult a veterinarian. If redness, irritation, or swelling persists or increases, discontinue use and consult a veterinarian.



Triiodine-7 is a registered trademark of First Priority, Inc.

Manufactured for:  
**DURVET, INC.**  
Blue Springs, MO 64014  
www.durvet.com  
ISS22XB02

**ACTIVE INGREDIENTS:** 7% active ingredients provided by Povidone Iodine, Iodine and Potassium Iodide. Provides 2.4% Titratable Iodine\*.

**INACTIVE INGREDIENTS:** Water, Isopropyl Alcohol and Propylene Glycol.

**WARNING:** Ingestion may cause gastrointestinal irritation, nausea and vomiting.

**CALL A PHYSICIAN OR POISON CONTROL CENTER.**

**STORAGE:** Store at controlled room temperature between 15°-30°C (59°-86°F). PROTECT FROM LIGHT.

**WARNING! FLAMMABLE! KEEP AWAY FROM HEAT AND OPEN FLAME. KEEP CONTAINER CLOSED WHEN NOT IN USE.**

**Not For Human Use.**

\*Complies with DEA Iodine Regulation 21 C.F.R. §1310.12.  
No DEA registration required.

Lot No. Exp. Date

No Varnish

One Gallon (3.785 L)

NDC 30798-928-35



# Triiodine-7<sup>®</sup>

## Triple Source Iodine Tincture

### Antiseptic / Disinfectant

Use on: Cattle, Sheep, Horses,  
Dogs and Swine

NET CONTENTS:  
One Gallon  
(3.785 L)

**INDICATIONS:** For topical application on the skin to disinfect superficial wounds, cuts, abrasions, insect bites and minor bruises.

**DIRECTIONS FOR USE:** If necessary, clip hair from area to be treated and cleanse with soap and water. Apply Triiodine-7<sup>®</sup> with a swab.

**CAUTION:** Not for use in body cavities or deep wounds. Do not use on burns. Do not apply under bandage. Irritation may occur if used on tender skin areas. Avoid contact with eyes and mucous membranes. In case of deep or puncture wounds or serious burns, consult a veterinarian. If redness, irritation, or swelling persists or increases, discontinue use and consult a veterinarian.



Triiodine-7 is a registered trademark of First Priority, Inc.

Manufactured for:  
**DURVET, INC.**  
Blue Springs, MO 64014  
www.durvet.com  
ISSU16XB08

**ACTIVE INGREDIENTS:** 7% active ingredients provided by Povidone Iodine, Iodine and Potassium Iodide. Provides 2.4% Titratable Iodine\*.

**INACTIVE INGREDIENTS:** Water, Isopropyl Alcohol and Propylene Glycol.

**WARNING:** Ingestion may cause gastrointestinal irritation, nausea and vomiting.

**CALL A PHYSICIAN OR POISON CONTROL CENTER.**

**STORAGE:** Store at controlled room temperature between 15°-30°C (59°-86°F). PROTECT FROM LIGHT.

**WARNING! FLAMMABLE! KEEP AWAY FROM HEAT AND OPEN FLAME. KEEP CONTAINER CLOSED WHEN NOT IN USE.**

**Restricted Drug - Use Only as Directed. Not For Human Use.**

\*Complies with DEA Iodine Regulation 21 C.F.R. §1310.12. No DEA registration required.

Lot No. \_\_\_\_\_ Exp. Date \_\_\_\_\_

No Varnish

## TRIODINE -7

triple source iodine tincture solution

### Product Information

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:30798-928
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>IODINE</b> (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	2.1 mg in 1 mL
<b>POVIDONE-IODINE</b> (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	3.0 mg in 1 mL
<b>POTASSIUM IODIDE</b> (UNII: 1C4QK22F9J) (IODIDE ION - UNII:09G4I6V86Q)	IODIDE ION	2.0 mg in 1 mL

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:30798-928-31	12 in 1 CASE		
1		473 mL in 1 BOTTLE, SPRAY		
2	NDC:30798-928-34	16 in 1 CASE		
2		960 mL in 1 BOTTLE		
3	NDC:30798-928-35	4 in 1 CASE		
3		3785 mL in 1 JUG		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

unapproved drug other		09/10/2007	
--------------------------	--	------------	--

**Labeler** - Durvet, Inc. (056387798)

**Establishment**

Name	Address	ID/FEI	Business Operations
FIRST PRIORITY INCORPORATED		179925722	manufacture, label, api manufacture

Revised: 3/2024

Durvet, Inc.