

WALGREENS CLOTRIMAZOLE 3- clotrimazole cream
Walgreen Company

Walgreens
Clotrimazole 3

Drug Facts

Active ingredients	Purpose
Clotrimazole USP 2% (100 mg in each applicatorful)	Vaginal Antifungal
Clotrimazole USP 2% (external cream)	Vaginal Antifungal

Use

- treats vaginal yeast infections
- relieves external itching and irritation due to a vaginal yeast infection

Warnings

For vaginal use only

Do not use if you have never had a vaginal yeast infection diagnosed by a doctor

Ask a doctor before use if you have

- **vaginal itching and discomfort for the first time**
- **lower abdominal, back or shoulder pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge. You may have a more serious condition.**
- vaginal yeast infections often (such as once a month or 3 in 6 months). You could be pregnant or have a serious underlying medical cause for your symptoms, including diabetes or a weakened immune system.
- been exposed to the human immunodeficiency virus (HIV) that causes AIDS

When using this product

- do not use tampons, douches, spermicides, or other vaginal products. Condoms and diaphragms may be damaged and fail to prevent pregnancy or sexually transmitted diseases (STDs).
- do not have vaginal intercourse
- mild increase in vaginal burning, itching or irritation may occur
- if you do not get complete relief ask a doctor before using another product

Stop use and ask a doctor if

- **symptoms do not get better in 3 days**
- **symptoms last more than 7 days**
- **you get a rash or hives, abdominal pain, fever, chills, nausea, vomiting, or a foul-smelling vaginal discharge**

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- before using this product read the enclosed educational brochure for complete directions and information
- adults and children 12 years of age and over:
 - **vaginal cream:** insert one applicatorful of cream into the vagina at bedtime for 3 days in a row. Throw applicator away after use.
 - **external cream:** use the same tube of cream if you have itching and irritation on the skin outside the vagina. Squeeze a small amount of cream onto your fingertip. Apply to itchy, irritated skin outside the vagina. Use 2 times daily for up to 7 days as needed.
- children under 12 years of age: ask a doctor

Other information

- To open: unscrew cap, use pointed end on cap to puncture seal
- do not use if carton is opened
- **safety sealed:** the tube opening should be sealed. If the seal has been punctured or is not visible, do not use the product.
- store between 20° to 25°C (68° to 77°F)
- see flap of carton or crimp of tube for lot number and expiration date

Inactive ingredients

benzyl alcohol, cetostearyl alcohol, cetyl esters wax, 2-octyldodecanol, polysorbate-60, purified water, and sorbitan monostearate

Questions or comments?

Call toll-free, **1-888-827-6222**, for our 24 hour automated response system.

DISTRIBUTED BY:

**WALGREEN CO.
200 WILMOT ROAD
DEERFIELD, IL 60015**

PRINCIPAL DISPLAY PANEL - 21 g Tube Carton

3-DAY TREATMENT

Clotrimazole 3

**Well at
Walgreens**

**Clotrimazole Vaginal Cream USP (2%) /
Vaginal Antifungal**

WALGREENS PHARMACIST RECOMMENDED[‡]


- **Cures most vaginal yeast infections**

**Compare to Gyne-Lotrimin 3[®]
active ingredient^{‡‡}**

Educational brochure enclosed.

ONE 21 g (0.74 oz) TUBE OF CLOTRIMAZOLE VAGINAL CREAM USP (2%) & 3 DISPOSABLE APPLICATORS

NDC 0363-2062-01



Cures Most Vaginal Yeast Infections
 1 Tube of Vaginal Cream &
 3 Disposable Applicators



3-Day Treatment

3-DAY TREATMENT

Clotrimazole **3**

**Clotrimazole Vaginal Cream USP (2%) /
 Vaginal Antifungal**

- Cures most vaginal yeast infections



WALGREENS PHARMACIST RECOMMENDED*

NDC 0363-2062-01

Educational brochure enclosed.

Compare to Gyne-Lotrimin 3®
 active ingredient**

ONE 21 g (0.74 oz) TUBE OF CLOTRIMAZOLE VAGINAL CREAM USP (2%) & 3 DISPOSABLE APPLICATORS



Drug Facts (continued)

Other information • To open: unscrew cap, use pointed end on cap to puncture seal
 • do not use if carton is opened
 • safety sealed: the tube opening should be sealed. If the seal has been punctured or is not visible, do not use the product.
 • store between 20° to 25°C (68° to 77°F)
 • see flap of carton or crimp of tube for lot number and expiration date

Inactive ingredients benzyl alcohol, cetostearyl alcohol, cetyl esters wax, 2-octyldodecanol, polysorbate-60, purified water, and sorbitan monostearate

Questions or comments? Call toll-free, 1-888-827-6222, for our 24 hour automated response system.

100% Satisfaction Guaranteed
 Walgreens.com
 ©2012 Walgreen Co.
 MADE IN CANADA

Directions • before using this product read the enclosed educational brochure for complete directions and information
 • adults and children 12 years of age and over:
 • Vaginal cream: insert one applicatorful of cream into the vagina at bedtime for 3 days in a row. Throw applicator away after use.
 • external cream: use the same tube of cream if you have itching and irritation on the skin outside the vagina. Squeeze a small amount of cream onto your fingertip. Apply to itchy, irritated skin outside the vagina. Use 2 times daily for up to 7 days as needed.
 • children under 12 years of age: ask a doctor

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

If pregnant or breast-feeding, ask a health professional before use.

- you get a rash or hives, abdominal pain, fever, chills, nausea, vomiting, or a foul-smelling vaginal discharge
- symptoms last more than 7 days

Stop use and ask a doctor if

Drug Facts

Active ingredients

Clotrimazole USP 2% (100 mg in each applicator).....
Vaginal Antifungal

Purpose
Vaginal Antifungal

Use

- treats vaginal yeast infections
- relieves external itching and irritation due to a vaginal yeast infection

Warnings

Do not use if you have never had a vaginal yeast infection diagnosed by a doctor

Ask a doctor before use if you have

- vaginal itching and discomfort for the first time
- lower abdominal, back or shoulder pain, fever, chills, nausea, vomiting, or foul-smelling vaginal discharge. You may have a more serious condition
- vaginal yeast infections often (such as once a month or 3 in 6 months). You could be pregnant or have a serious underlying medical cause for your symptoms, including diabetes or a weakened immune system.

When using this product

- do not use tampons, douches, spermicides, or other vaginal products. Condoms and diaphragms may be damaged and fail to prevent pregnancy or sexually transmitted diseases (STDs).
- do not have vaginal intercourse
- If you do not get complete relief ask a doctor before using another product

†Walgreens Pharmacist

Survey Study,

November 2010.

‡This product is not

manufactured or

distributed by MSD

Consumer Care Inc., a

subsidiary of Merck &

Co., Inc.

DISTRIBUTED BY:

WALGREEN CO.


200 WILMOT ROAD
DEERFIELD, IL 60015

LPK-3863-5
0113-5
M137

**NO COPY ON THIS FLAP
FOR LOT # AND EXPIRY
DATE PRINT**

T128

RG112-F



WALGREENS CLOTRIMAZOLE 3

clotrimazole cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-2062
Route of Administration	VAGINAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Clotrimazole (UNII: G07GZ97H65) (Clotrimazole - UNII:G07GZ97H65)	Clotrimazole	2 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
benzyl alcohol (UNII: LKG8494WBH)	
cetostearyl alcohol (UNII: 2DMT128M1S)	
cetyl esters wax (UNII: D072FFP9GU)	
octyldodecanol (UNII: 461N1O614Y)	
polysorbate 60 (UNII: CAL22UVI4M)	
water (UNII: 059QF0K00R)	
sorbitan monostearate (UNII: NVZ4I0H58X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-2062-01	1 in 1 CARTON		

1	21 g in 1 TUBE, WITH APPLICATOR		
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA021143	04/12/2000	

Labeler - Walgreen Company (008965063)

Registrant - Taro Pharmaceuticals U.S.A., Inc. (145186370)

Establishment			
Name	Address	ID/FEI	Business Operations
Taro Pharmaceuticals Inc.		206263295	MANUFACTURE(0363-2062)

Revised: 2/2013

Walgreen Company