

FLEA - BUG BITES- pyrogenium, apis mel., aranea diadema, arnica, arsenicum alb., azadirachta indica, bryonia, caladium seguinum, calendula, formica, grindelia, hypericum, lachesis, latrodictus mactans, ledum, mezereum, nux vom., pulex irritans, rhus toxicodendron, tarentula cubensis, tarentula hispana, theridion, thuja occ., vespa crabro, echinacea, hamamelis, solidago liquid

Newton Laboratories, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

Flea - Bug Bites

INDICATIONS & USAGE SECTION

Formulated for symptoms associated with bites and stings such as inflammation, burning, itching, swelling and discomfort.

DOSAGE & ADMINISTRATION SECTION

Directions: Pets, under 50 lbs., give 3 drops by mouth (50 to 500 lbs. - 6 drops, over 500 lbs. - 1/2 teaspoon) as needed or as directed by a health professional. Place in mouth or purified water.

OTC - ACTIVE INGREDIENT SECTION

Equal parts of Echinacea 6x, Hamamelis 6x, Solidago 6x, Apis mel. 15x, Aranea 15x, Arnica 15x, Arsenicum alb. 15x, Azadirachta indica 15x, Bryonia 15x, Caladium seguinum 15x, Calendula 15x, Formica 15x, Grindelia 15x, Hypericum 15x, Lachesis 15x, Latrodictus mac. 15x, Ledum 15x, Mezereum 15x, Nux vom. 15x, Pulex irr. 15x, Rhus tox. 15x, Tarentula cub. 15x, Tarentula hisp. 15x, Theridion 15x, Thuja occ. 15x, Vespa 15x, Pyrogenium 30x.

OTC - PURPOSE SECTION

Formulated for symptoms associated with bites and stings such as inflammation, burning, itching, swelling and discomfort.

INACTIVE INGREDIENT SECTION

Inactive Ingredients: USP Purified Water; USP Gluten-free, non-GMO, organic cane alcohol 20%.

QUESTIONS SECTION

newtonlabs.net Questions? 1.800.448.7256

Newton Laboratories, Inc. FDA Est # 1051203 - Conyers, GA 30013

WARNINGS SECTION

WARNINGS: Keep out of reach of children. Do not use if tamper-evident seal is broken or missing. If symptoms worsen or persist for more than a few days, consult a doctor. If **pregnant or breast-feeding**, ask a doctor before use.

OTC - PREGNANCY OR BREAST FEEDING SECTION

If pregnant or breast-feeding, ask a doctor before use.

OTC - KEEP OUT OF REACH OF CHILDREN SECTION

Keep out of reach of children.

PACKAGE LABEL.PRINCIPAL

NEWTON
homeopathics
for **PETS**
Nurturing Naturally Since 1987™

NDC#
55714-4259-1

**Flea~
Bug Bites**

*Formulated for
symptoms associated
with bites and stings
such as inflammation,
burning, itching,
swelling and discomfort.*

1 fl oz (29.57 ml)

Directions: ORAL USE ONLY - SHAKE WELL.
Pets, under 50 lbs., give 3 drops orally (50 to 500 lbs. - 6 drops, over 500 lbs. - 1/2 teaspoon) as needed or as directed by a healthcare professional. Place in mouth or purified water.

Active Ingredients: Pyrogenium 30x, Apis mel. 15x, Aranea diadema 15x, Arnica 15x, Arsenicum alb. 15x, Azadirachta indica 15x, Bryonia 15x, Caladium seguinum 15x, Calendula 15x, Formica 15x, Grindelia 15x, Hypericum 15x, Lachesis 15x, Latrodectus mactans 15x, Ledum 15x, Mezereum 15x, Nux vom. 15x, Pulex irritans 15x, Rhus toxicodendron 15x, Tarentula cubensis 15x, Tarentula hispana 15x, Theridion 15x, Thuja occ. 15x, Vespa crabro 15x, Echinacea 3x, Hamamelis 3x, Solidago 3x.

Inactive Ingredients: USP Purified water; USP Gluten-free, non-GMO, organic cane dispensing alcohol 20%.

Stock# P012 Lot#

www.newtonlabs.net
Newton Laboratories, Inc. FDA Est# 1051203 • Conyers, GA 30012
Questions? 1.800.448.7256

Warning: Do not use if tamper-evident seal is broken or missing. Consult a licensed healthcare professional if pregnant, nursing or if symptoms worsen or persist for more than a few days. Keep out of reach of children.

NEWTON
homeopathics
PETS

NDC#
55714-4287-1

**Flea~
Bug Bites**

Formulated for symptoms associated with bites and stings such as inflammation, burning, itching, swelling and discomfort.

1 FL OZ (30 ML)

Directions: Pets, under 50 lbs., give 3 drops by mouth (50 to 500 lbs. - 6 drops, over 500 lbs. - 1/2 teaspoon) as needed or as directed by a health professional. Place in mouth or purified water.

Active Ingredients: Equal parts of Echinacea 6x, Hamamelis 6x, Solidago 6x, Apis mel. 15x, Aranea 15x, Arnica 15x, Arsenicum alb. 15x, Azadirachta 15x, Bryonia 15x, Caladium seguinum 15x, Calendula 15x, Formica 15x, Grindelia 15x, Hypericum 15x, Lachesis 15x, Latrodectus mac. 15x, Ledum 15x, Mezereum 15x, Nux vom. 15x, Pulex irr. 15x, Rhus tox. 15x, Tarentula cub. 15x, Tarentula hisp. 15x, Theridion 15x, Thuja occ. 15x, Vespa 15x, Pyrogenium 30x.

Inactive Ingredients: USP Purified water; USP Gluten-free, non-GMO, organic cane alcohol 20%.

Stock# P012 Lot#

newtonlabs.net ~ Questions? 800.448.7256
Newton Laboratories, Inc. FDA Est# 1051203 • Conyers, GA 30013
Label statements have not been reviewed by the FDA.

WARNING: Keep out of reach of children. Do not use if tamper-evident seal is broken or missing. If symptoms worsen or persist for more than a few days, consult a doctor. If pregnant or breast-feeding, ask a doctor before use.

FLEA - BUG BITES

pyrogenium, apis mel., aranea diadema, arnica, arsenicum alb., azadirachta indica, bryonia, caladium seguinum, calendula, formica, grindelia, hypericum, lachesis, latrodectus mactans, ledum, mezereum, nux vom., pulex irritans, rhus toxicodendron, tarentula cubensis, tarentula hispana, theridion, thuja occ., vespa crabro, echinacea, hamamelis, solidago liquid

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:55714-4259
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Rancid Beef (UNII: 29SUH5R3HU) (Rancid Beef - UNII:29SUH5R3HU)	Rancid Beef	30 [hp_X] in 1 mL
Apis Mellifera (UNII: 7S82P3R43Z) (Apis Mellifera - UNII:7S82P3R43Z)	Apis Mellifera	15 [hp_X] in 1 mL
Araneus Diadematus (UNII: 6T6CO7R3Z5) (Araneus Diadematus - UNII:6T6CO7R3Z5)	Araneus Diadematus	15 [hp_X] in 1 mL
Arnica Montana (UNII: O80TY208ZW) (Arnica Montana - UNII:O80TY208ZW)	Arnica Montana	15 [hp_X] in 1 mL
Arsenic Trioxide (UNII: S7V92P67HO) (Arsenic Cation (3+) - UNII:C96613F5AV)	Arsenic Trioxide	15 [hp_X] in 1 mL
Azadirachta Indica Bark (UNII: G580B439YI) (Azadirachta Indica Bark - UNII:G580B439YI)	Azadirachta Indica Bark	15 [hp_X] in 1 mL
Bryonia Alba Root (UNII: T7J046YI2B) (Bryonia Alba Root - UNII:T7J046YI2B)	Bryonia Alba Root	15 [hp_X] in 1 mL
Dieffenbachia Seguine (UNII: 01800C6E6B) (Dieffenbachia Seguine - UNII:01800C6E6B)	Dieffenbachia Seguine	15 [hp_X] in 1 mL
Calendula Officinalis Flowering Top (UNII: 18E7415PXQ) (Calendula Officinalis Flowering Top - UNII:18E7415PXQ)	Calendula Officinalis Flowering Top	15 [hp_X] in 1 mL
Formica Rufa (UNII: 55H0W83JO5) (Formica Rufa - UNII:55H0W83JO5)	Formica Rufa	15 [hp_X] in 1 mL
Grindelia Hirsutula Flowering Top (UNII: IDB0NAZ6AI) (Grindelia Hirsutula Flowering Top - UNII:IDB0NAZ6AI)	Grindelia Hirsutula Flowering Top	15 [hp_X] in 1 mL
Hypericum Perforatum (UNII: XK4IUX8MNB) (Hypericum Perforatum - UNII:XK4IUX8MNB)	Hypericum Perforatum	15 [hp_X] in 1 mL
Lachesis Muta Venom (UNII: VSW71SS07I) (Lachesis Muta Venom - UNII:VSW71SS07I)	Lachesis Muta Venom	15 [hp_X] in 1 mL
Latrodectus Mactans (UNII: XJJ7QA858R) (Latrodectus Mactans - UNII:XJJ7QA858R)	Latrodectus Mactans	15 [hp_X] in 1 mL
Ledum Palustre Twig (UNII: 877L01IZ0P) (Ledum Palustre Twig - UNII:877L01IZ0P)	Ledum Palustre Twig	15 [hp_X] in 1 mL
Daphne Mezereum Bark (UNII: X2N6E405GV) (Daphne Mezereum Bark - UNII:X2N6E405GV)	Daphne Mezereum Bark	15 [hp_X] in 1 mL
Strychnos Nux-vomica Seed (UNII: 269XH13919) (Strychnos Nux-vomica Seed - UNII:269XH13919)	Strychnos Nux-vomica Seed	15 [hp_X] in 1 mL
Pulex Irritans (UNII: L63DD62R8R) (Pulex Irritans - UNII:L63DD62R8R)	Pulex Irritans	15 [hp_X] in 1 mL
Toxicodendron Pubescens Leaf (UNII: 6IO182RP7A) (Toxicodendron Pubescens Leaf - UNII:6IO182RP7A)	Toxicodendron Pubescens Leaf	15 [hp_X] in 1 mL
Citharacanthus Spinicrus (UNII: 3Y5X6RT823) (Citharacanthus Spinicrus - UNII:3Y5X6RT823)	Citharacanthus Spinicrus	15 [hp_X] in 1 mL
Lycosa Tarantula (UNII: 86M454L2TT) (Lycosa Tarantula - UNII:86M454L2TT)	Lycosa Tarantula	15 [hp_X] in 1 mL
Theridion Curassavicum (UNII: 9Z8D3HEM8L) (Theridion Curassavicum - UNII:9Z8D3HEM8L)	Theridion Curassavicum	15 [hp_X] in 1 mL

UNII:9Z8D3HEM8L)	Theridion Curassavicum	in 1 mL
Cedar Leaf Oil (UNII: BJ169U4NLG) (Cedar Leaf Oil - UNII:BJ169U4NLG)	Cedar Leaf Oil	15 [hp_X] in 1 mL
Vespa Crabro (UNII: K3ALM8S49H) (Vespa Crabro - UNII:K3ALM8S49H)	Vespa Crabro	15 [hp_X] in 1 mL
Echinacea, Unspecified (UNII: 4N9P6CC1DX) (Echinacea, Unspecified - UNII:4N9P6CC1DX)	Echinacea, Unspecified	3 [hp_X] in 1 mL
Hamamelis Virginiana Root Bark/stem Bark (UNII: T7S323PKJS) (Hamamelis Virginiana Root Bark/stem Bark - UNII:T7S323PKJS)	Hamamelis Virginiana Root Bark/stem Bark	3 [hp_X] in 1 mL
Solidago Virgaurea Flowering Top (UNII: 5405K23S50) (Solidago Virgaurea Flowering Top - UNII:5405K23S50)	Solidago Virgaurea Flowering Top	3 [hp_X] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
Alcohol (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55714-4259-1	29.57 mL in 1 BOTTLE, GLASS		
2	NDC:55714-4259-2	59.14 mL in 1 BOTTLE, GLASS		
3	NDC:55714-4259-0	14.78 mL in 1 BOTTLE, GLASS		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		07/15/2011	12/31/2018

FLEA - BUG BITES

pyrogenium, apis mel., aranea diadema, arnica, arsenicum alb., azadirachta indica, bryonia, caladium seguinum, calendula, formica, grindelia, hypericum, lachesis, latrodectus mactans, ledum, mezereum, nux vom., pulex irritans, rhus toxicodendron, tarentula cubensis, tarentula hispana, theridion, thuja occ., vespa crabro, echinacea, hamamelis, solidago liquid

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:55714-4287
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Rancid Beef (UNII: 29SUH5R3HU) (Rancid Beef - UNII:29SUH5R3HU)	Rancid Beef	30 [hp_X] in 1 mL
Apis Mellifera (UNII: 7S82P3R43Z) (Apis Mellifera - UNII:7S82P3R43Z)	Apis Mellifera	15 [hp_X] in 1 mL
Araneus Diadematus (UNII: 6T6CO7R3Z5) (Araneus Diadematus - UNII:6T6CO7R3Z5)	Araneus Diadematus	15 [hp_X] in 1 mL

Arnica Montana (UNII: O80TY208ZW) (Arnica Montana - UNII:O80TY208ZW)	Arnica Montana	15 [hp_X] in 1 mL
Arsenic Trioxide (UNII: S7V92P67HO) (Arsenic Cation (3+) - UNII:C96613F5AV)	Arsenic Trioxide	15 [hp_X] in 1 mL
Azadirachta Indica Bark (UNII: G580B439YI) (Azadirachta Indica Bark - UNII:G580B439YI)	Azadirachta Indica Bark	15 [hp_X] in 1 mL
Bryonia Alba Root (UNII: T7J046YI2B) (Bryonia Alba Root - UNII:T7J046YI2B)	Bryonia Alba Root	15 [hp_X] in 1 mL
Dieffenbachia Seguine (UNII: 01800C6E6B) (Dieffenbachia Seguine - UNII:01800C6E6B)	Dieffenbachia Seguine	15 [hp_X] in 1 mL
Calendula Officinalis Flowering Top (UNII: 18E7415PXQ) (Calendula Officinalis Flowering Top - UNII:18E7415PXQ)	Calendula Officinalis Flowering Top	15 [hp_X] in 1 mL
Formica Rufa (UNII: 55H0W83JO5) (Formica Rufa - UNII:55H0W83JO5)	Formica Rufa	15 [hp_X] in 1 mL
Grindelia Hirsutula Flowering Top (UNII: IDB0NAZ6AI) (Grindelia Hirsutula Flowering Top - UNII:IDB0NAZ6AI)	Grindelia Hirsutula Flowering Top	15 [hp_X] in 1 mL
Hypericum Perforatum (UNII: XK4IUX8MNB) (Hypericum Perforatum - UNII:XK4IUX8MNB)	Hypericum Perforatum	15 [hp_X] in 1 mL
Lachesis Muta Venom (UNII: VSW71SS07I) (Lachesis Muta Venom - UNII:VSW71SS07I)	Lachesis Muta Venom	15 [hp_X] in 1 mL
Latrodectus Mactans (UNII: XJJ7QA858R) (Latrodectus Mactans - UNII:XJJ7QA858R)	Latrodectus Mactans	15 [hp_X] in 1 mL
Ledum Palustre Twig (UNII: 877L01IZ0P) (Ledum Palustre Twig - UNII:877L01IZ0P)	Ledum Palustre Twig	15 [hp_X] in 1 mL
Daphne Mezereum Bark (UNII: X2N6E405GV) (Daphne Mezereum Bark - UNII:X2N6E405GV)	Daphne Mezereum Bark	15 [hp_X] in 1 mL
Strychnos Nux-vomica Seed (UNII: 269XH13919) (Strychnos Nux-vomica Seed - UNII:269XH13919)	Strychnos Nux-vomica Seed	15 [hp_X] in 1 mL
Pulex Irritans (UNII: L63DD62R8R) (Pulex Irritans - UNII:L63DD62R8R)	Pulex Irritans	15 [hp_X] in 1 mL
Toxicodendron Pubescens Leaf (UNII: 6IO182RP7A) (Toxicodendron Pubescens Leaf - UNII:6IO182RP7A)	Toxicodendron Pubescens Leaf	15 [hp_X] in 1 mL
Citharacanthus Spinicus (UNII: 3Y5X6RT823) (Citharacanthus Spinicus - UNII:3Y5X6RT823)	Citharacanthus Spinicus	15 [hp_X] in 1 mL
Lycosa Tarantula (UNII: 86M454L2TT) (Lycosa Tarantula - UNII:86M454L2TT)	Lycosa Tarantula	15 [hp_X] in 1 mL
Theridion Curassavicum (UNII: 9Z8D3HEM8L) (Theridion Curassavicum - UNII:9Z8D3HEM8L)	Theridion Curassavicum	15 [hp_X] in 1 mL
Cedar Leaf Oil (UNII: BJ169U4NLG) (Cedar Leaf Oil - UNII:BJ169U4NLG)	Cedar Leaf Oil	15 [hp_X] in 1 mL
Vespa Crabro (UNII: K3ALM8S49H) (Vespa Crabro - UNII:K3ALM8S49H)	Vespa Crabro	15 [hp_X] in 1 mL
Echinacea, Unspecified (UNII: 4N9P6CC1DX) (Echinacea, Unspecified - UNII:4N9P6CC1DX)	Echinacea, Unspecified	6 [hp_X] in 1 mL
Hamamelis Virginiana Root Bark/stem Bark (UNII: T7S323PKJS) (Hamamelis Virginiana Root Bark/stem Bark - UNII:T7S323PKJS)	Hamamelis Virginiana Root Bark/stem Bark	6 [hp_X] in 1 mL
Solidago Virgaurea Flowering Top (UNII: 5405K23S50) (Solidago Virgaurea Flowering Top - UNII:5405K23S50)	Solidago Virgaurea Flowering Top	6 [hp_X] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
Alcohol (UNII: 3K9958V90M)	
Water (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55714-4287-1	30 mL in 1 BOTTLE, GLASS		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/14/2019	

Labeler - Newton Laboratories, Inc. (788793610)

Registrant - Newton Laboratories, Inc. (788793610)

Establishment			
Name	Address	ID/FEI	Business Operations
Newton Laboratories, Inc.		788793610	MANUFACTURE, API MANUFACTURE

Revised: 1/2019

Newton Laboratories, Inc.