

EEZY PRO- meradimate, octinoxate, octocrylene, titanium dioxide, zinc oxide cream

BIO EARTH MANUFACTURING (PTY) LTD

Eezy pro

Active Ingredient

Meradimate, Octinoxate, Octocrylene, Titanium Dioxide, Zinc Oxide

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures decreases the risk of skin cancer and early skin aging caused by sun(see Directions)

Warnings

For external use only.

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure

Reapply

- After 40 minutes of swimming or sweating
- Immediately after towel drying
- At least every 2 hours.

• Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging.

To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15

or higher and other sun protection measures including:

- Limited time in the sun, especially from 10 a.m - 2 p.m
- Wear long-sleeved shirts, pants, hats and sunglasses
- Children under 6 months of age: ask a doctor

Inactive Ingredient

Aloe barbadensis leaf juice, Cellulose gum, Cetearyl alcohol, Glycerin, Glycerol Stearate, Methylparaben, Phenoxyethanol, Propylparaben,

Vitamin A & E, Water, White petrolatum, Xanthan gum, Niacinamide, hydrolysed soybean fibre.

Other Information

Protect the product in this container from excessive heat and direct sun.

Product Label

Drug Facts	
Active Ingredients	Purpose
Meradimate 5 %, Octinoxate 7.5 %, Octocrylene 8 %, Titanium Dioxide 7 %, Zinc Oxide 11 %	... Sunscreen
Uses	
<ul style="list-style-type: none"> ■ Helps prevent sunburn ■ If used as directed with other sun protection measures decrease the risk of skin cancer and early skin aging caused by the sun (see Directions) 	
Warnings	
For external use only	
Do not use ■ on damaged or broken skin	
When using this product ■ keep out of eyes Rinse with water to remove	
Stop use and ask doctor if ■ rash occurs	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away	
Directions	
<ul style="list-style-type: none"> ■ Apply liberally 15 minutes before sun exposure Reapply <ul style="list-style-type: none"> ■ After 40 minutes of swimming or sweating ■ Immediately after towel drying ■ At least every 2 hours ■ Sun protection measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: <ul style="list-style-type: none"> ■ Limited time in the sun, especially from 10 am - 2 pm ■ Wear long-sleeve shirts, pants, hats and sunglasses ■ Children under 6 months of age: ask a doctor 	
Other Information	
<ul style="list-style-type: none"> ■ Protect the product in this container from excessive heat and direct sun 	
Inactive Ingredients	
Aloe barbadensis leaf juice, cellulose gum, cetearyl alcohol, glycerin, glycerol stearate, hydrolysed soybean fibre, methylparaben, niacinamide, phenoxyethanol, propylparaben, vitamin A & E, water, white petrolatum, xanthan gum	

Product of South Africa



Eezybrands Corporation
8 The Green, Suite #5350,
Dover, DE, 19901, USA
www.eezybrands.com
info@eezybrands.com



Eezy Pro

Face Cream

- SPF 50 • Non Oily • Aloe Vera
- Anti-aging • Even Skin Tone
- Prevents Dark Spots
- For Daily Use

3.3 fl oz (100 ml)

6mm no print area

EEZY PRO

meradimate, octinoxate, octocrylene, titanium dioxide, zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70116-010
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MERADIMATE (UNII: J9QGD60OUZ) (MERADIMATE - UNII:J9QGD60OUZ)	MERADIMATE	5 mg in 100 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	7.5 mg in 100 mL
OCTOCRYLENE (UNII: 5A68WGF6VM) (OCTOCRYLENE - UNII:5A68WGF6VM)	OCTOCRYLENE	8 mg in 100 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	7 mg in 100 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	11 mg in 100 mL

Inactive Ingredients

Ingredient Name	Strength
BULBINE FRUTESCENS WHOLE (UNII: M2U1C7UW6Y)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED FORM (UNII: K679OBS311)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
GLYCERIN (UNII: PDC6A3C0OX)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
NIACINAMIDE (UNII: 25X51I8RD4)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
WATER (UNII: 059QF0KO0R)	
VITAMIN A (UNII: 81G40H8B0T)	
PETROLATUM (UNII: 4T6H12BN9U)	
XANTHAN GUM (UNII: TTV12P4NEE)	
HYDROLYZED SOY PROTEIN (ENZYMATIC; 2000 MW) (UNII: 1394NXB9L6)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70116-010-01	100 mL in 1 TUBE; Type 0: Not a Combination Product	08/28/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	08/28/2020	

Labeler - BIO EARTH MANUFACTURING (PTY) LTD (639768436)

Establishment

Name	Address	ID/FEI	Business Operations
BIO EARTH MANUFACTURING (PTY) LTD		639768436	manufacture(70116-010)

Revised: 10/2023

BIO EARTH MANUFACTURING (PTY) LTD