WALGREEN CHILDRENS COLD PLUS COUGH PLUS SORE THROATacetaminophen and dextromethorphan hydrobromide suspension WALGREENS CO.

Walgreens Children's Cold + Cough + Sore Throat Relief

Drug Facts

Active ingredients (in each 5 Purposes mL)				
Acetaminophen 160 mg	Pain reliever/fever reducer			
Dextromethorphan HBr 5 mg	Cough suppressant			

Uses

- temporarily relieves the following cold/flu symptoms:
 - minor aches and pains
 - headache
 - sore throat
 - cough
- temporarily reduces fever

Warnings

Liver warning

This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

Allergy alert: acetaminophen may cause severe skin reactions.

Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.
- if your child has ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if your child has

- liver disease
- persistent or chronic cough such as occurs with asthma
- cough that occurs with too much phlegm (mucus)

Ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin

When using this product

do not exceed recommended dose (see overdose warning)

Stop use and ask a doctor if

- pain or cough gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present
- cough comes back or occurs with rash or headache that lasts

These could be signs of a serious condition.

Keep out of reach of children.

Overdose warning

In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- this product does not contain directions or complete warnings for adult use
- do not give more than directed (see overdose warning)
- shake well before using
- mL = milliliter
- find right dose on chart below. If possible, use weight to dose; otherwise, use age.
- remove the child protective cap and squeeze your child's dose into the dosing cup

- repeat dose every 4 hours, while symptoms last
- do not give more than 5 times in 24 hours

Weight (lb)	Age (yr)	Dose (mL)	
under 36	under 4 years	do not use	
36-47	4 to 5 years	5 mL	
48-95	6 to 11 years	10 mL	

Attention: use only enclosed dosing cup specifically designed for use with this product. Do not use any other dosing device.

Other information

- each 5 mL contains: sodium 3 mg
- store at room temperature

Inactive ingredients

carboxymethylcellulose sodium, anhydrous citric acid, D&C red no. 33, disodium edetate, FD&C red no. 40, flavors, glycerin, microcrystalline cellulose, purified water, sodium benzoate, sodium citrate dihydrate, sorbitol solution, sucralose, xanthan gum

Questions or comments?

1-866-467-2748

PRINCIPAL DISPLAY PANEL

Compare to the active ingredients in Children's Tylenol® Cold + Cough + Sore Throat*

NDC 0363-6504-04

Children's

Cold + Cough

+ Sore Throat Relief

Acetaminophen, Pain Reliever-Fever Reducer Dextromethorphan HBr, Cough Suppressant

Oral Suspension

Ages 4-11 Years

- Fever
- Sore Throat
- Cough

Ibuprofen free, aspirin free,

No added alcohol

BubblegumFlavor

Naturally and Artificially Flavored

4 FL OZ (120 mL)

*This product is not manufactured or distributed by Johnson & Johnson Consumer Inc, distributor of Children's Tylenol® Cold + Cough + Sore Throat.

TAMPER-EVIDENT: DO NOT USE IF PRINTED INNER SEAL UNDER CAPS IS TORN OR MISSING.



acetaminophen							
Product Info	rmation						
Product Type		HUMAN OTC DRUG	Item Code (Source) NDC:0363		3-6504		
Route of Admir	istration	ORAL					
Active Ingred	lient/Active	Moiety					
	Ingre	edient Name		Basis of Str	rength	Strengt	
ACETAMINOPHEN	TAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII: 36209ITL9D) ACETAMINOPHEN			160 mg in 5 mL			
(DEXTROMETHORP HYDROBROMIDE	DEXTROMETHORPHAN HYDROBROMIDE			
Inactive Ingr	edients						
		Ingredient Name	•			Strength	
CARBOXYMETHY	LCELLULOSE S	SODIUM, UNSPECIFIED (UN	NII: K679OB	5311)			
ANHYDROUS CIT	RIC ACID (UNII:	XF417D3PSL)					
D&C RED NO. 33	(UNII: 9DBA0SE	BOL)					
EDETATE DISODI	UM (UNII: 7FLD	91C86K)					
FD&C RED NO. 4	0 (UNII: WZ B91)	27XOA)					
GLYCERIN (UNII: P							
		SE (UNII: OP1R32D61U)					
WATER (UNII: 059							
SODIUM BENZOA							
		TE (UNII: B22547B95K)					
SORBITOL SOLUT SUCRALOSE (UNII							
XANTHAN GUM (U							
Product Char							
Color	pin	K	Score				
Shape 				Size			
Flavor	BU	BBLE GUM	Impri	Imprint Code			
.							
Contains							
Contains Packaging # Item Code	Ρ	ackage Description		Marketing Start Date		eting End Date	
Packaging	P 1 in 1 CARTON		C			-	

Marketing Information						
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date				
M012	02/24/2023					
	Application Number or Monograph Citation	Application Number or Monograph Citation Date				

Labeler - WALGREENS CO. (008965063)

Revised: 11/2023

WALGREENS CO.